

SECTION Q - TABLE OF CONTENTS

Section Q Contents:

Discs, Paper Backed.....2 - 5
 Discs, Film Backed..... 6 - 10
 Discs, Cloth Backed.....10 - 11
 Discs, Foam..... 12 - 13
 Discs, Net/Mesh.....13
 Discs, Non-Woven.....14
 Buffing Pads and Compounds.....15
 Backup Pads, Interface Pads
 and Pad Savers..... 16 - 19
 Sanding Stars.....20
 Sheets, Film Backed.....20
 Sheets, Foam.....21
 9x11 Sheets, Paper & Cloth
 Backed..... 22 - 23
 Hand Sanding, Non-Woven.....24
 Hand Sanding, Sponges & Pads.....25 - 26
 Hand Sanding Accessories..... 27
 Sanding Rolls & Blocks..... 28
 Belt Cleaners.....29
 Belts, Portable..... 30 - 31
 Belts, Edge.....32
 Belts, Wide.....33 - 35




Paper Backed Discs
Q-2 - Q-5



Film Backed Discs
Q-6 - Q-10

Foam Discs
Q-12 - Q-13




Mesh Abrasives
Q-13




Backup Pads & Accessories
Q-16 - Q-19



Sanding Pads & Sponges
Q-24 - Q-26



Portable Belts
Q-30 - Q-31



Edge & Wide Belts
Q-32 - Q-35

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

PAPER BACKED DISCS



5" A/O Discs, C-Weight Paper Back



- Aluminum oxide on latex coated C-weight paper
- Latex coated paper increases disc's flexibility and moisture resistance
- Open coat design provides no load performance
- The right choice for general shop use, fine sanding and heavy stock removal

Packing: PSA discs are flat packed (tabbed) 100 discs per box.


Hook and loop discs are flat packed 50 discs per box.

Sold In: Full box quantities only.

Grit	5" No Hole		5" 5 Hole
	PSA Item#	Hook & Loop Item#	PSA Item#
P60	WWGDP60G-5NH	WWGDV60G-5NH	-
P80	WWGDP80G-5NH	WWGDV80G-5NH	WWGDP80G-5H
P100	WWGDP100G-5NH	WWGDV100G-5NH	WWGDP100G-5H
P120	WWGDP120G-5NH	WWGDV120G-5NH	WWGDP120G-5H
P150	WWGDP150G-5NH	WWGDV150G-5NH	WWGDP150G-5H
P180	WWGDP180G-5NH	WWGDV180G-5NH	WWGDP180G-5H
P220	WWGDP220G-5NH	WWGDV220G-5NH	WWGDP220G-5H
P240	WWGDP240G-5NH	WWGDV240G-5NH	-
P280	WWGDP280G-5NH	WWGDV280G-5NH	-
P320	WWGDP320G-5NH	WWGDV320G-5NH	WWGDP320G-5H
P400	WWGDP400G-5NH	WWGDV400G-5NH	-
P500	WWGDP500G-5NH	-	-
P600	WWGDP600G-5NH	WWGDV600G-5NH	WWGDP600G-5H

Grit	5" 5 Hole	5" 8 Hole	5" Multi-Hole
	Hook & Loop Item#	Hook & Loop Item#	Hook & Loop Item#
P80	WWGDV80G-5H	WWGDV80G-5W8H	WWGDV80G-5MH
P100	WWGDV100G-5H	WWGDV100G-5W8H	WWGDV100G-5MH
P120	WWGDV120G-5H	WWGDV120G-5W8H	WWGDV120G-5MH
P150	WWGDV150G-5H	WWGDV150G-5W8H	WWGDV150G-5MH
P180	WWGDV180G-5H	WWGDV180G-5W8H	WWGDV180G-5MH
P220	WWGDV220G-5H	WWGDV220G-5W8H	-
P280	-	WWGDV280G-5W8H	-
P320	WWGDV320G-5H	WWGDV320G-5W8H	-
P400	WWGDV400G-5H	WWGDV400G-5W8H	-
P600	-	WWGDV600G-5W8H	-

PAPER BACKED DISCS



↑ No Hole

↑ 6 Hole

← Multi-hole

6" A/O Discs, C-Weight Paper Back



- Aluminum oxide on latex coated C-weight paper
- Latex coated paper increases disc's flexibility and moisture resistance
- Open coat design provides no load performance
- The right choice for general shop use, fine sanding and heavy stock removal

Packing: PSA discs are flat packed (tabbed) 100 discs per box.

Hook and loop discs are flat packed 50 discs per box.

Sold In: Full box quantities only.

Grit	6" No Hole		6" Hole		6" Multi-Hole
	PSA Item#	Hook & Loop Item#	PSA Item#	Hook & Loop Item#	Hook & Loop Item#
P80	WWGDP80G-6NH	WWGDV80G-6NH	-	WWGDV80G-6H	WWGDV80G-6MH
P100	WWGDP100G-6NH	WWGDV100G-6NH	-	WWGDV100G-6H	WWGDV100G-6MH
P120	WWGDP120G-6NH	WWGDV120G-6NH	WWGDP120G-6H	WWGDV120G-6H	WWGDV120G-6MH
P150	WWGDP150G-6NH	WWGDV150G-6NH	WWGDP150G-6H	WWGDV150G-6H	WWGDV150G-6MH
P180	WWGDP180G-6NH	WWGDV180G-6NH	WWGDP180G-6H	WWGDV180G-6H	WWGDV180G-6MH
P220	WWGDP220G-6NH	WWGDV220G-6NH	WWGDP220G-6H	WWGDV220G-6H	WWGDV220G-6MH
P240	WWGDP240G-6NH	WWGDV240G-6NH	-	-	WWGDV240G-6MH
P280	-	-	-	WWGDV280G-6H	-
P320	WWGDP320G-6NH	-	-	WWGDV320G-6H	WWGDV320G-6MH
P400	-	WWGDV400G-6NH	-	-	WWGDV400G-6MH



PSA (tabbed) version shown

5" S/C Discs, A-Weight Paper Back



- Premium Silicon carbide on latex coated A-weight paper
- Latex coated paper increases disc flexibility and moisture resistance
- Open coat design provides no-load performance
- Designed primarily for lacquer sanding and finely grained wood smoothing
- Perfect for scuff sanding and removing "orange peel" in top coats


Packing: PSA discs are flat packed (tabbed) 100 discs per box. Hook & loop discs are flat packed 50 discs per box.

Sold in: Full box quantities only.

Grit	5" No Hole	5" No Hole
	PSA Item#	Hook & Loop Item#
P80	WWSILP80G-5NH	WWSILV80G-5NH
P100	WWSILP100G-5NH	-
P120	WWSILP120G-5NH	WWSILV120G-5NH
P150	WWSILP150G-5NH	WWSILV150G-5NH
P180	WWSILP180G-5NH	WWSILV180G-5NH
P220	WWSILP220G-5NH	WWSILV220G-5NH
P280	WWSILP280G-5NH	-
P320	WWSILP320G-5NH	WWSILV320G-5NH

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A PAPER BACKED DISCS



PSA Discs

5" A/O Discs, C-Weight Paper Back



- Blended paper backing provides for enhanced support of grain and edge-wear
- Premium abrasive grain in an open coat construction provides a true, consistent and uniform scratch
- "Load-free" coating provides for a fast rate of cut and longer life

Packing: PSA discs are flat packed (tabbed) 100 per discs per box. Hook and Loop discs are flat packed 100 discs per box.

Sold in: Full box quantities only.

Grit	5" No Hole PSA	5" No Hole Hook/Loop
80	SPSP5PSALPB80	SPSP5HLLPB80
100	SPSP5PSALPB100	SPSP5HLLPB100
120	SPSP5PSALPB120	SPSP5HLLPB120
150	SPSP5PSALPB150	SPSP5HLLPB150
180	SPSP5PSALPB180	SPSP5HLLPB180
220	SPSP5PSALPB220	SPSP5HLLPB220



5" A/O Discs, C-Weight Paper Back



- 3M™ 236U general purpose abrasive disc
- Aluminum oxide on C-weight paper with durable tear resistant backing
- Open coat design prevents loading of abrasive

Packing: 100 discs per toll.

Sold in: Full rolls only.

Looking for a 3M Sander?
See Section V

5" No Hole, Stikit™/PSA			
Grit	Item#	Grit	Item#
P80	MM236U80C-5NH	P120	MM236U120C-5NH
P100	MM236U100C-5NH	P150	MM236U150C-5NH



5" S/C Discs, A-Weight Paper Back



- Silicon carbide on A-weight paper
- Unique construction provides excellent finish with load resistant coating

Packing: As shown below.


Sold In: Full rolls only.

Grit	5" No Hole	
	Stikit™/PSA Item#	Qty per Roll
P80	MM426U80A-5NH	125
P100	MM426U100A-5NH	125
P120	MM426U120A-5NH	125
P150	MM415U150A-5NH	175
P180	MM426U180A-5NH	175
P220	MM415U220A-5NH	175
P240	MM426U240A-5NH	175
P280	MM426U280A-5NH	175

PAPER BACKED DISCS



← 5" 9 Hole



← 6" Multi-Jetstream

5" & 6" A/O Discs, Paper Back


FESTOOL

- Rubin was developed for natural wood, wood composites and veneers and has a special coating which sheds wood fibers
- Use on hardwoods like oak or maple, soft woods like pine or fir, tropical woods like ebony or teak, as well as on wood-based products
- Aluminum Oxide, Synthetic Resin, Closed

Grit	5" 9 Hole Disc				6" Multi-Jetstream Disc	
	Mini Pack Item #	Pack Qty	Standard Pack Item #	Pack Qty	Standard Pack Item #	Pack Qty
40	FJ499101	10	FJ499093	50	FJ575186	50
60	FJ499102	10	FJ499094	50	FJ575187	50
80	FJ499103	10	FJ499095	50	FJ575188	50
100	FJ499104	10	FJ499096	50	FJ575189	100
120	FJ499105	10	FJ499097	50	FJ575190	100
150	FJ499106	10	FJ499098	50	FJ575191	100
180	FJ499107	10	FJ499099	50	FJ575192	100
220	FJ499108	10	FJ499100	50	FJ575193	100



↑ 5" 9 Hole



↑ 6" Multi-Jetstream

5" & 6" Hardened A/O Discs, Paper Back

FESTOOL

- Granat is Festool's most long-lasting and highest performing abrasive
- Well suited for nearly all applications, including bare wood, paints, most modern paint systems, VOC clear coats, plastic materials, solid surface materials, acrylics, and composites
- Hardened Aluminum Oxide, Synthetic Resin, Closed

Grit	5" 9 Hole Disc				6" Multi-Jetstream Disc	
	Mini Pack Item #	Pack Qty	Standard Pack Item #	Pack Qty	Standard Pack Item #	Pack Qty
40	FJ497145	10	FJ497165	50	FJ575160	50
60	FJ497146	10	FJ497166	50	FJ575161	50
80	FJ497147	10	FJ497167	50	FJ575162	50
100	-	-	FJ497168	100	FJ575163	100
120	FJ497148	10	FJ497169	100	FJ575164	100
150	-	-	-	-	FJ575165	100
180	FJ497149	10	FJ497171	100	FJ575166	100
220	-	-	FJ497172	100	FJ575167	100
240	-	-	FJ497173	100	FJ575168	100
280	-	-	FJ497174	100	FJ575169	100
320	FJ497150	10	FJ497175	100	FJ575170	100
360	-	-	FJ497176	100	FJ575171	100
400	-	-	FJ497177	100	FJ575172	100

LOOKING FOR A FESTOOL SANDER?

See Section V

A FILM BACKED DISCS

B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y




↑ No Hole



↑ 5 Hole



↑ 9 Hole



↑ Multi-hole

5" A/O Discs, Film Back



- Würth Emerald brand high performance film abrasive discs
- Heat treated aluminum oxide on film, outlasts paper 10 - 1
- Open-coat design provides no-load performance
- 100% waterproof – perfect for wet sanding applications
- Ideal disc for solid surface fabrication

Packing: PSA discs are flat packed (tabbed) 100 per box.

Hook and Loop discs are flat packed 50 discs.

Sold in: Full box quantities only.

Grit	5" No Hole		5" 5 Hole
	PSA Item#	Hook & Loop Item#	PSA Item#
P60	WWEMP60G-5NH	WWEMV60G-5NH	-
P80	WWEMP80G-5NH	WWEMV80G-5NH	WWEMP80G-5H
P100	WWEMP100G-5NH	WWEMV100G-5NH	WWEMP100G-5H
P120	WWEMP120G-5NH	WWEMV120G-5NH	WWEMP120G-5H
P150	WWEMP150G-5NH	WWEMV150G-5NH	WWEMP150G-5H
P180	WWEMP180G-5NH	WWEMV180G-5NH	WWEMP180G-5H
P220	WWEMP220G-5NH	WWEMV220G-5NH	WWEMP220G-5H
P240	WWEMP240G-5NH	WWEMV240G-5NH	WWEMP240G-5H
P280	WWEMP280G-5NH	WWEMV280G-5NH	-
P320	WWEMP320G-5NH	WWEMV320G-5NH	WWEMP320G-5H
P400	WWEMP400G-5NH	WWEMV400G-5NH	-
P600	WWEMP600G-5NH	WWEMV600G-5NH	-

Grit	5" 5 Hole	5" 9 Hole	5" Multi-Hole
	Hook & Loop Item#	Hook & Loop Item #	Hook & Loop Item#
P80	WWEMV80G-5H	WWEMV80G-5H9	WWEMV80G-5MH
P100	WWEMV100G-5H	WWEMV100G-5H9	WWEMV100G-5MH
P120	WWEMV120G-5H	WWEMV120G-5H9	WWEMV120G-5MH
P150	WWEMV150G-5H	WWEMV150G-5H9	WWEMV150G-5MH
P180	WWEMV180G-5H	WWEMV180G-5H9	WWEMV180G-5MH
P220	WWEMV220G-5H	WWEMV220G-5H9	WWEMV220G-5MH
P280	WWEMV280G-5H	-	WWEMV280G-5MH
P320	WWEMV320G-5H	WWEMV320G-5H9	WWEMV320G-5MH
P400	WWEMV400G-5H	WWEMV400G-5H9	WWEMV400G-5MH
P500	-	WWEMV500G-5H9	-


FILM BACKED DISCS



↑ No Hole



↑ 9 Hole



↑ Multi-hole

6" A/O Discs, Film Back

- Würth Emerald brand high performance film abrasive discs
- Heat treated aluminum oxide on film, outlasts paper 10 - 1
- Open-coat design provides no-load performance
- 100% waterproof – perfect for wet sanding applications
- Ideal disc for solid surface fabrication

Packing: PSA discs are 100 discs per box flat packed (tabbed)

Hook and Loop discs are flat packed 50 discs per box.

Sold in: Full box quantities only.



6" No Hole			
Grit	PSA Item#	Hook & Loop Item#	Hook & Loop Item#
P60	-	WWEMV60G-6NH	-
P80	WWEMP80G-6NH	WWEMV80G-6NH	WWEMV80G-6H
P100	WWEMP100G-6NH	-	WWEMV100G-6H
P120	WWEMP120G-6NH	WWEMV120G-6NH	WWEMV120G-6H
P150	WWEMP150G-6NH	WWEMV150G-6NH	WWEMV150G-6H
P180	WWEMP180G-6NH	WWEMV180G-6NH	WWEMV180G-6H
P220	WWEMP220G-6NH	WWEMV220G-6NH	WWEMV220G-6H
P240	-	WWEMV240G-6NH	-
P280	-	WWEMV280G-6NH	WWEMV280G-6H
P320	WWEMP320G-6NH	WWEMV320G-6NH	WWEMV320G-6H
P400	WWEMP400G-6NH	WWEMV400G-6NH	WWEMV400G-6H

Grit	6" 9 Hole	6" Multi-Hole
	Hook & Loop Item #	Hook & Loop Item#
P80	WWEMV80G-6H9	WWEMV80G-6MH
P100	WWEMV100G-6H9	-
P120	WWEMV120G-6H9	WWEMV120G-6MH
P150	WWEMV150G-6H9	WWEMV150G-6MH
P180	WWEMV180G-6H9	WWEMV180G-6MH
P220	WWEMV220G-6H9	WWEMV220G-6MH
P240	WWEMV240G-6H9	-
P280	WWEMV280G-6H9	WWEMV280G-6MH
P320	WWEMV320G-6H9	WWEMV320G-6MH
P400	WWEMV400G-6H9	WWEMV400G-6MH
P500	WWEMV500G-6H9	-
P600	-	WWEMV600G-6MH

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

FILM BACKED DISCS



11" A/O Discs, Film Back




- For use with large sanders; ideal for solid surface applications
- Heat treated aluminum oxide on film, outlasts paper 10 - 1 on wood
- Open-coat design provides no-load performance
- 100% waterproof - perfect for wet sanding applications

Packing: 20 discs per box.

Sold in: Full box quantities only.

Grit	11" Hook/Loop Item#	Grit	11" Hook/Loop Item#	Grit	11" Hook/Loop Item#
P80	WWEMV80G-11NH	P150	WWEMV150G-11NH	P240	WWEMV240G-11NH
P100	WWEMV100G-11NH	P180	WWEMV180G-11NH	P280	WWEMV280G-11NH
P120	WWEMV120G-11NH	P220	WWEMV220G-11NH	P320	WWEMV320G-11NH
				P400	WWEMV400G-11NH



3", 5" & 6" A/O Discs, Film Back



- SurfPrep's modified open-coat aluminum oxide grain with sacrificial stearate coating minimizes loading
- Film backing provides for consistent finish sanding and faster rate of cut
- Tear resistant for longer life

Packing: 100 discs per box.

Sold in: Full box quantities only.

Grit	No Hole		
	3" Disc Item #	5" Disc Item #	6" Disc Item #
Hook/Loop Discs			
80	SPSP1510-0080	SPSP2510-0080	SPSP3010-0080
100	-	SPSP2510-0100	SPSP3010-0100
120	SPSP1510-0120	SPSP2510-0120	SPSP3010-0120
150	-	SPSP2510-0150	SPSP3010-0150
180	SPSP1510-0180	SPSP2510-0180	SPSP3010-0180
220	SPSP1510-0220	SPSP2510-0220	SPSP3010-0220
320	SPSP1510-0320	SPSP2510-0320	SPSP3010-0320
PSA Discs			
80	-	SPSP2520-0080	SPSP3020-0080
100	-	SPSP2520-0100	SPSP3020-0100
120	-	SPSP2520-0120	SPSP3020-0120
150	-	SPSP2520-0150	SPSP3020-0150
180	-	SPSP2520-0180	SPSP3020-0180
220	-	SPSP2520-0220	SPSP3020-0220

FILM BACKED DISCS



5" & 6" A/O Discs, Film Back



- Premium aluminum oxide on strong and flexible tear resistant film
- Special Fre-cut™ coating resists loading

Packing: As shown below.

Sold in: Full rolls only.

No Hole						
Grit	5" Stikit™/PSA Item #	Roll Qty	5" Hookit™/ Hook&Loop Item #	Box Qty	6" Stikit™/PSA Item #	Roll Qty
P80	MM255LP80-5NH	100	MMH255LP80-5NH	75	MM255LP80-6NH	75
P100	MM255LP100-5NH	125	MMH255LP100-5NH	100	MM255LP100-6NH	75
P120	MM255LP120-5NH	125	MMH255LP120-5NH	100	MM255LP120-6NH	75
P150	MM255LP150-5NH	125	-	-	MM255LP150-6NH	75
P180	MM255LP180-5NH	125	-	-	-	-
P220	MM255LP220-5NH	125	-	-	MM255LP220-6NH	75



5" Cubitron™ 11" Discs, Film Back



- The Cubitron™ II Sanding Disc is a revolutionary advancement in abrasive technology featuring triangular shaped ceramic mineral
- These discs are ideal for a broad range of applications, focused primarily on stock removal
- Effective on a wide variety of substrates, including composites, gelcoat, and whitewood


Packing: 50 discs per box.

Sold in full box quantities only.

TRY IT FIRST!
 Limited to Stock
 on Hand
 Item # MM775L-TRYIT5NH

Grit	5" No Hole Stikit™/PSA Item #	Grit	5" No Hole Stikit™/PSA Item #
80+	MM775L80PLUS-5NH	220+	MM775L220PLUS-5NH
120+	MM775L120PLUS-5NH	240+	MM775L240PLUS-5NH
150+	MM775L150PLUS-5NH	320+	MM775L320PLUS-5NH
180+	MM775L180PLUS-5NH	400+	MM775L400PLUS-5NH

5" & 11-1/4" Trizact™ Discs, Film Back



- Pyramids wear away, continually exposing fresh abrasive which ensures a consistent cut and extended disc life up to 10x longer than regular sandpaper
- Use when high gloss level is required
- Use wet to achieve desired finishes

Sold in: Full roll/box quantities shown below.

Grit/Color	Stikit™/PSA		Hookit™/Hook&Loop			
	5" No Hole	Roll Qty	5" No Hole	Box Qty	11-1/4" No Hole	Box Qty
A35/Green	MM268XAA35-5NH	100	MMH268XA35-5NH	50	GS102	1
A10/Blue	MM268XAA10-5NH	100	MMH268XA10-5NH	50	GS101	1
A5/Orange	MM268XAA5-5NH	100	MMH268XA5-5NH	50	GS100	1
None/White	MM568XA-5NH	100	MMH568XA-5NH	50	GS103	1

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

FILM/CLOTH BACKED DISCS



5", 6" & 11-1/4" Discs, Film Back

- Excellent for solid surface finishing
- Special Fre-cut™ coating (on 366L only) resists loading and buildup
- Premium micron graded mineral on high strength polyester film
- 5", 6" & 8" are 50 discs per box.
11-1/4" discs available individually.



PSA Discs - 5" and 6"				
Micron	5" No Hole	5" No Hole w/Fre-cut™	5" 5 Hole	6" No Hole
30	MM268L30-5NH	MM366L30-5NH	-	MM268L30-6NH
40	-	MM366L40-5NH	-	-
60	MM268L60-5NH	MM366L60-5NH	MM268L60-5WH	MM268L60-6NH
80	MM268L80-5NH	-	-	MM268L80-6NH
100	MM268L100-5NH	MM366L100-5NH	MM268L100-5WH	MM268L100-6NH
120	-	MM366L120-5NH	-	-

Hookit™/Hook & Loop Discs - 5" and 6"				
Micron	5" No Hole	5" 5 Hole	6" 6 Hole	6" 8 Hole
15	MMH268L15-5NH	MMH268L15-5WH5	-	MMH268L15-6WH8F
30	MMH268L30-5NH	MMH268L30-5WH5	MMH268L30-6WH6	MMH268L30-6WH8F
60	MMH268L60-5NH	MMH268L60-5WH5	MMH268L60-6WH6	MMH268L60-6WH8F
80	MMH268L80-5NH	MMH268L80-5WH5	MMH268L80-6WH6	MMH268L80-6WH8F
100	MMH268L100-5NH	MMH268L100-5WH5	MMH268L100-6WH6	MMH268L100-6WH8F

Hookit™/Hook & Loop Discs - 11-1/4" No Hole			
Micron	Item #	Micron	Item #
30	GS104D	100	GS104
40	GS104E	120	GS104G
60	GS104A	150	GS104H
80	GS104B	180	GS104C



5" Ceramic Discs, J-Weight Cloth Back

- Ceramic on strong and flexible tear-resistant J-weight cloth
 - Anti-static and open coat design prevents loading of abrasive
- Packing: 50 discs per box. Sold in: Full box quantities only.



5" No Hole PSA			
Grit	Item#	Grit	Item#
P80	MM900DZ80J-5NH	P150	MM900DZ150J-5NH
P100	MM900DZ100J-5NH	P180	MM900DZ180J-5NH
P120	MM900DZ120J-5NH	P220	MM900DZ220J-5NH

CLOTH BACKED DISCS



5" A/O Discs, J-Weight Cloth Back



- Open coat is excellent for softwoods, hardwoods, and metal and helps prevent loading of abrasive
- Tear resistant polyester/cotton cloth backing for use in applications where paper backings are not durable enough
- Flexible J-weight backing to conform to all types of backup pads

Packing: 50 discs per box (flat packed, tabbed).

Sold in: Full box quantities only.

5" No Hole PSA			
Grit	Item#	Grit	Item#
80	WWJCLOTHP80G-5NH	150	WWJCLOTHP150G-5NH
100	WWJCLOTHP100G-5NH	180	WWJCLOTHP180G-5NH



5" A/O Discs, J-Weight Cloth Back



- Aluminum oxide mineral on a J-weight backing
- Anti-static coating
- Designed for durability when flexibility and edge-wear is critical

Packing: 50 discs per box.

Sold in full box quantities only.

5" No Hole PSA			
Grit	Item#	Grit	Item#
80	MM202DZ80J-5NH	180	MM202DZ180J-5NH
120	MM202DZ120J-5NH	220	MM202DZ220J-5NH
150	MM202DZ150J-5NH		



10" A/O Discs, X-Weight Cloth Back



- Aluminum oxide on heavy duty X-weight cloth
- Provides excellent adhesion while removing easily
- PSA no hole backing only

Packing: 10 discs per box.

Sold in full box quantities only.

Grit	Item#
P60	MM248D60X-10NH
P80	MM248D80X-10NH

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

FOAM DISCS



6" Foam Discs

- Open coat aluminum oxide
- Even surface pressure provides a better finish without deep scratch
- Good for wet, contour and curved sanding

Packing: 10 discs per box.

Sold in: Full box quantities only.



6" Hook/Loop	
Grit	Item #
360	WWFOAM360G-6NH
500	WWFOAM500G-6NH
1000	WWFOAM1000G-6NH
2000	WWFOAM2000G-6NH
3000	WWFOAM3000G-6NH

Solid Surface Finishing Steps (For NET abrasives, see page Q-13)

Steps	Description	Matte Finish	Semi-Gloss Finish	High-Gloss Finish
1	Premium Net 180 Grit	WWNET180G-6NH	WWNET180G-6NH	WWNET180G-6NH
2	Premium Net 320 Grit	WWNET320G-6NH	WWNET320G-6NH	WWNET320G-6NH
3	Würth Foam 360 Grit	WWFOAM360G-6NH	WWFOAM360G-6NH	WWFOAM360G-6NH
4	Würth Foam 500 Grit	-	WWFOAM500G-6NH	WWFOAM500G-6NH
5	Würth Foam 1000 Grit	-	-	WWFOAM1000G-6NH
6	Würth Foam 3000 Grit	-	-	WWFOAM3000G-6NH
Finish		Gloss 15	Gloss 40	Gloss 75



6" Foam Discs

- Low scratch depth (excellent finish)
- 100% waterproof, washable
- Consistent finish throughout life of disc
- Exceptional when sanding contoured surfaces, corners and sharp edges
- Ideal for solid surface and lacquer finishing. Reduces buffing time.

Packing: 10 discs per box. Sold in: Full box quantities only.



6" Hook/Loop			
Grit	Item #	Grit	Item #
240	WWWVEL240G-6NH	1000	WWWVEL1000G-6NH
360	WWWVEL360G-6NH	1500	WWWVEL1500G-6NH
500	WWWVEL500G-6NH	2000	WWWVEL2000G-6NH
600	WWWVEL600G-6NH	3000	WWWVEL3000G-6NH
800	WWWVEL800G-6NH	4000	WWWVEL4000G-6NH

FOAM/NET DISCS




3", 5", 6" Foam Discs



- Premium abrasive grains and flexible adhesives are coated directly onto the surface of the foam
 - This unique method of coating, in addition to the use of solvent-free adhesives, is a contributing reason for the elimination of heat buildup at the point of contact
 - Extends the life as much as 10x and more over conventional sandpaper
- Packing: As shown below. Sold in: Full box quantities only.

Grit/Scratch	Type	3" x 1/2" Disc Item #	Box Qty	5" x 5mm Disc Item #	Box Qty	6" x 5mm Disc Item #	Box Qty
36 / 60	Coarse	SPSPDF3HR036	40	SPSPDF55R036	25	SPSPDF65R036	25
60 / 120-150	Med +	SPSPDF3HR060	40	SPSPDF55R060	25	SPSPDF65R060	25
80 / 150-180	Med +	SPSPDF3HR080	40	SPSPDF55R080	25	SPSPDF65R080	25
100 / 220-240	Fine	SPSPDF3HR100	40	SPSPDF55R100	25	SPSPDF65R100	25
150 / 320-380	Very Fine	SPSPDF3HR150	40	SPSPDF55R150	25	SPSPDF65R150	25
180 / 450-500	Super Fine	SPSPDF3HR180	40	SPSPDF55R180	25	SPSPDF65R180	25
220 / 600-700	Super Fine +	SPSPDF3HR220	40	SPSPDF55R220	25	SPSPDF65R220	25



5" & 6" A/O Net Discs



- Aluminum Oxide Closed Coat
 - Dust-free sanding allows clean and healthy work environment
 - Full-surface dust extraction, combined with special abrasive coating method, prevents clogging
 - Tear resistant due to sturdy net backing
- Packing: 50 per box. Sold in: Full box quantities only.

Grit	5" Net Disc	6" Net Disc
80	WWNET80G-5NH	WWNET80G-6NH
100	WWNET100G-5NH	WWNET100G-6NH
120	WWNET120G-5NH	WWNET120G-6NH
150	WWNET150G-5NH	WWNET150G-6NH
180	WWNET180G-5NH	WWNET180G-6NH
220	WWNET220G-5NH	WWNET220G-6NH
240	WWNET240G-5NH	WWNET240G-6NH
320	WWNET320G-5NH	WWNET320G-6NH
400	WWNET400G-5NH	WWNET400G-6NH
600	WWNET600G-5NH	WWNET600G-6NH

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

NON-WOVEN DISCS



S/C Non-Woven Discs and Pads



- These discs & pads have a very high mineral content Silicon carbide and maintain the flexibility to sand almost any surface desired
 - Consistent cutting action requires little pressure
- Sold in full box quantities as shown below.

Grit	3" Item #	Box Qty	5" Item #	Box Qty	6" Item #	Box Qty	11" Item #	Box Qty	3" x 4" Item #	Box Qty
Maroon	SPSPMFD3	40	SPSPMFD5	25	SPSPMFD6	25	SPSPMFD11	10	SPSPMFP	25
Grey	SPSPGFD3	40	SPSPGFD5	25	SPSPGFD6	25	SPSPGFD11	10	SPSPGFP	25
White	SPSPWD3	40	SPSPWD5	25	SPSPWD6	25	SPSPWD11	10	-	-



A/O Scotch-Brite™ Discs



- 3M™ Scotch-Brite™ is designed for consistent cut and long life
 - Abrasive mineral on non-woven material
 - Resists loading and reduces heat buildup, increasing life and improving performance
 - Ideal for solid surface and wood finishing, paint preparation and general clean-up
- Sold in: Individual quantities.

Color	5" Disc Hookit™/Hook & Loop Item#	6" Disc Hookit™/ Hook & Loop Item#	11-1/4" Disc Item#
Maroon	MM29292	MM29293	GS105A
Light Gray	MM29294	MM29295	GS106AA
White	-	-	GS106W



Scotch-Brite™ Surface Conditioning Discs



- For general purpose surface conditioning, including finishing, cleaning and light deburring
 - Helps you achieve a consistent, paintable finish in fewer steps without damaging the base material
 - Durable open-web construction is designed to resist loading and greatly increase the life of the disc
- Packing: 10 discs per box. Sold in: Full box quantities only.

Grade	Color	Size	Item #
Medium	Maroon	5"	MMAM-5NH
Medium	Maroon	6"	MMAM-6NH
Super Fine	Gray	5"	MMSSF-5NH
Very Fine	Blue	6"	MMAVF-6NH

BUFFING/POLISHING

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



Compound Polishing Film Disc, 5"



- Designed as a carrier for Finesse-It™ polishing compound
 - Non-abrasive coating on film
- Packing: 50 discs per box.
Sold In: Full box quantities only.

Item#
MM968M-5NH



One-Sided Polishing Pad, 9"



- 3M™ one-sided with untwisted wool blend buffing pad
- Provides faster cut rate, better finish, and longer pad life
- Fits all standard 5/8" shaft slow-speed polishers

Item#
MM5711



Imperial Hand Glaze



- 3M™ Imperial Hand Glaze is a non-silicone rubbing compound designed to be used by hand on factory applied paints and solid surface materials
- Specially formulated to work on all colors and can be painted over
- Gives superior luster with excellent depth of shine

Item#	Size
MM5990	1 Quart



Finesse-It™



- 3M™ Finesse-It™ is designed to achieve a high gloss on solid surface materials
- Easy clean-up formulation greatly reduces and removes any haze caused by sanding
- Removes sanding scratches or swirl marks
- Use with MM968M-5NH (shown on page Q-38) polishing film to achieve a high gloss (80 sheen or higher) on solid surface materials

Item#	Size
MM81235	1 Quart

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

BACKUP PADS



Würth Backup Pads



Item #	Diameter	Holes	Face	Thickness	Density
5" No Hole					
WW8521125110961	5"	No Hole	Hook/Loop	3/8"	Medium
WW8521125010961	5"	No Hole	PSA	3/8"	Medium
5" 5 Hole					
WW8521125116961	5"	5 Hole	Hook/Loop	3/8"	Medium
WW8521125020961	5"	5 Hole	PSA	3/8"	Medium
5" Multi-Hole					
WW8521125117961	5"	Multi-Hole	Hook/Loop	3/8"	Medium
6" No Hole					
WW8521150110961	6"	No Hole	Hook/Loop	3/8"	Medium
WW8521150010961	6"	No Hole	PSA	3/8"	Medium
6" Multi-Hole					
WW8521120117961	6"	Multi-Hole	Hook/Loop	3/8"	Medium



SurfPrep Backup Pads



Item #	Diameter	Holes	Face
3" No Hole			
SPSPBP3HL	3"	No Hole	Hook/Loop
5" No Hole			
SPSPBP5HL	5"	No Hole	Hook/Loop
SPSPBP5HLSFE	5"	No Hole	Hook/Loop, Flex Edge
SPSPBP5PSA	5"	No Hole	PSA
5" 5 Hole			
SPSPBP5HL-VAC	5"	5 Hole	Hook/Loop
SPSPBP5PSA-VAC	5"	5 Hole	PSA
6" No Hole			
SPSPBP6HL	6"	No Hole	Hook/Loop
SPSPBP6HLSFE	6"	No Hole	Hook/Loop, Flex Edge
SPSPBP6PSA	6"	No Hole	PSA
6" 6 Hole			
SPSPBP6HL-VAC	6"	6 Hole	Hook/Loop
SPSPBP6PSA-VAC	6"	6 Hole	PSA
3" x 4" With or Without Holes			
SPSPBP3X4	3" x 4"	No Hole	Hook/Loop
SPSPBP3X4J	3" x 4"	No Hole	Hook/Loop, J Hook
SPSPBP3X4-VAC	3" x 4"	4 Hole	Hook/Loop
3-2/3" x 7" With or Without Holes			
SPSPBP3X7	3-2/3" x 7"	No Hole	Hook/Loop
SPSPBP3X7-VAC	3-2/3" x 7"	7 Hole	Hook/Loop

FOR SURFPREP SANDERS
See Section V

BACKUP PADS



FOR DYNABRADE SANDERS
See Section V

Dynabrade Backup Pads



Item #	Diameter	Holes	Face	Thickness	Density
5" No Hole					
DY54325	5"	No Hole	Hook/Loop	3/8"	Medium
DY56106	5"	No Hole	PSA	3/8"	Medium
DY56102	5"	No Hole	PSA	3/8"	Soft
DY56175	5"	No Hole	PSA	5/8"	Medium
5" 5 Hole					
DY54326	5"	5 Hole	Hook/Loop	3/8"	Medium
DY56104	5"	5 Hole	PSA	3/8"	Medium
DY56176	5"	5 Hole	PSA	5/8"	Medium
6" No Hole					
DY54327	6"	No Hole	Hook/Loop	3/8"	Medium
DY56107	6"	No Hole	PSA	3/8"	Medium
DY56177	6"	No Hole	PSA	5/8"	Medium
6" 6 Hole					
DY54328	6"	6 Hole	Hook/Loop	3/8"	Medium
DY56105	6"	6 Hole	PSA	3/8"	Medium

Dynabrade Extreme Backup Pads

- Backup pads for use with Dynabrade Extreme Series sanders



Item #	Diameter	Holes	Face	Thickness	Density
5" No Hole					
DY54325T	5"	No Hole	Hook/Loop	3/8"	Medium
DY56106T	5"	No Hole	PSA	3/8"	Medium
5" Multi-Hole					
DY54334	5"	Multi-Hole	Hook/Loop	3/8"	Medium
6" Multi-Hole					
DY54327T	6"	No Hole	Hook/Loop	3/8"	Medium
DY56107T	6"	No Hole	PSA	3/8"	Medium
6" Multi-Hole					
DY54339	6"	Multi-Hole	Hook/Loop	3/8"	Medium

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

BACKUP PADS



MM05775

3M Backup Pads



Item #	Dia.	Holes	Face	Thickness	Density
5" No Hole					
MM05775	5"	No Hole	Hook/Loop	3/4"	Medium
MM05575	5"	No Hole	PSA	3/4"	Medium
MM20351	5"	No Hole	PSA	3/8"	Firm
5" Clean Sanding					
MM20353	5"	44 Hole Clean Sand	Hook/Loop	3/8"	Firm



FJ492282

Festool Backup Pads

For Festool Sanders
See Section V



Item #	Diameter	Holes	Face	Sander	Color	Density
5" For RO 125 FEQ Sanders						
FJ492125	5"	9 Hole	Hook/Loop	RO 125 FEQ	Black	Soft
FJ492126	5"	9 Hole	Hook/Loop	RO 125 FEQ	Grey	Extra Soft
FJ492127	5"	9 Hole	Hook/Loop	RO 125 FEQ	Blue	Hard
5" For ES 125 EQ Sanders						
FJ492280	5"	9 Hole	Hook/Loop	ES 125 EQ	Black	Soft
FJ492282	5"	9 Hole	Hook/Loop	ES 125 EQ	Grey	Super Soft
5" For ETS EC 125 Sanders						
FJ492286	5"	9 Hole	Hook/Loop	ETS EC 125	Black	Soft
FJ492288	5"	9 Hole	Hook/Loop	ETS EC 125	Grey	Super Soft
FJ492284	5"	9 Hole	Hook/Loop	ETS EC 125	Blue	Hard
6" For ETS 150 Sanders						
FJ202458	6"	Multi-Jetstream	Hook/Loop	ETS 150	Black	Soft
FJ202459	6"	Multi-Jetstream	Hook/Loop	ETS 150	Grey	Ultra Soft
FJ202460	6"	Multi-Jetstream	Hook/Loop	ETS 150	Blue	Hard
6" For RO 150 FEQ Sanders						
FJ202461	6"	Multi-Jetstream	Hook/Loop	RO 150 FEQ	Black	Soft
FJ202462	6"	Multi-Jetstream	Hook/Loop	RO 150 FEQ	Grey	Ultra Soft
FJ202463	6"	Multi-Jetstream	Hook/Loop	RO 150 FEQ	Blue	Hard

BACKUP PADS & ACCESSORIES



Porter Cable Backup Pads



Item #	Size	Holes	Face	Thickness	Density	For Use With
RK13597	1/4 Sheet	No Hole	PSA	3/4"	Medium	330
RK13700	5"	No Hole	PSA	3/4"	Medium	7334, 7335
RK13900	5"	No Hole	PSA	3/4"	Medium	332
RK13901	5"	5 Hole	PSA	3/4"	Medium	333, 334



SPSPI3X4




5" and 6" No Hole Interface Pads

SurfPrep Interface Pads



- Increase the flexibility of a sanding disc, handy when working on curved, complex, or delicate surfaces
- Evenly distribute pressure and machine action
- Increased user comfort from foam cushioning that can absorb high speed vibrations and side to side lateral movements that are created by the machine

Item #	Size	Description
SPSPI3X4	3" x 4"	Soft Interface Pad, No Hole
SPSPI3X4F7MM	3" x 4"	Firm Interface Pad, No Hole, 7mm
SPSPI3X4F15MM	3" x 4"	Firm Interface Pad, No Hole, 15mm
SPSPI3X4F20MM	3" x 4"	Firm Interface Pad, No Hole, 20mm
SPSPI5	5"	Soft Interface Pad, No Hole, 5"
SPSPI5-5	5"	Soft Interface Pad, 5 Hole, 5"
SPSPI6	6"	Soft Interface Pad, No Hole, 6"
SPSPI6-6	6"	Soft Interface Pad, 6 Hole, 6"



SurfPrep Pad Savers



- Pad savers are designed to protect the backup pad from wear and tear
- Placed between the backup pad and the abrasive, these savers should be changed regularly when showing signs of wear
- Multi-hole pad savers work with any hole pattern backup pad and abrasive

Item #	Size
SPSPS3	3"
SPSPS3X4	3" x 4"
SPSPS3X7	3-2/3" x 7"
SPSPS5	5"
SPSPS6	6"

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

SANDING STARS & FILM BACKED SHEETS



8"

4" & 8" A/O Sanding Stars

- 4" Aluminum Oxide abrasive stars are mounted on 1/4" shank spindle
- 8" Aluminum Oxide abrasive stars have a 1" center hole



Grit	4" Item #	8" Item #
80	DY93166	DY93243
120	DY93167	DY93245
150	DY93168	DY93246
180	DY93169	DY93247
220	DY93171	DY93248
320	DY93172	DY93251



3" x 4" & 3-2/3" x 7" Sheets, Film Back

- SurfPrep's modified open-coat aluminum oxide grain with sacrificial stearate coating minimizes loading
- Film backing provides for consistent finish sanding and faster rate of cut
- **SPVPFILM3X4** variety pack includes:
80, 100, 120, 150, 180, 220, 320 (5 of each grit)



Packing: 100 sheets per box.

Sold in: Full box quantities only.

No Hole		
Grit	3" x 4" Item #	3-2/3" x 7" Item #
Various	SPSPVPFILM3X4	-
80	SPSP8010-0080	-
100	SPSP8010-0100	-
120	SPSP8010-0120	SPSP6110-0120
150	SPSP8010-0150	SPSP6110-0150
180	SPSP8010-0180	SPSP6110-0180
220	SPSP8010-0220	SPSP6110-0220
320	SPSP8010-0320	SPSP6110-0320
400	SPSP8010-0400	-

FOAM ABRASIVE PADS



1/2" Foam Abrasive

Foam Abrasives, 3" x 4" & 3-2/3" x 7"



- Manufactured with premium abrasive grains and flexible adhesives that are coated directly onto the surface of the foam
- Unique method of coating, in addition to the use of solvent-free adhesives, is a contributing reason for the elimination of heat buildup at the point of contact and extends the life of SurfPrep foam abrasives as much as 10x and more over conventional sandpaper
- Sold in full box quantities as shown below
- **SPVPFOAM3X4** variety pack includes 5mm, 10mm & 1/2" abrasives in Coarse +, Medium, Fine, Very Fine & Super Fine + (2 of Each Grit)

3" x 4"							
Grit/Scratch	Type	5mm Pad	Box Qty	5mm Pad, 4 Hole	Box Qty	10mm Pad	Box Qty
36 / 60	Coarse	SPSPRF5R036	25		-	SPSPRF10R036	25
46 / 80 - 100	Coarse +	-	-	-	-	SPSPRF10R046	25
60 / 120-150	Med	SPSPRF5R060	25	SPSPRF5R060-4	25	-	-
80 / 150-180	Med +	SPSPRF5R080	25	SPSPRF5R080-4	25	SPSPRF10R060*	25
100 / 220-240	Fine	SPSPRF5R100*	25	SPSPRF5R100-4	25	SPSPRF10R100	25
150 / 320-380	Very Fine	SPSPRF5R150*	25	SPSPRF5R150-4	25	SPSPRF10R150	25
180 / 450-500	Super Fine	SPSPRF5R180	25	-	-	SPSPRF10R180	25
220 / 600-700	Super Fine +	SPSPRF5R220*	25	-	-	-	-

3" x 4"					
Grit/Scratch	Type	10mm Pad, 4 Hole	Box Qty	1/2" Pad	Box Qty
36 / 60	Coarse	-	-	SPSPRFHR036	25
46 / 80 - 100	Coarse +	-	-	-	-
60 / 120-150	Med	-	-	SPSPRFHR060*	25
80 / 150-180	Med +	-	-	SPSPRFHR080	25
100 / 220-240	Fine	SPSPRF10R100-4	25	SPSPRFHR100*	25
150 / 320-380	Very Fine	SPSPRF10R150-4	25	SPSPRFHR150	25
180 / 450-500	Super Fine	-	-	SPSPRFHR180*	25
220 / 600-700	Super Fine +	-	-	SPSPRFHR220	25

* Also available in bulk pack of 200; add B to end of item number

3-2/3" x 7"							
Grit/Scratch	Type	5mm Pad	Box Qty	10mm Pad	Box Qty	1/2" Pad	Box Qty
36 / 60	Coarse	SPSPRF75R036	25	SPSPRF710R036	10	SPSPRF7HR036	10
46 / 80 - 100	Coarse +	-	-	SPSPRF710R046	10	-	-
60 / 120-150	Med	SPSPRF75R060	25	SPSPRF710R060	10	SPSPRF7HR060	10
80 / 150-180	Med +	SPSPRF75R080	25	-	-	SPSPRF7HR080	10
100 / 220-240	Fine	SPSPRF75R100	25	SPSPRF710R100	10	SPSPRF7HR100	10
150 / 320-380	Very Fine	SPSPRF75R150	25	SPSPRF710R150	10	SPSPRF7HR150	10
180 / 450-500	Super Fine	SPSPRF75R180	25	-	-	SPSPRF7HR180	10
220 / 600-700	Super Fine +	SPSPRF75R220	25	-	-	SPSPRF7HR220	10

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

ABRASIVE SHEETS



9" x 11" A/O Sheets, C-Weight Paper Back



- Latex coated C-weight paper - open coat
- Excellent flexibility and moisture resistance paper with no-load performance
- Perfect choice for universal and fine sanding as well as heavy stock removal

Packing: 50 sheets per sleeve.

Sold in: Full sleeve quantities only.

Grit	Item#	Grit	Item#
P80	WWGD80G-9X11	P220	WWGD220G-9X11
P100	WWGD100G-9X11	P240	WWGD240G-9X11
P120	WWGD120G-9X11	P280	WWGD280G-9X11
P150	WWGD150G-9X11	P320	WWGD320G-9X11
P180	WWGD180G-9X11	P400	WWGD400G-9X11
		P600	WWGD600G-9X11



9" x 11" A/O Sheets, A-Weight Paper Back



- A-weight light paper backing is suitable for hand sanding and finishing applications
- Open coat construction provides a more aggressive cut and minimizes dust clogging on the abrasive for increased productivity
- Load-resistant coating helps prevent premature loading of the sheet surface to maximize cut and extend the life of the abrasive grains

Packing: 50 sheets per sleeve. Sold in full sleeve quantities only.

Grit	Item#
P120	MM216U120A-9X11
P150	MM216U150A-9X11
P180	MM216U180A-9X11

Grit	Item#
P220	MM216U220A-9X11
P320	MM216U320A-9X11



9" x 11" S/C Sheets, A-Weight Paper Back




- Latex coated A-weight paper - open coat
- Excellent flexibility and water resistance paper with no-load performance
- Designed primarily for lacquer sanding and finely grained wood smoothing
- Perfect for scuff sanding and removing "orange peel"
- Silicon carbide sanding sheets are the finishing room's choice for peak performance and versatility

Packing: 50 sheets per sleeve.

Sold in: Full sleeve quantities only.

Grit	Item#	Grit	Item#
P80	WWSIL80G-9X11	P220	WWSIL220G-9X11
P100	WWSIL100G-9X11	P240	WWSIL240G-9X11
P120	WWSIL120G-9X11	P280	WWSIL280G-9X11
P150	WWSIL150G-9X11	P320	WWSIL320G-9X11
P180	WWSIL180G-9X11	P400	WWSIL400G-9X11

ABRASIVE SHEETS



9" x 11" S/C Sheets, A-Weight Paper Back



- Ideal for dry sanding between coats of varnish and other wood finishes
- Special Fre-cut™ coating resists loading

Packing: 100 sheets per sleeve.

Sold in: Full sleeve quantities only.

Grit	Item#	Grit	Item#
180	MM405U180A-9X11	280	MM405U280A-9X11
220	MM405U220A-9X11	320	MM405U320A-9X11
240	MM405U240A-9X11	400	MM405U400A-9X11



9" x 11" S/C Sheets, B/C - Weight Paper Back



- Silicon carbide on A-weight paper
- Ideal for dry sanding between coats of varnish and other wood finishes
- Excellent conformability for contour sanding
- Special Fre-cut™ coating resists loading

Packing: 100 sheets per box.

Sold In: Full box quantities only.

Grit	Item#
180	MM426U180A-9X11
220	MM426U220A-9X11
280	MM426U280A-9X11
320	MM426U320A-9X11



9" x 11" A/O Sheets, J-Weight Cloth Back



- Aluminum oxide on J-weight cloth
- Used where a flexible, strong cloth backing is preferred over paper


Packing: 50 sheets per box.

Sold In: Full box quantities only.

Grit	Item#
P100	MM314D100J-9X11
P120	MM314D120J-9X11

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A NON-WOVEN ABRASIVE PADS



Würth Hand Pads



- High performance abrasive nylon pads
- Made of 100% nylon webbing
- Washable for repeated use

Grit	Item #	Color	Application	Size
80	WWSNDPD80G-TAN	Tan	Heavy duty cleaning and scouring	6" x 9"
120	WWSNDPD120G-BLK	Black	For scuff sanding prior to applying paint or primer	6" x 9"
320	WWSNDPD320G-GRN	Green	Economy, general shop duty and cleaning / scuff sanding	6" x 9"
320	WWSNDPD320G-MRN	Maroon	Fine sanding between the final coat of paint/lacquer	6" x 9"
600	WWSNDPD600G-GRY	Gray	Tool cleaning, light oxidation and rust removal	6" x 9"



Scotch-Brite™ Hand Pads, 7447 PRO



- High performance pads take less time to prep surfaces and last longer
- Tightly graded abrasive particles for consistent, uniform scratch throughout life of the pad
- Specially coated to minimize loading
- Ideal for everyday uses like prepping surfaces for color coat, general scuffing, cleaning and hand blending
- Center perforated for convenience

Item #	Color	Grade	Size
MM7447-PRO	Maroon	AVFN	6" x 9"

Scotch-Brite™ Hand Pads




- 3M™ Scotch-Brite™ Hand Pads for a variety of applications



Item #	Color	Grade	Application	Size
MM64659	Maroon	A VFN	Durable Flex	4.5" x 9"
MM64660	Gray	S ULF	Durable Flex	4.5" x 9"
MM7446	Gray	S MED	Blending Purpose	6" x 9"
MM6444	Brown	Fine	Extra Duty	6" x 9"
MM7447	Maroon	A VFN	General Purpose	6" x 9"
MM7445	White	F SFN	Light Duty	6" x 9"
MM6448	Dark Gray	S ULF	Light Duty	6" x 9"
MM8447	Maroon	A VFN	Production	6" x 9"
MM7448	Gray	S ULF	Ultra Fine	6" x 9"

SANDING SPONGES



1, 2, & 4 Sided Block & Contour Sponges



- Perfect for scuff sanding and sealer sanding
- Flexible, non-loading aluminum oxide abrasive sponges

	4-Sided Block Sponge	2-Sided Contour Sponge	1-Sided Sponge
Grit	3-7/8"L x 2-3/4"W	3-7/8"L x 4-3/4"W	4-1/2"L x 5-1/2"W
	Item #	Item #	Item #
Medium	WWSPNGBLK-MED	WWSPNG2SDE-MED	WWSPNGFLTPD-MED
Fine	WWSPNGBLK-FINE	WWSPNG2SDE-FINE	WWSPNGFLTPD-FINE
Super Fine	WWSPNGBLK-SUPRFN	WWSPNG2SDE-SUPRFN	WWSPNGFLTPD-SUPRFN
Very Fine	-	-	WWSPNGFLTPD-VERYFN
Micro Fine	-	-	WWSPNGFLTPD-MICRFN




2 Sided Sanding Sponges



- Eco-friendly brown A/O soft hand pad
- Innovative adhesive that allows it to stay sharper and last longer other pads

2-Sided Contour Sponge		2-Sided Contour Sponge	
Grit	4-3/4"L x 3-3/4"W x 1/2"H	Grit	4-3/4"L x 3-3/4"W x 1/2"H
80	SPP80-AO	150	SPP150-AO
100	SPP100-AO	180	SPP180-AO
120	SPP120-AO	220	SPP220-AO



1 Sided Pro-Pad™ Sanding Pad



- Ideal for dry or wet sanding of wood, paint, metal and plastic
- Conformable, flexible and convenient

1-Sided Block Sponge	
Grit	4"L x 2-7/8"W x 1/2"H
	Item #
80	MM7060



4-Sided Block Sponge

2 and 4 Sided Sanding Sponges



- Ideal for dry or wet sanding of wood, paint, metal, plastic and drywall
- Can be used wet or dry and rinsed and reused

	4-Sided Block Sponge	2-Sided Contour Sponge
Grit	3-3/4"L x 2-5/8"W x 1"H	5-1/2"L x 4-1/2"W x 3/16"H
Medium	MM6967	MM6966
Fine	MM6968	MM6965
Super Plus	-	MM6964

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A SANDING SPONGES/PADS



Cut out in box makes it easy to tell when you need to re-order.

4-1/2" W Flexible One-Sided Foam Sponge



- Würth "Gold" brand high performance foam backed sanding sponges.
- Aluminum oxide on flexible sponge backing – open coat
- Excellent flexibility for irregular surfaces with "no load" performance
- Roll packaging in heavy duty cardboard package keeps sponges clean and dust free, ready to use
- Cut out in box makes it easy to tell when it is time to re-order
- Perforated sections make for easy tear-off
- Ideal for scuff sanding in your finishing room
- Each sponge measures 4-1/2"W x 4-7/8" L

Packing: One 25 yard roll per box.

Sold In: Full roll/box quantities only.

Grit	Item#	Grit	Item#
P100	WWFLEXPAD-100G	P280	WWFLEXPAD-280G
P120	WWFLEXPAD-120G	P320	WWFLEXPAD-320G
P150	WWFLEXPAD-150G	P400	WWFLEXPAD-400G
P180	WWFLEXPAD-180G	P500	WWFLEXPAD-500G
P220	WWFLEXPAD-220G	P600	WWFLEXPAD-600G
P240	WWFLEXPAD-240G		



Foam Hand Pads, Flexible



- Premium White A/O Grain
- Color coded for easy identification
- Specially coated to minimize loading
- Able to be used wet or dry
- 5-1/2" x 4-1/2" x 5mm
- Packing: 20 pads per box. Sold in: Full box quantities only.

Item #	Color	Grit
SPSPFP-F	Blue	Fine
SPSPFP-M	Grey	Medium
SPSPFP-SF	Yellow	Super Fine
SPSPFP-VF	Red	Very Fine
SPSPFP-VARIETY	Variety Pack	5 of each grit

HAND SANDING ACCESSORIES



Scotch-Brite™ Multi-Flex Sheet Rolls



- A tough, highly conformable abrasive designed for cleaning and finishing fine surfaces by hand
- Quick, economical and scrunchable, they can be folded, stacked or rolled for a fine finish
- Always-at-hand dispenser packaging
- Tough, highly conformable and sharp cutting

Item #	Color	Grade	Roll Size
MM7521	Maroon	A VFN	8" x 20' (60 - 4" x 8" sheets)
MM7522	Gray	S ULF	8" x 20' (60 - 4" x 8" sheets)



Fast Break Sander



- Uniformly break the edge in sharp melamine, edgebanding, plywood, and hardwood materials in just one pass
- Fastbreak XL is designed for sanding entry doors and larger panel stock
- Extra sandpaper is stored inside and is easily accessed through removable end caps

BREAK BOTH EDGES OF MELAMINE, EDGEBANDING AND MORE IN ONE PASS!



Item#	Description	Sands Sizes	Box Qty
FFASTBREAK	Sander	1/4" - 1"	1
FFASTBREAKXL	Sander	3/4" - 2-3/8"	1
Fafb80	Sandpaper, 80 Grit	-	10
Fafb180	Sandpaper, 180 Grit	-	10



Graphite Roll, 3", 4" & 6"

Process Engineering Corporation

- Used on sanding machines, such as profile and edge sanders, hand-blocks and wide belt sander platens
- For finish sanding where flexibility to conform to curves or edges such as moldings is needed
- Sold by the yard

Item#	Size
GPGC3	3" Wide
GPGC4	4" Wide
GPGC6	6" Wide



5" Diameter Stikit™/PSA Hand Pad



- 3M™ Stikit™ disc hand pads create a unique method for hand sanding of wood and metal
- Neoprene rubber with a nylon blue cloth face and an elastic hand band on the back

Item#	Diameter x Thickness
MM45188	5 Dia. x 1/8" Thick
MM45189	5 Dia. x 1/4" Thick

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

SANDING ROLLS & BLOCKS



A/O Rolls on A-Weight Paper



- 3M™ 216U designed for final hand or machine sanding with Stikit™ backing.
- Aluminum oxide on A weight paper.
- Aggressive paper product designed for sanding of white wood, sealer and primer.
- Special Fre-cut™ coating and open coat design prevent loading of abrasive.

Grit	Item#	Roll Length
2-3/4" Wide		
P150	MM216U150A-2-3/4	45 Yd
4-1/2" Wide		
P120	MM216U120A-4-1/2	20 Yd
P150	MM216U150A-4-1/2	25 Yd
P220	MM216U220A-4-1/2	25 Yd
P320	MM216U320A-4-1/2	25 Yd



S/C Rolls on A-Weight Paper



- 3M™ 426U general purpose finishing rolls with Stikit™ backing
- Excellent conformability for contour sanding
- Special Fre-cut™ coating resists loading
- Ideal for dry sanding between coats of varnish and other wood finishes
- 2-1/2" & 3-1/4" W rolls are designed for the 3M™ Stikit™ Refill roll hand sanding block

Grit	2-1/2" Wide	Roll Length	3-1/4" Wide	Roll Length	4-1/2" Wide	Roll Length
80	MM426U80A-2-1/2	45"	MM426U80A-3-1/4	45"	MM426U80A-4-1/2	10 yd
100	MM426U100A-2-1/2	55"	MM426U100A-3-1/4	55"	MM426U100A-4-1/2	10 yd
120	MM426U120A-2-1/2	70"	MM426U120A-3-1/4	70"	MM426U120A-4-1/2	10 yd
150	MM426U150A-2-1/2	80"	MM426U150A-3-1/4	80"	MM426U150A-4-1/2	10 yd
180	MM426U180A-2-1/2	85"	MM426U180A-3-1/4	85"	MM426U180A-4-1/2	10 yd
220	MM426U220A-2-1/2	95"	MM426U220A-3-1/4	95"	MM426U220A-4-1/2	10 yd
240	MM426U240A-2-1/2	100"	MM426U240A-3-1/4	100"	-	10 yd
280	MM426U280A-2-1/2	100"	MM426U280A-3-1/4	100"	-	10 yd
320	MM426U320A-2-1/2	100"	MM426U320A-3-1/4	100"	MM426U320A-4-1/2	10 yd



Stikit™ Sanding Block



- Sanding block is made of a tough plastic for long life and durability
- Use flat end to sand into corners and rounded end for curved or contoured areas

Item#	Size
MM45203	2-1/2" W x 5-1/8"L
MM45204	3-1/4" W x 5-1/8" L

SANDING BELT CLEANERS



Sanding Belt Cleaner, Rubber

- Smoked Rubber Cleaner is more dense than crepe-rubber products; wears down at half the rate
- Gets embedded residue out of abrasive surfaces



Get longer life out of your belts!

Item#	Size
WW89301	1-5/8" x 1-5/8" x 8-1/4"



Pitch & Resin Remover Eco-Friendly, Water-Based



- VOC-free and Phosphate-free
- Concentrated (general cleaning dilution ratio 1:10) or ready to use cleaning formula dissolves and emulsifies pitch resin, oil, grease film, gum and varnish from abrasive belts, blades and bits
- Simply spray, wet abrasive area thoroughly, and then rinse clean with water and hang to dry

Item #	Type
WW0893011-1Q	Ready to Use, 1 Quart
WW0893011-1G	Concentrate, 1 Gallon

LOOKING FOR A NEW SANDER?



See Section V

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

PORTABLE BELTS




X-Weight Cloth Portable Belts, A/O



- Premium heat-treated aluminum oxide on X-weight cloth, open coat
- Belts are “uni-directional” and have precision built joints to eliminate any chance of uneven sanding.
- Perfect for heavy duty and all around shop use

Packing: 10 belts per box. Sold in: Full box quantities only.

Grit	3" x 21" Item#	3" x 24" Item#	4" x 24" Item#
P40	WWRBY40G-3X21	WWRBY40G-3X24	WWRBY40G-4X24
P50	WWRBY50G-3X21	WWRBY50G-3X24	WWRBY50G-4X24
P60	WWRBY60G-3X21	WWRBY60G-3X24	WWRBY60G-4X24
P80	WWRBY80G-3X21	WWRBY80G-3X24	WWRBY80G-4X24
P100	WWRBY100G-3X21	WWRBY100G-3X24	WWRBY100G-4X24
P120	WWRBY120G-3X21	WWRBY120G-3X24	WWRBY120G-4X24
P150	WWRBY150G-3X21	WWRBY150G-3X24	WWRBY150G-4X24



**X-Weight Cloth Portable Belts,
Ceramic & A/O Blend**



- Combination ceramic and aluminum oxide blended on heavy X-weight cloth for an exceptionally long lasting material that delivers a fast cut
- Ideal for low-pressure touch-to-grind applications
- Grain structure provides for the continuous renewal of the most consistent and uniform cutting edges
- The advanced technology of the ceramic grain enhances cut rates for faster and cooler stock removal on tough applications
- Great for sanding water-based finishes
- Used for bare wood, coating removal, and between-coat sanding
- For dry sanding applications only

Packing: 5 belts per box. Sold in: Full box quantities only.

Grit	3" x 21" Item#	3" x 24" Item#	4" x 24" Item#
40	-	-	WWSAPHR40G-4X24
50	WWSAPHR50G-3X21	-	WWSAPHR50G-4X24
60	WWSAPHR60G-3X21	WWSAPHR60G-3X24	WWSAPHR60G-4X24
80	WWSAPHR80G-3X21	WWSAPHR80G-3X24	WWSAPHR80G-4X24
100	-	WWSAPHR100G-3X24	WWSAPHR100G-4X24
120	WWSAPHR120G-3X21	WWSAPHR120G-3X24	WWSAPHR120G-4X24
150	WWSAPHR150G-3X21	WWSAPHR150G-3X24	WWSAPHR150G-4X24

PORTABLE BELTS



X-Weight Cloth Portable Belts, A/O



- General purpose portable sanding belt
- Aluminum oxide on X-weight cloth
- 340D is an open coat belt that provides a good cut with less loading
- Excellent all-around abrasive belt for everyday use

Packing: 10 belts per box

Sold In: Full box quantities only

Grit	3" x 21" Item#	3" x 24" Item#	4" x 24" Item#
P50	-	-	MM340D50X-4X24
P60	MM340D60X-3X21	MM340D60X-3X24	MM340D60X-4X24
P80	MM340D80X-3X21	MM340D80X-3X24	MM340D80X-4X24
P100	MM340D100X-3X21	MM340D100X-3X24	MM340D100X-4X24
P120	-	MM340D120X-3X24	MM340D120X-4X24



Y-Weight Cloth Portable Belts, Ceramic & A/O Blend



- Ceramic and premium aluminum oxide blended on Y-weight cloth
- High quality splice allows for the belt to be run bi-directional unlike other portable belts that use a lap or butt slice

Packing: 5 belts per box. Sold in: Full box quantities only.

Grit	3" x 21" Item#	3" x 24" Item#	4" x 24" Item#
P50	MM761D50Y-3X21	MM761D50Y-3X24	MM761D50Y-4X24
P60	MM761D60Y-3X21	MM761D60Y-3X24	MM761D60Y-4X24
P80	MM761D80Y-3X21	MM761D80Y-3X24	MM761D80Y-4X24
P100	MM761D100Y-3X21	MM761D100Y-3X24	MM761D100Y-4X24
P120	MM761D120Y-3X21	MM761D120Y-3X24	MM761D120Y-4X24
P150	MM761D150Y-3X21	MM761D150Y-3X24	-



2-1/2" x 14" On Cloth, A/O



- Aluminum oxide on cloth
- Designed specifically for Porter Cable Compact Belt Sander 371K

Packing: 5 belts per box.

Sold In: Full box quantities only.

Grit	Item#
60	RK1501
80	RK1502
100	RK1503

Grit	Item#
120	RK1504
180	RK1505

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

EDGE BELTS



X-Weight Cloth Edge Belts, A/O



- Premium heat-treated aluminum oxide on X-weighted heavy duty cloth for maximum wear and ruggedness
 - Zero tolerance lap joint means no bumping or marking
 - Patented anti-static design ensures low dust adhesion on belt, machinery and work area
- Packing: 5 belts per box. Available any quantity.

Note: custom sizes edge belts available with a lead time of 10 to 14 days.
Please call 1-800-289-2237 to place your custom size order.

Grit	4" x 132" Item #	6" x 80" Item #	6" x 89" Item#
P80	WWAOC80G-4X132	WWAOC80G-6X80	WWAOC80G-6X89
P100	-	WWAOC100G-6X80	WWAOC100G-6X89
P120	WWAOC120G-4X132	WWAOC120G-6X80	WWAOC120G-6X89
P150	-	-	WWAOC150G-6X89


Grit	6" x 108" Item#	6" x 120" Item #	6" x 132" Item#
P60	-	WWAOC60G-6X120	-
P80	WWAOC80G-6X108	-	WWAOC80G-6X132
P100	WWAOC100G-6X108	-	WWAOC100G-6X132
P120	WWAOC120G-6X108	WWAOC120G-6X120	WWAOC120G-6X132
P150	WWAOC150G-6X108	-	-

ORDERING MADE EASY!


Scan Code To Install The New Würth Baer Supply Mobile App!



SCAN • CHECK • BUY



WIDE BELTS, PAPER BACKED



"Zero Tolerance" seam means NO "CHATTER"

Note: Custom wide belt sizes available with a lead time of 10 to 14 days. Please call 1-800-289-2237 to place your custom sized order.


F-Weight Paper Wide Belts, A/O



- Premium heat-treated aluminum oxide on F-weighted latex impregnated paper for maximum wear, flexibility and moisture resistance
 - Zero tolerance lap joint means no bumping or marking
 - Patented anti-static design ensures low dust adhesion on belt, machinery and work area
- Packing: 5 belts per box. Available any quantity.

Grit	37"W x 60"L Item#	37"W x 75"L Item#	43"W x 75"L Item#
P100	WWAOP100G-37x60	-	WWAOP100G-43x75
P120	WWAOP120G-37x60	WWAOP120G-37x75	WWAOP120G-43x75
P150	WWAOP150G-37x60	WWAOP150G-37x75	WWAOP150G-43x75
P180	WWAOP180G-37x60	WWAOP180G-37x75	WWAOP180G-43x75

Grit	43"W x 103"L Item#	52"W x 103"L Item#
P100	-	WWAOP100G-52X103
P120	-	WWAOP120G-52X103
P150	WWAOP150G-43x103	WWAOP150G-52x103
P180	-	WWAOP180G-52x103



"Zero Tolerance" seam means NO "CHATTER"

F-Weight Paper Wide Belts, S/C




- Wurth brand premium silicon carbide on F-weight latex coated paper
 - Excellent flexibility and moisture resistance paper with no-load performance
 - Zero tolerance lap joint means no bumping or marking
 - Patented anti-static design ensures low dust adhesion on belt, machinery and work area
- Packing: 5 belts per box. Available any quantity.

Note: custom wide belt sizes available with a lead time of 10 to 14 days. Please call 1-800-289-2237 to place your custom size order.

Grit	37"W x 60"L Item#	37"W x 75"L Item#
220	WWSCP220G-37X60	WWSCP220G-37X75

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A WIDE BELTS, CLOTH BACKED



X-Weight Cloth Wide Belts, A/O

- Premium heat-treated aluminum oxide on X-weighted heavy duty cloth for maximum wear
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area
- State-of-the-art high performance and open coat design aluminum oxide wide belts

"Zero Tolerance" seam means no "chatter"

Note: Custom wide belt sizes available with a lead time of 10 to 14 days. Please call 1-800-289-2237 to place your custom sized order.


Grit	25"W x 60"L Item #	37"W x 60"L Item#	37"W x 75"L Item#
P80	WWAOC80G-25x60	WWAOC80G-37x60	WWAOC80G-37x75
P100	WWAOC100G-25x60	WWAOC100G-37x60	WWAOC100G-37x75
P120	WWAOC120G-25x60	WWAOC120G-37x60	WWAOC120G-37x75
P150	WWAOC150G-25x60	WWAOC150G-37x60	WWAOC150G-37x75
P180	-	WWAOC180G-37x60	WWAOC180G-37x75

Grit	43"W x 60"L Item #	43"W x 75"L Item#	52"W x 103"L Item#
P60	-	-	WWAOC60G-52x103
P80	WWAOC80G-43x60	WWAOC80G-43x75	WWAOC80G-52x103
P100	WWAOC100G-43x60	WWAOC100G-43x75	WWAOC100G-52x103
P120	WWAOC120G-43x60	WWAOC120G-43x75	WWAOC120G-52x103
P150	WWAOC150G-43x60	WWAOC150G-43x75	WWAOC150G-52x103
P180	WWAOC180G-43x60	WWAOC180G-43x75	-

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

FIND IT FAST!

Check out our **Screw & Fastener Quickfind** at:
www.wurthbaersupply.com



WIDE BELTS, CLOTH BACKED



X-Weight Cloth Wide Belts, A/O



- Aluminum oxide on X-weight cloth
- Excellent abrasive belt for all-around everyday use
- Open coat design prevents loading of abrasive

Sold in: Full boxes as shown below

Grit	37" W x 60" L Item#	Box Qty
P60	MM340D60X-37X60	3
P80	MM340D80X-37X60	3
P100	MM340D100X-37X60	5
P120	MM340D120X-37X60	5
P150	MM340D150X-37X60	5
P180	MM340D180X-37X60	5



Y-Weight Cloth Wide Belts, Ceramic



- Designed for extremely long life and uniform finish
- Ceramic on Y-weight cloth
- Reduces burning when performing "end grain" sanding applications
- Open coat design prevents loading of abrasive

Packing: As shown below. Available any quantity.

Grit	37" W x 60" L Item #	Box Qty	37" W x 75" L Item #	Box Qty
P80	MM970DZ80Y-37X60	3	-	-
P120	MM970DZ120Y-37X60	5	-	-
P150	MM970DZ150Y-37X60	5	MM970DZ150Y-37X75	5

LOOKING FOR A NEW WIDE BELT SANDER?

See Section W



A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

MACHINERY TECHS IN YOUR SHOP!

AVAILABLE ANYTIME YOU NEED SERVICE

- Reliable Expert Technicians with decades of service experience and great reputation
- Parts
- Emergency Service & Preventive Maintenance

See for yourself why other shops choose our technicians over anybody else!

Learn more about our machinery division and in-stock, pre-owned equipment including warranty at www.akinsmachinery.com

Contact us today (800) 932-4825 to set up an appointment!
We will have you up and running in no time!

Just a few of the top name brands we service!

