

SECTION U - TABLE OF CONTENTS

Section U Contents:

- Hammers/Nailsets..... 2
- Install and Cutting Tools..... 3
- Utility Knives and Blades..... 4 - 5
- Razor Blades and Putty Knives..... 6
- Files and Accessories..... 7 - 9
- Tape Measures..... 10 - 11
- Marking and Measuring Tools..... 11 - 13
- Kreg Jigs and Accessories..... 14 - 17
- Deco Hardware and Lighting Jigs..... 18 - 19
- 3rd Hand Supports..... 20
- Clamps..... 21 - 27
- Pinch Dogs and Toggle Clamps..... 28
- Laminate and Edgebanding Tools..... 29 - 31
- Pressure Rollers..... 32



↑ Utility Knives & Blades
pages U-4 - U-5

Files →
pages
U-7 - U-9



Pressure Rollers →
page U-32



Laminate & Edgebanding Tools -
pages U-29 - U-31




← Tape Measures
page U-10 - U-11



↓ Clamps pages U-21 - U-27 ↑



↑ 3rd Hand page U-20



↑ Jigs (Pockethole, Hardware &
Lighting) pages U-14 - U-19

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A HAMMERS/NAIL SETS

B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



Rubber Mallet

STANLEY

- Tough rubber head molded to a lacquered wooden handle
- Rubber head helps minimize marring and surface damage

Item #	Length	Weight
ST57-522	13-1/4"	18 oz.



Dead Blow Hammer

STANLEY

- Uni-Cast™ construction of nonferrous materials eliminate sparking and won't absorb liquids
- Dead-blow function uses steel shot to eliminate bounce back

Item #	Length	Weight
ST57-531	11-1/4"	18 oz.



Curve Claw Hammer

STANLEY

- Forged high-carbon steel head, fully heat-treated and polished bell face
- Hickory handle

Item #	Length	Weight
ST51-616	13-1/4"	16 oz.



3 Piece Steel Nail Set

STANLEY

- Three piece set has three different tip sizes: 1/32", 2/32" and 3/32"
- Square head to prevent rolling when set down
- Round knurled body
- Alloy steel is hardened and tempered

Item #
ST58-230

INSTALL & CUTTING TOOLS



**Knuckle Bender™
Interior Door Installation Tool**



- Used for installing full size residential doors
- Design allows you to get a hammer under the bottom hinge to easily tap out the pin without marring the hinge, door or trim

Item #
FAKNUCKLEBENDER

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



Multi-Tool & Knife Set



- Multi-Tool Length: 4.13" closed / 6.57" open
- Can/bottle opener, Phillips screwdriver, Small Knife, Serrated Knife, File, Big Flat Screwdriver, Small Screwdriver,
- Sharp Knife Length: 3.04" closed / 4.97" open
- Includes presentation box and carrying case

Item#
WW71566506



Kaizen Foam™



- Kaizen Foam is designed to help you achieve maximum organization and visual control in your workspace
- Separates between the layers creating a perfect fit for all your tools in drawers and on walls
- Easy to peel layered sections are 1/8" thick



Item #	Description	Size	Size
FAKAIZENFOAM20BL	Kaizen Foam	2' x 4' x 20mm	Black
FAKAIZENFOAM30BL	Kaizen Foam	2' x 4' x 30mm	Black
FAKAIZENFOAM57BL	Kaizen Foam	2' x 4' x 57mm	Black
FAKAIZENKNIFE	Kaizen Knife	-	-
FAKAIZENBLADETHIN	Repl Blades, 10 pk	-	-



Pocket Pull Saw, Folding



- Super flexible blade is only .015" thick
- Blade length: 3-5/8", overall length: 8-7/8", closed length: 5"
- Compact and safe to store in your pocket when closed
- Locked and ready to use when fully open

Item #
FAPOCKETPULLSAW

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

UTILITY KNIVES & BLADES



Utility Knife

- Utility knife with multi-step locking
- Blade can be fully retracted
- Includes 1 standard utility blade; storage for 5 blades



Item#
WW7156601



Utility Knife

- 3 position retractable blade
- Includes 3 standard utility blades; storage for 5



Item#
ST10-099



Utility Knife, INSTANTCHANGE®

- Swing out blade storage and integrated string cutter
- Tool-free push-button blade change
- Includes 3 standard utility blades, storage for 10



Item #
ST10-788



Utility Knife Replacement Blades



Item#	Blade Thickness	Dispenser Included	Box Qty
ST11-921A	.024"	Yes	100
ST11-921B	.024"	No	400
WW1695106	.025"	No	100

BREAKAWAY KNIVES & TRIMMERS

Universal Knife (165mm), Snap-Off Blade



- Rugged and precise blade guide
- Comfortable one-handed use
- Push and release safety function
- Includes 1 blade loaded

Item#
WW71566061

Universal Knife Replacement Blade Note: Sold in multiples of 10 each
Item#
WW71566077

Universal Knife (200mm) Snap-Off Blade



- Rugged and precise blade guide
- Comfortable one-handed use
- Push and release safety function
- Includes 1 blade loaded

Item#
WW71566211

Universal Knife Replacement Blade Note: Sold in multiples of 10 each
Item#
WW71566057

Mirco Flush Cut Trimmers™



- Rounded flush side cutting surface design allows you to get into tight spots when removing brad nails or small slivers
- Gently pull the nail out by rolling the micro flush cut pliers without marring or denting the wood

Item#
FAPLIERSMICROCUT

Heavy Duty Flush Cut Trimmers™



- Can be used to cut nails flush
- Comes with 2 FAPOWERMAG magnets to keep the cut item from flying through the air

Item#
FAPLIERSFLUSHCUTHD

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

SCRAPERS & PUTTY KNIVES



Razor Blade Scraper



- Razor blade scraper is constructed of steel and has a fully retractable blade
- Comes with 5 blades

Item #
ST28-500




Razor Blades, Single-Edge



- Blades are individually wrapped for rust and edge protection
- 100 blades per box

Item#	Type	Blade Thickness	Brand
WW714663317	Standard Duty	.009"	Würth
WW714663318	Heavy Duty	.012"	Würth
ST11-515	Standard Duty	.009"	Stanley



Hand Scraper



- Extra flexible, spring steel blade
- Scraper is 4-3/4" wide

Item#	Box Qty
WW695940912	10



Putty Knife



- Hardened, tempered and polished steel blade
- Permanently fastened full tang blades

	Item#	Blade Width	Blade Type	Handle Type
A	ST28-540	1-1/4"	Flexible	Wood
B	ST28-240	1-1/4"	Flexible	Nylon
	ST28-140	1-1/4"	Stiff	Nylon

FILE CARDS/BRUSHES



File Card

- Sharp tempered steel bristles are angled forward, aligned and spaced for good effective cleaning
- Not recommended for use on PLASTIC-CUT® files

PRACTICAL PRODUCTS

Item#	Length	Type
PCFC87	8-1/2"	Standard Duty
PCFC87B	10"	Heavy Duty



Wire Brush

- Recommended for cleaning PLASTI-CUT files to preserve tooth sharpness
- For files that are clogged with adhesive, soak in Würth Pitch & Resin Remover (see below), then use the wire brush

PRACTICAL PRODUCTS

Item#	Overall Length	Bristle Section
PCWB42	14"	6-1/4"



File Card/Brush

- Use brush side for general cleaning and card side for stubborn cleaning
- Sharp tempered steel bristles of the card side are angled forward, aligned and spaced for good effective cleaning
- Wire side NOT recommended for use on PLASTIC-CUT® files

PRACTICAL PRODUCTS

Item #	Length
PCCB88B	10"



Pitch & Resin Remover, Eco Friendly

- Designed to quickly dissolve and emulsify materials from your files

Item #	Size
WW0893011-1Q	1 Qt., Ready to Use
WW0893011-1G	1 Gal, 1:10 Dilution

A

LAMINATE FILES

B

C

D

E

F

G

H

I

J

K

L

M

N

O

P

Q

R

S

T

U

V

W

X

Y



PLASTI-CUT® Duplex® Laminate Files

PLASTI-CUT®

- One side is a “fast cut” and the other side is a “mill cut”
- Wide body provides 10% more cutting surface
- One edge has no teeth for safe corner filing
- Rounded tang design is safer to use and it eliminates the need for a separate handle
- Supplied in protective sleeve to provide longer tool life

Item#	File Length
PC8DX	8"
PC10DX	10"



PLASTI-CUT® FAST® Laminate Files

PLASTI-CUT®

- Designed and manufactured specifically for maximum performance on decorative laminates
- FAST® cut files provide a coarse finish
- Supplied in protective sleeve to provide longer tool life

Item#	File Length
PC10F	10"
PC12F	12"
PC14F	14"



PLASTI-CUT® Mill Laminate Files

PLASTI-CUT®

- Designed and manufactured specifically for maximum performance on decorative laminates
- Mill cut files provide a smooth finish
- Supplied in protective sleeve to provide longer tool life

Item#	File Length
PC10M-1	10"
PC12M-1	12"
PC14M	14"

LAMINATE & GENERAL PURPOSE FILES

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



Laminate Files, Economy Flat Multi-Kut®

SIMONDS®

- Combines the performances of Flat and Mill Files
- Obtain almost any required finish simply by changing the feed pressure
- Multi-Kut® Flat Files are single-cut coarse tooth files that taper toward the point in width
- Features a diamond pattern “double chip-breaker” allowing for fast stock removal while leaving a smooth finish

Note: 12” files come unsleeved from the manufacturer.

Item#	File Length
PCSM10FM	10”
PCSM12FM	12”



All-Purpose Files

SIMONDS®

- Double cut on one side for quick removal and rough work; single cut on the other for finish filing

Item#	File Length
PCSM10AP	10”



Mill Laminate Files

SIMONDS®

- Designed for use on decorative laminates
- Mill cut files provide a smooth finish

Item#	File Length
PCSM10MC	10”
PCSM12MC	12”

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

TAPE MEASURES




ProCarpenter™ Tapes



- All ProCarpenter tapes feature erasable note pad on tape casing side, built-in pencil sharpener and ergonomic belt clip
- 8' standoff, dual thumb and finger locks
- All ProCarpenter tapes have a 1" wide tape (except FAPMS-12 which is 5/8" wide)



Old Standby Standard		
Item#	Description	Length
FAPS-16	Easy to read fraction call outs to 1/16"	16'
FAPS-25	Easy to read fraction call outs to 1/16"	25'



Standard/Standard Reverse		
Item#	Description	Length
FAPSS-R-16	Right & left reading	16'
FAPSS-R-16AL	Right & left reading, Auto-lock	16'
FAPSS-R-25	Right & left reading	25'



PMS Metric/Standard		
Item#	Description	Length
FAPMS-12	Easy to read fraction call outs to 1/16" and millimeters	12'
FAPMS-16		16'
FAPMS-16AL	Easy to read fraction call outs to 1/16" and millimeters, auto-lock	16'



True 32 Metric Reverse		
Item#	Description	Length
FAPMMR-TRUE32	For use with True 32 Flow manufacturing	5M



Standard Peel & Stick 16' Tape



- Puts a tape measure right where you need it
- The flat 16' long tape measure is printed on both sides allowing for left or right read
- Simply adhere the included SpeedTape to one side of the tape and stick it on!


Item#
FAPS-STICK16

TAPE MEASURES/SQUARES

PowerLock® Tape

Measures

- Mylar® polyester film extends life of entire blade
- Secure blade lock wont creep during measurements
- Tru-zero end hook for accurate measurements



	Item #	Read	Blade Width	Blade Length	Stud Markings
A	ST33-215	Metric/Inch	1/2"	12' / 3.5m	16" and 19.2"
B	ST33-158	Metric/Inch	3/4"	16' / 5.0m	16"
C	ST33-116	Inch	3/4"	16'	16" and 19.2"



SpeedClip™ Tape Measure Belt Clip



- Clips over pants or belt for quick access to tape measure
- Securely holds a tape measure and a pencil
- Extension keeps tape measure from getting bumped off when bending down
- Built in pencil sharpener

Item#
FASPEEDCLIPXT

CHECK IT OUT!



Combination Square



- Durably etched, hard-chrome-plated blades are rust resistant
- Built-in scribe comes in handy for surface marking
- High-visibility yellow, die-cast handle with brass hardware for durability
- Graduation in 1/8", 1/16" and 1/32"
- Ruler length is 12" and handle length is 4-1/2" long

Item #
ST46-123



Reveal Square Door & Window Molding Installation Tool



- Provides 8 different reveal dimensions for installation of door and window moldings
- Side one provides reveals of: 1/8", 1/4", 1/2", and 3/8"; Side two provides reveals of 3/16", 5/16", 7/16", and 9/16"
- Slide the Reveal Square along the edge of the window or door frame at desired reveal and mark with a pencil line

Item #
FAREVEALSQUARE

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A MARKING & MEASURING TOOLS

**B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y**



Compass & Scribe

- Compass can create circles up to 8" diameter
- Made from brass-plated steel
- Pencil not included



Item#
GH843-1



Scribing Tool

- For installing countertops, cabinets, tile, and floor coverings



Item #
PCAS4



**AccuScribe Pro™
Scribing Tool & Compass**

- Ideal for scribing the trim on kitchen cabinets, architectural moldings, countertops, splashguards, tile, siding and even flooring
- Retractable compass point
- Articulating pencil head



Item #
FAACSCRIBEPRO



Automatic Center Punch

- Accurate center punches to prevent drill bits from traveling
- One-handed operation - no hammer needed



Item #	Overall Length
GH79	4-7/8"



Pocket Awl, Folding

- Compact and safe to store in your pocket when closed
- Locked and ready to use when fully open



Item #
FAPOCKETAWL

MARKING & MEASURING TOOLS



Long Nose Marker™



- Solves the problem of marking inside holes or up against deep wall applications
- The ultimate permanent marker with both a super fine long tip and a wide tip on the reverse side

Item#
FALONGNOSEMARKER



FatBoy™ Retractable Pencil



- Built-in eraser and removable clip, lightweight aluminum housing
- 5.5 mm lead
- Sharpens in standard pencil sharpener
- Great for framing and finish-work

Item #	Description
FAFTBY	Pencil, 3 pieces of lead (1 each standard lead, red & soapstone and 1 eraser)
FAFTBY-REFILL	5 Lead refills (standard lead), 3 erasers



Tri-Mode Carbon Fiber Digital Caliper



- High-contrast digital display easily switches between inches, millimeters and fractions
 - Lightweight, non-marring carbon fiber construction delivers accurate readings of inside, outside and step measurements
 - Measuring capacity: 0 to 3"
 - Auto off feature preserves battery life
 - Bar scale is graduated in inches and millimeters
 - Free-wheeling friction roller advances and retracts slide
- Battery included; replacement battery - SR54 or LR54

Item #
GH1433



Moisture Meter



- Built-in low battery indicator
- Display will show the moisture content in % moisture content directly
- Uses one 9-volt battery (included)

Item#
GHMMD4E

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A KREG JIGS & ACCESSORIES

B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



For Kreg Screws, see Section P

LEARN MORE!



Kreg Jig® K5



- Number of Drill Guides: Three (3) standard Kreg pocket holes
- For Use With: Materials from 1/2" to 1-1/2" thick
- Drill Guide Spacings: 9/16", 7/8", 1-7/16"
- Clamping Method: Toggle Clamp on Benchtop Base
- Screw-Centering Ability: 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2"
- **Includes:**

KJK5: Kreg Jig® K5 base with ratcheting front-side clamp, extension wings, swiveling dust-collection port, drill guide block, spacer block, workpiece stop, drill bit setup block, stepped drill bit, 6" driver bit, stop collar, Allen wrench, Hex wrench, starter Kreg screw set, starter Kreg pocket-hole plug pack, online SkillBuilder videos, and downloadable project plans

KJK5MS: Kreg KJK5, 3" Wood Project Clamp, Portable Base for building on the go and downloadable plans for 6 home projects

Item #	Description
KJK5	Kreg Jig K5 (see items included listed above)
KJK5MS	Kreg Jig Master System (see items included above)
KJKJD	Replacement High Speed Steel Drill Bit



For Kreg Screws, see Section P

LEARN MORE!



Kreg Jig® K4



- Number of Drill Guides: (3) 3/8" Diameter standard Kreg pocket holes
- For Use With: Materials from 1/2" - to 1-1/2" thick
- Drill Guide Spacings: 9/16", 7/8", 1-7/16"
- Clamping Method: KJK4 - Toggle Clamp on Benchtop Base; KJK4MS - Toggle Clamp on Benchtop Base and Face Clamp for Portable Base
- Screw-Centering Ability: 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2"
- **Includes:**

KJK4: Kreg Jig K4®, stepped drill bit, 6" square driver, starter Kreg screw set, starter Kreg pocket-hole plug set, SkillBuilder™ DVD, Quick-Start Guide, and Owner's Manual, all inside of a durable and compact carrying case

KJK4MS: Kreg Jig® K4, Kreg Face Clamp, Portable Base, Drill Guide Spacer, Material Support Stop, dust-collection attachment, 3/8" stepped drill bit, 6" square driver, 3" square driver, starter Kreg screw set, starter Kreg pocket-hole plug set, Quick-Start Guide, SkillBuilder DVD, and Owner's Manual, all inside of a durable and compact carrying case

Item #	Description
KJK4	Kreg Jig (see items included above)
KJK4MS	Kreg Jig Master System (see items included above)
KJKJD	Replacement High Speed Steel Drill Bit

KREG JIGS & ACCESSORIES



For Kreg Screws, see Section P

Kreg Jig® R3



- Number of Drill Guides: (2) 3/8" Dia. standard Kreg pocket holes
- For Use With: Materials from 1/2"- to 1-1/2" thick
- Drill Guide Spacings: 7/8"
- Clamping Method: Works with any Kreg Face Clamp
- Screw-Centering Ability: 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2"
- Includes: Kreg Jig® R3, clamp pad adapter, stepped drill bit, 6" driver bit, depth collar, Allen wrench, starter Kreg screw set, starter Kreg pocket-hole plug set, and Owner's Manual, all inside of a durable, compact carrying case

Item #	Description
KJR3	Kreg Jig® Jr. (see included contents listed above)
KJKJD	Replacement High Speed Drill Bit
KJKJSC/D	Replacement Depth Collar and Allen Wrench

SEE IT IN ACTION!



For Kreg Screws, see Section P

Kreg Jig® Mini



- Number of Drill Guides: (1) 3/8" diameter standard Kreg pocket hole
- For Use With: Materials from 1/2"- to 1-1/2" thick
- Clamping Method: Works with Kreg Face Clamps and a variety of other clamps
- Screw-Centering Ability: 1/2" to unlimited
- Includes: Kreg Jig® Mini, Kreg drill bit, stop collar, Allen wrench, and Owner's Manual

Item #	Description
KJMKJIT	Kreg Jig® Mini Kit (see contents listed above)
KJMKJ	Kreg Jig® Mini Only
KJKJD	Replacement High Speed Drill Bit
KJKJSC/D	Replacement Depth Collar and Allen Wrench



For Kreg Screws, see Section P

Kreg Jig HD®



- Number of Drill Guides: (2) 1/2" Dia. HD pocket holes
- For Use With: 1-1/2" thick material and up
- Drill Guide Spacings: 1-7/16"
- Clamping Method: Works with Kreg Face Clamps and a variety of other clamps
- Compatibility: Kreg Jig® K3, K4, K4MS, and K5 benchtop base
- Includes: HD Drill Guide, stop block, 1/2" diameter HD stepped drill bit, 6" HD driver bit, stop collar, Allen wrench, starter Kreg screw set, and Owner's Manual

Item #	Description
KJKJHD	Kreg Jig® HD
KJKJDHD	Replacement Drill Bit, HD

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A KREG JIGS & ACCESSORIES

B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



Quick Change Drill Bit



- 3/8" diameter bit made specifically for pocket-hole joinery
- For use with the Quick-Change Chuck but will also work with standard chucks
- Can be used with all Kreg manual jigs

Item #
KJQUIK-BIT



Drive Bits



- Deep #2 driver resists cam-out

Item #	Description
KJD6X2	(2) 6" #2 Square Drivers



Concealed Hinge Jig



- Accurate hinge positioning with built-in indexing tabs
- Repeatable results with built-in measuring scales
- Reliable drilling with bit guide and stop collar
- Simple to use with any drill—no special tools needed
- Adjustable cams ensure proper hinge offset
- Durable carbide-tipped drill bit included

Item #	Description
KJKHI-HINGE	Concealed Hinge Jig
KJKHI-BIT	Replacement Bit



Cabinet Hardware Jig



- Install Knobs and Pulls the Worry-Free Way - with Easy, Repeatable Accuracy
- Adjustable guides for accurate hole placement
- Built-in measuring scales for repeatable results
- Versatile for mounting single and multi-hole knobs
- Adjustable edge guide for easy positioning
- Durable hardened-steel drill guides

Item #	Description
KJKHI-PULL	Cabinet Hardware Jig

KREG JIGS & ACCESSORIES



Shelf Pin Jig

- Dual Position Adjustable Fence requires no tools
- Locating Pin lets you quickly reference the last hole drilled
- Jig Extender allows you to connect multiple jigs together for high speed work
- Standard 32mm hole spacing
- 5mm or 1/4" brad point drill bit included
- Drill bit storage built in to back of jig

Includes: Shelf-Pin Jig, Locating Pin, Jig Extender, 5mm or 1/4" Drill Bit, Depth Collar, Allen Wrench, Four 5mm or 1/4" Shelf Pins, Instructions

Item #	Description
KJKMA3200	Shelf Pin Jig, 1/4"
KJKMA3220	Shelf Pin Jig, 5mm
KJKMA3210	1/4" Brad Point Drill Bit
KJKMA3215	5mm Brad Point Drill Bit



**SHELF PIN
INSTALL
MADE EASY!**



Drawer Slide Jig

- Install Drawer Slides the fast, easy way for drawers that fit perfectly every time and slide smoothly
- Accurate slide positioning with built-in indexing tabs
- Repeatable results without measuring and marking
- Versatile for use in cabinets, cases, and more
- Reversible to mount slides to cabinet and drawer box

NOTE: Clamps in picture are not included

Item #	Description
KJKHI-SLIDE	Drawer Slide Jig



Crown-Pro™

- Holds trim at the exact angle required, eliminating need for advanced compound miter cuts
- Curved design lets you compensate for a variety of crown molding spring angles (30 to 60 degrees)
- Extension arms let you work with crown up to 5-1/2" wide
- Included angle-finder helps you determine the correct spring angle and wall angle for accurate results; range of 30° - 65°
- 10" saws work with crown up to 3-1/2" wide; 12" saws work with crown up to 5-1/2" wide (both depend on manufacturer)

Includes: Crown-Pro™, Double-Sided Angle Finder, and Rubber Feet

Item #	Description
KJKMA2800	Crown Molding Jig



A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A HARDWARE & SHELF PIN JIGS



Cabinet Hardware Jig

- Install hardware 10x faster
- Minimum c/c: 1-1/8" (28mm)
- Maximum c/c: 12" (305mm)
- Saves wasted time making wood templates
- Durable aircraft quality aluminum
- 3/16" case hardened steel bushings are replaceable
- Includes: Blow Molded Case and standard 3/16" drill bit



LEARN MORE!

Included Blow Molded Case

Item#
JKTP-1934

LIFETIME WARRANTY

MADE IN USA

Bushings are backed with a lifetime warranty.



Cabinet Hardware Jig Plus Shelf Pin/Long Handle Jig

- Install hardware 10x faster
- Minimum c/c: 1-1/8" (28mm)
- Maximum c/c: 30-1/4" (768mm)
- Durable aircraft quality aluminum
- 3/16" case hardened steel bushings are replaceable
- Includes: JKTP-ERA Extended Ruler Attachment and Blow Molded Case




LIFETIME WARRANTY

MADE IN USA

Bushings are backed with a lifetime warranty.

Item#
JKTP-1935

Included Blow Molded Case



Cabinet Hardware & Shelf Pin Jig Accessories



	Item #	Description
A	JKTP-2312	Add on extension bars for JKTP-1934. Convert the hardware jig into a portable line boring unit. Also capable of installing cabinet handles up to 30-1/4" (768mm).
B	JKTP-SDG	Sliding Drill Guide for all True Position models. Used for quick shelf hole layouts.
C	JKTP-SES	Replacement sliding end stop assembly for all True Position models.
D	JKTP-5MMSC	Split Ring Stop Collar for 5mm drill bits, adjustable design is made of aluminum.
E	JKTP-5MMJ	5mm Ultra Bor Super Premium Drill Bit, Black & Gold 5mm Jobber Length. Hi-Molybdenum tool steel with 135 degree split points for fast penetration and accurate starting without a center punch. Ideal for solid woods.
	JKTP-5MMB	5mm Brad Point HSS bit, HSS is ideal for woods and plastics. Brad point for clean holes in melamines, veneers and other woods.

LIGHTING INSTALLATION JIGS

A True Revolution In Cabinet Lighting - Eliminate False Bottoms!

Most cabinetmakers know the frustration and cost of installing undermount cabinet lighting. In upper cabinets or shelves, a "false bottom" or "build up" is required to hide the wire for the light. Not anymore. True Position Tools light jig easily and accurately eliminates false bottoms. Conceal wires directly in the cabinet bottom or shelf. Now you can install a puck light, strip light, switch or whatever you can think of in 3/4" or 5/8" material using our patented 3/8" wire concealing kit.



Included Blow Molded Case

Puck Light Installation Jig



Includes 12" x 3/8" drill bit, 2-1/8" and 2-1/4" Forstner bits with depth stops. Install wire and puck lights in 5/8" or 3/4" panels without using a false bottom. Also can be used for drilling wire holes to strip lights and switches. Requires 1/2" hand drill for operation.

- Revolutionary design eliminates false bottom / cabinet build-ups
- Routes wire within cabinet panel
- 3 Drill bits included
- For puck lights and strip lights

SEE HOW EASY PUCK INSTALL CAN BE!

Item#
JKTP-PLJ

True Position Lighting Installation Jig Accessories & Replacement Components



3/8" Drill Bits, 12" & 18" Length

Optional / replacement drill bits for True Position Lighting Jigs
Both include aluminum stop collars and allen key

Item #	Length	Description
JKTP-12DB	12"	High Grade M35 HSS Steel Bit, resharpenable
JKTP-18DB	18"	High Grade M2 HSS Steel Bit for increased drill life, resharpenable

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A 3RD HAND SUPPORTS / FACE FRAME CLAMPS

3rd Hand Extending Supports, 150 lb Capacity


- Adjustable support systems for a variety of jobs
- Useful in the shop and on the jobsite



A Designed to support upper cabinets after the base cabinets are in place




B Designed to support upper cabinets when the base cabinets are not yet in place



C Brace, jack, or support whatever you need!

	Item #	Size	Features	Includes
A	FA3-HAND-15.7HD	16.5" - 23.5"	• Micro-adjustment	(1) jack and (2) 6x6 support feet
	FA3HLITTLE-2PCSYST	16.5" - 23.5"	• Micro-adjustment	(2) jacks and (4) 6x6 support feet and carrying bag
B	FA3HUPPER-KIT	28" x 60"	• Precision pump jack • Ball detent for positive lock	(2) jacks and (4) 6x6 support feet and carrying bag
C	FA3-HAND-5HD2PACK	57" x 144"	• Precision pump jack • Ball detent for positive lock • Micro-adjustment"	(2) jacks, (2) 3x3 articulating feet, (2) magnetic dust barrier feet



Cabinet Claw, Face Frame Clamp



- Combines the multiple steps of face frame cabinet installation into one easy process
- Installs two stiles from 1-1/2" to 2" width and up to 1-1/2" thickness (each) with 4" opening capacity
- Protective rubber pads on clamp faces and alignment plate to cushion and protect cabinets
- Aluminum claws and alignment plate

Item #	Description
AC8511	Cabinet Claw (1 Clamp Pack)
AC8510	Cabinet Claw (2 Clamp Pack)



Face Frame Clamp



- Designed to combine the multiple steps of face frame cabinet installation into one easy process
- Works on stiles 1-1/2" to 2" and up to 1/2" thick (each)
- Face frame stiles can be tightened, aligned, pre-drilled and fastened while the clamp is in place

Item #	Description
BES8511	Face Frame Clamp, 1 pack

2 clamps shown

SPRING CLAMPS



Pony® Spring Clamps

PONY | JORGENSEN

- One of the most durable clamps available
- Non-slip jaws become parallel at maximum opening capacities
- Light weight, zinc plated steel jaws

Item #	Clamping Capacity	Throat Depth
AC3201HT	1"	1-1/4"
AC3202HT	2"	2"
AC3203HT	3"	3"
AC3204HT	4"	4"



With Vinyl Tips and Handles

Steel Spring Clamps




- Available plain or with vinyl tips and handles
- Vinyl tips prevent marring and vinyl handles offer a non-slip grip
- Features a heavy duty spring for a tight fit and nickel plating to prevent corrosion



Plain

Item #	Clamping Capacity	Throat Depth
With Vinyl Tips and Handles		
BEXM3	1"	1-1/4"
BEXM5	2"	2-1/4"
BEXM7	3"	3-5/16"
BEXM10	4"	5"
Plain		
BEXM3-NPT	1"	1-1/4"
BEXM5-NPT	2"	2-1/4"
BEXM7-NPT	3"	3-5/16"



3 Way Clamp




- Non-marring rubber tips
- Spring clamp and edge clamp in one
- Approximately 30 lb of edge pressure
- Great for all types of edgebanding and general clamping purposes

Item #	Clamping Capacity	Throat Depth
FA3WAYCLAMP	2-1/2"	1-1/2"

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

PIPE CLAMPS



AC52

Pony® Pipe Clamp, Traditional Style

PONY | JORGENSEN

- Multiple-disc-clutch design allows secure
- Hold at any point along pipe
- Clamping capacity only limited by length of pipe used (*not included)

Item #	Handle Style	Black Pipe Diameter*
AC52	Sliding Pin	1/2"
AC50	Crank-Type	3/4"



AC50

Associated Item:

- Clamp pads for protecting work
- Includes: (4) U-Shaped Pads

Item #
AC7456



Pony® Pipe Clamp, H-Style

PONY | JORGENSEN

- Wider and taller stance, taller and wider jaws than traditional style
- Clamping jaws are 2-1/8" and clamps sit 2-1/2" above work surfaces
- Multiple-disc-clutch design allows secure hold at any point along pipe (*not included)
- Built in clamp hanger feature

Item #	Handle Style	Black Pipe Diameter*
AC55	Crank-Type	3/4"



Pony® Pipe Clamp, Deep Reach Style

PONY | JORGENSEN

- 2-1/2 inch deep reach design
- Heads reverse to use as spreader clamp
- Multiple-disc-clutch design allows secure hold at any point along pipe
- Clamping capacity only limited by length of pipe used (*not included)

Item #	Handle Style	Black Pipe Diameter*
AC56	Wing Nut	3/4"

PIPE CLAMPS



Standard Reach



Deep Reach

Pipe Clamp, Traditional Style

- High base improves clearance from the work surface
- Virtually limitless clamping capacity determined by the length of pipe used (*not included)



Item #	Black Pipe Diameter*	Replacement Pads
Standard Reach		
BEPC12-2	1/2"	BEPC12-2-PADS
BEPC34-2	3/4"	BEPC34-2-PADS
Deep Reach		
BEPC34-DR	3/4"	BEPC34-DR-PADS



Pipe Clamp, H Style

- "H" shape foot assembly stabilizes clamp in two dimensions giving dual-axis stability
- Extra high base offers clearance between the handle and the work surface
- Virtually limitless clamping capacity determined by the length of pipe used (*not included)



Item #	Black Pipe Diameter*	Replacement Pads
BEBPC-H12	1/2"	BEBPC-H12-PADS
BEBPC-H34	3/4"	BEBPC-H34-PADS



KJKHC6

Wood Project Clamp

- Adjusts automatically to match material thickness
- Easy-to-regulate pressure with a simple thumbscrew
- Works with the Kreg Jig® R3 Clamp Pad Adapter, as well as the Portable Base



Item#	Reach	Max Material Thickness
KJKHC3	3"	3"
KJKHC6	6"	5"



Use as a clamp or spreader!

The Jack™

- Non-marring rubber tips
- Spring clamp and edge clamp in one
- Approximately 30 lb of edge pressure
- Great for all types of edgbanding and general clamping purposes



Item #	Clamping Capacity	Throat Depth	Clamping Force
FATHEJACK	18"	2-1/4"	200 lb

A **EDGE CLAMP / CLAMP / SPREADERS**




Edge Clamps
Premium Operation



- Large pressure plate is permanently integrated, colorless. Soft-contact surface means non-slip and gentle clamping.

Item#	Opening Capacity	Throat Depth	Clamping Force
BEEKT55	2.17"	3"	500 lb



Join 2 clamps together to make a clamp with more than double the opening capacity of a single clamp!

Jorgensen® E-Z HOLD Medium Duty
Spreader/Clamps Expandable



- The contoured comfort grip and quick release lever make it simple to get a firm grip fast
- Can easily be converted into spreader clamps
- Exclusive patented feature allows 2 clamps to be joined together to make a clamp with more than double the opening capacity of a single clamp

Item #	Clamping Capacity	Spreading Capacity	Throat Depth	Clamping Force
AC33406	6"	12-1/2"	3-1/3"	300 lb
AC33412	12"	18-1/2"	3-1/3"	300 lb
AC33418	18"	24-1/2"	3-1/3"	300 lb
AC33424	24"	30-1/2"	3-1/3"	300 lb
AC33436	36"	42-1/2"	3-1/3"	300 lb



One-Handed Clamps Clamping and Spreading



- Single-handed clamping and spreading of workpieces up to 445 lb clamping force
- Upper section can quickly convert from clamping to spreading without tools
- Ergonomic handle positioned behind the rail, enabling a powerful grip
- Soft pressure caps optimize material protection and secure clamping
- EZS clamps extend throat depth right to the outside edge of the pads

Item #	Clamping Capacity	Spreading Capacity	Throat Depth	Clamping Force
445 lb Clamping Force				
BEEZS15-8	6"	14"	3-1/2"	445 lb
BEEZS30-8	12"	20"	3-1/2"	445 lb
BEEZS45-8	18"	25-3/4"	3-1/2"	445 lb
BEEZS60-8	24"	31-3/4"	3-1/2"	445 lb
BEEZS90-8	36"	43-1/2"	3-1/2"	445 lb

BAR CLAMPS



Jorgensen® Steel Bar Clamps

PONY | JORGENSEN

- Cold-drawn steel screw with special, smoothly cut acme threads
- Multiple-disc clutch - three hardened, plated steel clutch discs and one clutch spring
- Strong, lightweight steel bars are rust-resistant
- Pony® Jorgensen's® own 'multiple-disc-clutch' holds securely at any point along the bar
- Protective pads keep your project free from marring

Associated Item:

- Clamp pads for protecting work
- Includes: (4) round pads and (4) U-Shaped Pads
- For use with AC3700 Series Medium Duty clamps only



Item #
AC7437

Item #	Clamping Capacity	Throat Depth	Clamping Force
Medium Duty			
AC3706	6"	2-1/2"	600 lb
AC3712	12"	2-1/2"	600 lb
AC3718	18"	2-1/2"	600 lb
AC3724	24"	2-1/2"	600 lb
AC3730	30"	2-1/2"	600 lb
AC3736	36"	2-1/2"	600 lb
Heavy Duty			
AC3706-HD	6"	3"	1,000 lb
AC3712-HD	12"	3"	1,000 lb
AC3718-HD	18"	3"	1,000 lb
AC3724-HD	24"	3"	1,000 lb
AC3730-HD	30"	3"	1,000 lb
AC3736-HD	36"	3"	1,000 lb



Clutch Style Bar Clamps



- Cast iron jaws - Durable powder coated cast-iron fixed and sliding jaws
- Secure - 2 piece slip-clutch plates keep the jaw sturdy and in place
- Protective pads - Non-marring pads on the top and bottom jaws

Item #	Clamping Capacity	Throat Depth	Clamping Force
600 lb Clamping Force			
BEGSCC2-506	6"	2-1/2"	600 lb
BEGSCC2-512	12"	2-1/2"	600 lb
BEGSCC2-518	18"	2-1/2"	600 lb
BEGSCC2-524	24"	2-1/2"	600 lb
BEGSCC2-530	30"	2-1/2"	600 lb
BEGSCC2-536	36"	2-1/2"	600 lb
1100 lb Clamping Force			
BEGSCC3-506	6"	3-1/2"	1,100 lb
BEGSCC3-512	12"	3-1/2"	1,100 lb
BEGSCC3-518	18"	3-1/2"	1,100 lb
BEGSCC3-524	24"	3-1/2"	1,100 lb
BEGSCC3-536	36"	3-1/2"	1,100 lb

A PARALLEL & I-BEAM CLAMPS



Parallel Clamps

- Designed to clamp at 90 degrees to the rail with very large clamping surfaces
- Converts to spreading, no tools required, in seconds by removing the end stop and reversing the operating head



Item #	Clamping Capacity	Throat Depth	Clamping Force
BEKRE3524	24"	3-3/4"	1,700 lb
BEKRE3531	31"	3-3/4"	1,700 lb
BEKRE3540	40"	3-3/4"	1,700 lb
BEKRE3550	50"	3-3/4"	1,700 lb
BEKRE3560	60"	3-3/4"	1,700 lb



Jorgensen® Steel I-Bar Clamp, Crank Handle

- Heavy-duty steel bar clamps, with a resilient fixed-head design
- Bar size 1-1/2" x 7/16"
- Cold-drawn steel screw with special, smoothly cut acme threads
- Ductile cast iron castings, powder coated orange finish
- Capable of withstanding the rigorous daily demands of school shops, commercial woodworking operations, metalworking factories, welding applications and serious woodworking applications



Associated Item:

- Clamp pads for protecting work
- Includes: (4) U-Shaped Pads



Item #
AC7456

Item #	Clamping Capacity	Throat Depth	Clamping Force
AC7224	24"	1-3/4"	7,000 lb.
AC7230	30"	1-3/4"	7,000 lb
AC7236	36"	1-3/4"	7,000 lb
AC7248	48"	1-3/4"	7,000 lb
AC7260	60"	1-3/4"	7,000 lb
AC7272	72"	1-3/4"	7,000 lb
AC7284	84"	1-3/4"	7,000 lb
AC7296	96"	1-3/4"	7,000 lb



I Beam Clamp

- Nickel plated rail resists corrosion
- Crank handle for tremendous strength and long term durability
- ACME threaded screws - With 9/16" spindle diameter
- Jaw Width: 1-3/4"; Bar Width: 1-3/8"; Bar Thickness: 7/16"



Item #	Clamping Capacity	Throat Depth	Clamping Force
BEIBEAM24	24"	2"	7,000 lb
BEIBEAM30	30"	2"	7,000 lb
BEIBEAM36	36"	2"	7,000 lb
BEIBEAM48	48"	2"	7,000 lb
BEIBEAM60	60"	2"	7,000 lb
BEIBEAM72	72"	2"	7,000 lb.

SPECIALTY CLAMPS



Pony® 15' Rapid Acting Band Clamp

PONY | JORGENSEN

- Perfect for awkward or irregular shaped clamping projects of odd shapes, including round, polygon or square
- Includes plastic non-marring 1 inch by 1 inch jaws allow for great fit on corners

Item #	Band Length x Width	Range of Angle
AC1225	15' x 1"	Up to 90°

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



Strap Clamp



- Strap draws simultaneously from both sides ensuring pressure is applied equally on all corners without distortion
- Integrated rewind mechanism is operated with a crank handle which eliminates tangling and damage to the strap
- Vario clip corners with twin-tilting pressure pads auto-adjust from 60° to 180° for easy assembly of most multi-angle projects


Item #	Description	Band Length x Width	Range of Angle
BEVAS-23PLUS2K	Strap Clamp with 6 Vario Corner Clips	23' x 1-1/2"	60° to 180°
BEVAC-6	Vario Corner Clips	-	60° to 180°

PS Series Seaming Clamps




- Vacuum cups - Twin vacuum cups secure the PS units to any smooth, non-porous material or solid surface, i.e.: granite, marble, corian, plastic or glass
- Vacuum operating button - Activates and locks the vacuum seal on the work surface, (BEPS130 only).
- Steel spindle - Smoothly draws the seams together with just the right pressure.
- Guide rails - Create a solid, rigid frame for supporting vacuum cups
- Leveling Toggles - Ensure smooth surface joint, reduces grinding, sanding and finishing

Item #	Size	Clamping Capacity	Cup Diameter	Clamping Force
BEPS55	Standard	2-1/8"	4-3/4"	48 lb
BEPS130	Extra Large	3-1/8"	8-1/4"	265 lb



A TOGGLE CLAMPS/PINCH DOGS

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y



Toggle Clamps, Auto Adjust

- Adjustable clamping force based on the adjusting screw in the joint
- Sturdy, tempered metal sheets for a long service life
- Base plate hole pattern suitable for millimeters and inches



	Item #	Clamping Capacity	Automatic Adjust	Norm Clamp Force Range	Holding Capacity
Inline Toggle, Flanged Base Plate					
A	BESTC-IHH25	5/8"	1/2"	25 - 550 lb	700 lb
Horizontal Toggle with Open Arm, Horizontal Base Plate					
B	BESTC-HH50	1-9/16"	1-3/8"	25 - 550 lb	700 lb
	BESTC-HH70	2-3/8"	1-3/8"	25 - 550 lb	700 lb
Vertical Toggle with Open Arm, Horizontal Base Plate					
C	BESTC-VH20	13/16"	3/4"	25 - 550 lb	450 lb
	BESTC-VH50	1-9/16"	1-3/8"	25 - 550 lb	700 lb



Pinch Dogs

- Hand forged in Germany by a small file shop, will not break or bend
- Simple clamps are hammered into two adjacent pieces of wood, the tapered legs cause the pieces to be drawn tight together as the clamps are hammered in
- Endlessly reusable and resharpenable

Item#	Size
PK114-2	2"
PK114-3	3"



Pinch Clamps

- Great for small trim details or assembly where most clamps are too large or heavy
- Made by Ulmia of Germany from high-grade spring steel wire

Item#	Usable Opening	Overall Length
PK116-0001A	5/8"	2-15/16"
PK116-0001	3/4"	3-1/16"



PK116-0173W

Miter Clamps

- Original German version of an incredibly useful type of clamp
- Works great for mitered joints such as casing, crown moldings, picture frames
- The clamp puts just enough pressure on your miters to create a perfect glue joint that won't fail
- Includes 1 pair pliers, 8 rings each size A to F, total of 48 rings

Item#	Case Type
PK116-0173	Plastic Carrier
PK116-0173W	Wooden Box

LAMINATE/EDGE BANDING TOOLS

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y




Scoring Cutter

- The carbide tipped blade simply scores through the decorative surface, and the laminate breaks cleanly away
- Also works for cutting self edging strips
- Double edged blades, plastic handle



Item #	Description
PC344	Scoring cutter with blade
PC344B	Replacement blade



Hand Held Laminate Slitter

- Adjustment knob allows for setting the slitter to score laminate thicknesses up to 2mm (3/32")
- Slitter can be adjusted to cut strips from 12mm - 110mm (1/2" to 4") W



Item#	Description
VXC15L	Laminate Slitter
VX78C	Replacement Cutter
VX78S	Bench Clamp



Edgebanding Iron

- Nonstick soleplate coating and a plastic handle that remains cool during use
- Die cast aluminum soleplate heats up to 442°F - assures even heat distribution
- A stand is supplied for storage while hot iron is idle



Item#
PCHAN101



FastBreak™ Sander

- Uniformly break the edge in sharp melamine, edgebanding, plywood and hardwood materials in just one pass
- FastBreak XL is designed for sanding entry doors and larger panel stock
- Extra sandpaper is stored inside and is easily accessed through removable end caps



Item #	Description	Material Thickness
FAFASTBREAK	Sander	1/4" - 1"
FAFASTBREAKXL	Sander	3/4" - 2-3/8"
FAFB80	Sandpaper, 80 Grit	-
FAFB180	Sandpaper, 180 Grit	-

A LAMINATE/EDGEBANDING TOOLS

**B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y**



Macro Flush Cut Trimmer™



- For making micro-cuts for “nip and tuck” of edgebanding and laminate
- Works with standard wood and PVC edgebanding .018 - .025, not recommended for 3mm

Item#
FAPLIERSFLUSHCUT



End Nippers™



- Trims flush with the surface
- Can be used in a variety of different applications, including trimming the edge of edgebanding/veneers and soft metals
- Will even work on 3mm edgebanding
- Not meant for use on nails

Item#
FAPLIERSENDNIP



Tri Trimmer



- The Tri Trimmer allows you to get tight into the corners when trimming veneers and edgebanding
- Designed by a professional refacer to specifically address resurfacing face frames and awkward inside trimming
- Use the single blade to get into small spaces and use the dual blades for long open runs
- Carbon steel 30 degree blades

Item #
FATRITRIMMER



Hand Held Edgebanding Trimmers



- Cuts edge banding up to 1 mm thick
- Not for cutting laminates or 3mm tapes

Item#	Description
VXRC21E	Edgetrimmer
VXRC21B	Replacement Blades

LAMINATE/EDGE BANDING TOOLS



FAQPROTRIM


Pneumatic Edgbanding Quad Trimmer™



- No springs to lose when taking tool apart to trim one side of material.
- Available tungsten carbide blades last 10 times longer than steel blades
- Trims both directions, both sides, top and bottom at once

Item#	Description	Blade Type
FAQTRIM	Standard Trimmer	Carbon Steel
FAQBLADE	Replacement Blade	Carbon Steel
FAQPROTRIM	"Pro" Trimmer	Tungsten Carbide
FAQPROBLADE	Replacement Blade	Tungsten Carbide

NO SPRINGS!



Double-Sided Edgbanding Trimmer



- Shop tool for bevel trimming all types of thin laminates, thin veneers and edgbanding
- Bevel trims both top/bottom of material ranging from 1/2" to 1" thick

Item#	Description
AA3400	Double-Sided Trimmer
AA3402	Replacement Knives



Double-Sided Edgbanding Trimmer



- Simultaneously trims both edges of most soft edgbanding materials
- Duplicate blades on both sides will flush or bevel trim panels from 1/2" - 1 1/2" thick
- One side can be used alone as a single-sided trimmer

Item#	Description
PCET100	Trimmer
PCET10ORP	Repl. Blades 6 per pack

Speedroller™

- Ergonomically designed with laminate rollers that can be used in any PSA application
- Non-marring rubber wheels or maximum PSI steel wheels



FASPEEDROLLERPRO



FASPEEDROLLERQUAD

Item #	Description
FASPEEDROLLERQUAD	Maximum PSI Steel, Non-Interchangeable
FASPEEDROLLERPRO	1 set Maximum PSI Steel and 1 set Non-Marring Rubber, Interchangeable

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

A LAMINATE/EDGEBANDING TOOLS

**B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y**



Pressure Seam Roller

- Machined and polished steel rollers are 2"W x 2"Dia. and mounted on a smooth rolling ball bearing.



Item#	Style	Handle Length
PC4S	Both Edges Square	5"



Straight Handle J-Roller

- 1-1/2" Dia. x 3"W Rubber (non-marking) roller has no axle projection on one end, for scratchless flush work.



Item#	Handle Length	Roller Color
PCJ200B	12-1/2"	Black
PCJ200W	12-1/2"	White



Straight Handle J-Roller

- 3"W rubber roller is soft enough to avoid marring, but firm enough to smooth out all covering materials.



Item#	Handle Length
PCJR-78C	12"



Pressure Roller

- Heavy duty 1/2" diameter steel handle is specially designed and formed for two hand use to provide 40+ PSI
- Durable 1-1/2" diameter x 3" wide nonmarking black rubber roller has no axle projection on one end, allowing scratchless flush work
- Two ribbed vinyl grips provide for comfortable, sure-grip use



Item #	Handle Length
PCV300	14-3/4"



Extension Handle Roller

- Used for countertops, walls, and resilient flooring
- Roller sections are 1-1/2" Dia. with an overall width of the three rollers of 7-1/2"



Item#	Handle Length
PC333AR	17" to 27"