

# PROVALUE LARGE BAR PULLS & STEEL COLLECTION 2.0




**CONTENTS** 



### LARGE BAR PULLS

Large Bar Pulls
(768mm, 640mm, 544mm)2
(448mm, 384mm, 320mm)3
(288mm, 256mm, 224mm)4
Steel 2.0 Bar Pulls
(192mm, 160mm, 128mm)5
(96mm, 76mm, 64mm, T-Knob)6
Steel 2.0 Bow & Tapered Pulls
(128mm, 96mm)7
Steel 2.0 Hooks
(Single Prong, Double Prong & Coat)8
Steel 2.0 Wire Pull & Mushroom
<b>Knobs</b> 9
True Position Hardware Jigs10 - 11





Only (MSRP each)

	ltem #	Size MM/Inches	Material	Finish
А	SZSTBAR768-OB3	768mm c/c, 848mm L/ 30.24″ c/c, 33.39″ L	Steel	Dark Oil Rubbed Bronze
В	SZSTBAR768-PC	768mm c/c, 848mm L/ 30.24″ c/c, 33.39″ L	Steel	Polished Chrome
С	SZSTBAR768-SS	768mm c/c, 848mm L/ 30.24″ c/c, 33.39″ L	Steel	Stainless Steel
D	SZSTBAR640-OB3	640mm c/c, 720mm L/ 25.20″ c/c, 28.35″ L	Steel	Dark Oil Rubbed Bronze
E	SZSTBAR640-PC	640mm c/c, 720mm L/ 25.20″ c/c, 28.35″ L	Steel	Polished Chrome
F	SZSTBAR640-SS	640mm c/c, 720mm L/ 25.20″ c/c, 28.35″ L	Steel	Stainless Steel
G	SZSTBAR544-OB3	544mm c/c, 624mm L/ 21.42″ c/c, 24.57″ L	Steel	Dark Oil Rubbed Bronze
Н	SZSTBAR544-PC	544mm c/c, 624mm L/ 21.42″ c/c, 24.57″ L	Steel	Polished Chrome
I	SZSTBAR544-SS	544mm c/c, 624mm L/ 21.42″ c/c, 24.57″ L	Steel	Stainless Steel



## **LARGE BAR PULLS**



	ltem #	Size in MM	Size in Inches	Material	Finish
A	SZSTBAR448-OB3	448mm c/c, 528mm L	17.64″ c/c, 20.79″ L	Steel	Dark Oil Rubbed Bronze
В	SZSTBAR448-PC	448mm c/c, 528mm L	17.64″ c/c, 20.79″ L	Steel	Polished Chrome
С	SZSTBAR448-SS	448mm c/c, 528mm L	17.64″ c/c, 20.79″ L	Steel	Stainless Steel
D	SZSTBAR384-OB3	384mm c/c, 464mm L	15.12″ c/c, 18.27″ L	Steel	Dark Oil Rubbed Bronze
E	SZSTBAR384-PC	384mm c/c, 464mm L	15.12″ c/c, 18.27″ L	Steel	Polished Chrome
F	SZSTBAR384-SS	384mm c/c, 464mm L	15.12″ c/c, 18.27″ L	Steel	Stainless Steel
G	SZSTBAR320-OB3	320mm c/c, 400mm L	12.60″ c/c, 15.75″ L	Steel	Dark Oil Rubbed Bronze
н	SZSTBAR320-PC	320mm c/c, 400mm L	12.60″ c/c, 15.75″ L	Steel	Polished Chrome
Ι	SZSTBAR320-SS	320mm c/c, 400mm L	12.60″ c/c, 15.75″ L	Steel	Stainless Steel

### Würth Baer Supply <sup>3</sup>




## **LARGE BAR PULLS**



	ltem #	Size in MM	Size in Inches	Material	Finish
А	SZSTBAR288-OB3	288mm c/c, 368mm L	11.34" c/c, 14.49" L	Steel	Dark Oil Rubbed Bronze
В	SZSTBAR288-PC	288mm c/c, 368mm L	11.34" c/c, 14.49" L	Steel	Polished Chrome
С	SZSTBAR288-SS	288mm c/c, 368mm L	11.34" c/c, 14.49" L	Steel	Stainless Steel
D	SZSTBAR256-OB3	256mm c/c, 336mm L	10.08" c/c, 13.23" L	Steel	Dark Oil Rubbed Bronze
Е	SZSTBAR256-PC	256mm c/c, 336mm L	10.08" c/c, 13.23" L	Steel	Polished Chrome
F	SZSTBAR256-SS	256mm c/c, 336mm L	10.08" c/c, 13.23" L	Steel	Stainless Steel
G	SZSTBAR224-OB3	224mm c/c, 304mm L	8.82" c/c, 11.97" L	Steel	Dark Oil Rubbed Bronze
Н	SZSTBAR224-PC	224mm c/c, 304mm L	8.82" c/c, 11.97" L	Steel	Polished Chrome
I	SZSTBAR224-SS	224mm c/c, 304mm L	8.82" c/c, 11.97" L	Steel	Stainless Steel



## STEEL COLLECTION 2.0 BAR PULLS









	ltem #	Size in MM	Size in Inches	Material	Finish
А	SZSTBAR192-OB3	192mm c/c, 272mm L	7.56" c/c, 10.71" L	Steel	Dark Oil Rubbed Bronze
В	SZSTBAR192-PC	192mm c/c, 272mm L	7.56" c/c, 10.71" L	Steel	Polished Chrome
С	SZSTBAR192-SS	192mm c/c, 272mm L	7.56" c/c, 10.71" L	Steel	Stainless Steel
D	SZSTBAR160-OB3	160mm c/c, 220mm L	6.30" c/c, 8.66" L	Steel	Dark Oil Rubbed Bronze
E	SZSTBAR160-PC	160mm c/c, 220mm L	6.30" c/c, 8.66" L	Steel	Polished Chrome
F	SZSTBAR160-SS	160mm c/c, 220mm L	6.30" c/c, 8.66" L	Steel	Stainless Steel
G	SZSTBAR128-OB3	128mm c/c, 188mm L	5.04" c/c, 7.40" L	Steel	Dark Oil Rubbed Bronze
Н	SZSTBAR128-PC	128mm c/c, 188mm L	5.04" c/c, 7.40" L	Steel	Polished Chrome
Ι	SZSTBAR128-SS	128mm c/c, 188mm L	5.04" c/c, 7.40" L	Steel	Stainless Steel

### Würth Baer Supply <sup>5</sup>



### STEEL COLLECTION 2.0 BAR PULLS












	ltem #	Size in MM	Size in Inches	Material	Finish
А	SZSTBAR96-OB3	96mm c/c, 135mm L	3.78" c/c, 5.31" L	Steel	Dark Oil Rubbed Bronze
В	SZSTBAR96-PC	96mm c/c, 135mm L	3.78" c/c, 5.31" L	Steel	Polished Chrome
С	SZSTBAR96-SS	96mm c/c, 135mm L	3.78" c/c, 5.31" L	Steel	Stainless Steel
D	SZSTBAR3-OB3	76mm c/c, 135mm L	3.00" c/c, 5.31" L	Steel	Dark Oil Rubbed Bronze
E	SZSTBAR3-PC	76mm c/c, 135mm L	3.00" c/c, 5.31" L	Steel	Polished Chrome
F	SZSTBAR3-SS	76mm c/c, 135mm L	3.00" c/c, 5.31" L	Steel	Stainless Steel
G	SZSTBAR64-OB3	64mm c/c, 115mm L	2.52" c/c, 4.53" L	Steel	Dark Oil Rubbed Bronze
Н	SZSTBAR64-PC	64mm c/c, 115mm L	2.52" c/c, 4.53" L	Steel	Polished Chrome
Ι	SZSTBAR64-SS	64mm c/c, 115mm L	2.52" c/c, 4.53" L	Steel	Stainless Steel
J	SZSTBARKNOB-OB3	40mm L	1.57" L	Steel	Dark Oil Rubbed Bronze
К	SZSTBARKNOB-PC	40mm L	1.57" L	Steel	Polished Chrome
L	SZSTBARKNOB-SS	40mm L	1.57" L	Steel	Stainless Steel



Only (MSRP each)

## **STEEL COLLECTION 2.0 BOW & TAPERED BOW PULLS**





	ltem #	Туре	Size in MM	Size in Inches	Material	Finish
А	SZSTBOW128-OB3	Bow	128mm c/c, 153mm L	5.04″ c/c, 6.02″ L	Steel	Dark Oil Rubbed Bronze
В	SZSTBOW128-PC	Bow	128mm c/c, 153mm L	5.04″ c/c, 6.02″ L	Steel	Polished Chrome
С	SZSTBOW128-SN	Bow	128mm c/c, 153mm L	5.04″ c/c, 6.02″ L	Steel	Satin Nickel
D	SZSTBOW96-OB3	Bow	96mm c/c, 117mm L	3.78″ c/c, 4.61″ L	Steel	Dark Oil Rubbed Bronze
E	SZSTBOW96-PC	Bow	96mm c/c, 117mm L	3.78″ c/c, 4.61″ L	Steel	Polished Chrome
F	SZSTBOW96-SN	Bow	96mm c/c, 117mm L	3.78″ c/c, 4.61″ L	Steel	Satin Nickel
G	SZSTTAPERBOW128OB3	Tapered Bow	128mm c/c, 153mm L	5.04″ c/c, 6.02″ L	Zinc	Dark Oil Rubbed Bronze
Н	SZSTTAPERBOW128-PC	Tapered Bow	128mm c/c, 153mm L	5.04″ c/c, 6.02″ L	Zinc	Polished Chrome
Ι	SZSTTAPERBOW128-SN	Tapered Bow	128mm c/c, 153mm L	5.04″ c/c, 6.02″ L	Zinc	Satin Nickel
J	SZSTTAPERBOW96-OB3	Tapered Bow	96mm c/c, 113mm L	3.78″ c/c, 4.45″ L	Zinc	Dark Oil Rubbed Bronze
K	SZSTTAPERBOW96-PC	Tapered Bow	96mm c/c, 113mm L	3.78″ c/c, 4.45″ L	Zinc	Polished Chrome
L	SZSTTAPERBOW96-SN	Tapered Bow	96mm c/c, 113mm L	3.78″ c/c, 4.45″ L	Zinc	Satin Nickel



# **STEEL COLLECTION 2.0 HOOKS**



	ltem #	Description	Size in Inches	Material	Finish
А	SZSTHOOK1-OB3	Single Prong Hook	.75″Wx 1.875″H x 1.5″Proj	Zinc	Dark Oil Rubbed Bronze
В	SZSTHOOK1-PC	Single Prong Hook	.75″Wx 1.875″H x 1.5″Proj	Zinc	Polished Chrome
С	szsthook1-sn	Single Prong Hook	.75″Wx 1.875″H x 1.5″Proj	Zinc	Satin Nickel
D	SZSTHOOK2-OB3	Double Prong Hook	.94"BWx 1.875"H x 1"Proj, 2.75"OW	Zinc	Dark Oil Rubbed Bronze
Е	SZSTHOOK2-PC	Double Prong Hook	.94″BWx 1.875″H x 1″Proj, 2.75″OW	Zinc	Polished Chrome
F	SZSTHOOK2-SN	Double Prong Hook	.94"BWx 1.875"H x 1"Proj, 2.75"OW	Zinc	Satin Nickel
G	SZSTHOOK3-OB3	Coat Hook	.94″Wx 3.625″H x 2.375″Proj	Zinc	Dark Oil Rubbed Bronze
Н	SZSTHOOK3-PC	Coat Hook	.94″Wx 3.625″H x 2.375″Proj	Zinc	Polished Chrome
Ι	SZSTHOOK3-SN	Coat Hook	.94″Wx 3.625″H x 2.375″Proj	Zinc	Satin Nickel



# STEEL COLLECTION 2.0 WIRE PULLS & KNOBS



	Item #	Туре	Size in MM	Size in Inches	Material	Finish
А	SZSTWIRE4-OB3	Wire Pull	101.6mm c/c, 110mm L	4.00″ c/c, 4.33″ L	Steel	Dark Oil Rubbed Bronze
В	SZSTWIRE4-PC	Wire Pull	101.6mm c/c, 110mm L	4.00″ c/c, 4.33″ L	Steel	Polished Chrome
С	SZSTWIRE4-SN	Wire Pull	101.6mm c/c, 110mm L	4.00″ c/c, 4.33″ L	Steel	Satin Nickel
D	SZSTWIRE96-OB3	Wire Pull	96mm c/c, 104mm L	3.78″ c/c, 4.09″ L	Steel	Dark Oil Rubbed Bronze
E	SZSTWIRE96-PC	Wire Pull	96mm c/c, 104mm L	3.78″ c/c, 4.09″ L	Steel	Polished Chrome
F	SZSTWIRE96-SN	Wire Pull	96mm c/c, 104mm L	3.78″ c/c, 4.09″ L	Steel	Satin Nickel
G	SZSTWIRE35-OB3	Wire Pull	88.9mm c/c, 96mm L	3.50″ c/c, 3.78″ L	Steel	Dark Oil Rubbed Bronze
Н	SZSTWIRE35-PC	Wire Pull	88.9mm c/c, 96mm L	3.50″ c/c, 3.78″ L	Steel	Polished Chrome
I	SZSTWIRE35-SN	Wire Pull	88.9mm c/c, 96mm L	3.50″ c/c, 3.78″ L	Steel	Satin Nickel
J	SZSTWIRE3-OB3	Wire Pull	76mm c/c, 85mm L	3.00″ c/c, 3.35″ L	Steel	Dark Oil Rubbed Bronze
К	SZSTWIRE3-PC	Wire Pull	76mm c/c, 85mm L	3.00″ c/c, 3.35″ L	Steel	Polished Chrome
L	SZSTWIRE3-SN	Wire Pull	76mm c/c, 85mm L	3.00″ c/c, 3.35″ L	Steel	Satin Nickel
М	SZSTKNOB-OB3	Knob	31.75mm diameter	1.25" diameter	Stl Top/Zinc Base	Dark Oil Rubbed Bronze
Ν	SZSTKNOB-PC	Knob	31.75mm diameter	1.25" diameter	Stl Top/Zinc Base	Polished Chrome
0	szstknob-sn	Knob	31.75mm diameter	1.25" diameter	Stl Top/Zinc Base	Satin Nickel

### - WüRTH

JUST SAY

TO WOOD JIGS

Wasting

### **TRUE POSITION CABINET HARDWARE** & SHELF PIN JIGS

#### Install Hardware In Seconds. Save Time - Save Mistakes!

The days of measuring each door or drawer by hand or using a block of wood are over! The True Position Hardware Jig makes short work of any hardware layout. You will be amazed how easy hardware is to install! All are made in the U.S.A. out of of durable aircraft quality light-weight aluminum and feature replaceable case hardened steel bushings!







Set hardware spacing using integrated english/metric ruler



Adjust to desired location on stile and rail, then tighten thumbscrews



#### Price Each

67



Price Each

263.95

Note: Pages 10 & 11, no additional discounts apply.

#### Würth Baer Supply 10

#### **Cabinet Hardware Jig**

For professional installation of handles & knobs. Works on doors and drawer fronts. An invaluable tool for any cabinet installer. Includes standard 5mm drill bit.

- Install hardware 10x faster
- Minimum c/c: 1-1/8" (28mm)
- Maximum c/c: 12" (305mm)

Item #: JKTP-1934



#### Cabinet Hardware Jig Plus Shelf Pin/Long Handle Jig

Versatile 3 - in - 1 tool: door hardware - drawer hardware - shelf holes. Also a great alternative to the line boring machine for the small shop. Includes the basic hardware jig (JKTP-1934) with additional drilling extensions for 32mm line boring. Drill shelf holes in the shop before assembly or on the job after assembly. Also drills long handles up to 30-1/4" length. Includes depth stop and standard 5mm drill bit. Install hardware 10x faster

- Minimum c/c: 1-1/8" (28mm)
- Maximum c/c: 30-1/4" (768mm)

Item #: JKTP-1935







### **TRUE POSITION CABINET HARDWARE & SHELF PIN JIGS**



Cabinet Hardware Jig Plus Shelf Pin Long Handle Jig & Extra Sliding Guides

Versatile 3-in-1 tool: door hardware - drawer hardware - shelf holes. The all-around template solution for the cabinet installer. Also a great alternative to the line boring machine for the small shop. Includes the basic hardware jig (JKTP-1934) with additional drilling extensions for 32mm line boring. Drill shelf holes in the shop before assembly or on the job after assembly. Includes 6 additional 32mm guides (JKTP-SDG) that allow for quick line boring layouts. Includes standard 5mm drill bit.

- Install hardware 10x faster
- Minimum c/c: 1-1/8" (28mm)
- Maximum c/c: 30-1/4" (768mm)

Item #: JKTP-1950



\$554.88

Price Each

Price Each

**Price Each** 



Cabinet Hardware & Shelf Pin Line Boring System Includes 2 Hardware Jigs

The small shop's line boring machine. Measuring 48", drill shelf holes on a 8' sheet of material with only one move of the unit. Also serves as the all-around template solution for the cabinet installer. Included are the components to have one JKTP-1934 and one JKTP-1935, allowing one unit to stay in the shop and the other to be used on the field. Drill shelf holes before cabinet assembly or on the job after assembly. Locates hardware up to 46-5/8" c/c on doors & drawer fronts. Includes 2 T-squares w/Top Stops. 3 line boring/extension bars and 8 sliding drill guides. Also included is a depth stop, JKTP-5MMJ and JKTP-5MMB drill bits.

- Install hardware 10x faster
- Minimum c/c: 1-1/8" (28mm)
- Maximum c/c: 46-5/8" (1184mm) and high production 32mm shelf pin holes

Description

Item #: JKTP-2000

#### **Cabinet Hardware & Shelf Pin Jig Accessories & Replacement Components**

Item #



Add on extension bars for JKTP-1934. Convert the hardware jig JKTP-2312 Α into a portable line boring unit. Also capable of installing cabinet \$119.00 handles up to 30-1/4" (768mm). Sliding Drill Guide for all True Position models. Used for quick shelf В JKTP-SDG \$19.00 hole layouts. С JKTP-SES Replacement sliding end stop assembly for all True Position models. \$19.00 Split Ring Stop Collar for 5mm drill bits, adjustable design is made \$9.99 D JKTP-5MMSC of aluminum. 5mm Ultra Bor Super Premium Drill Bit, Black & Gold 5mm Jobber Length. Hi-Molybdenum tool steel with 135 degree split points for Е JKTP-5MMJ \$3.99 fast penetration and accurate starting without a center punch. Ideal for solid woods. 5mm Brad Point HSS bit, HSS is ideal for woods and plastics. Brad F JKTP-5MMB \$8.99 point for clean holes in melamines, veneers and other woods.



### Würth Baer Supply

Note: Pages 10 & 11, no additional discounts apply.



# PRO VALUE LARGE BAR PULLS & STEEL COLLECTION 2.0

### Würth Baer Supply

Würth Baer Supply 909 Forest Edge Drive Vernon Hills, IL 60061 T: 800-289-2237 F: 888-558-2237 www.würthbaersupply.com

#### Other locations:

West Haven, CT Elk Grove Village, IL Vernon Hills, IL Indianapolis, IN Versailles, KY Livonia, MI Eagan, MN Fenton, MO Kansas City, MO Londenderry, NH Edison, NJ Pennsauken, NJ Guilderland Center, NY Syracuse, NY Brooklyn Heights, OH Columbus, OH Middletown, OH Bethlehem, PA Harrisburg, PA Rumford, RI Pewaukee, WI