

Würth Baer Supply

PRO ADHESIVES





Pro Economy Flammable Spray Grade

- Excellent room temp contactability, green strength and high heat resistance
- Excellent sprayability
- For flat work only

Item #	Size	Color
DSPRO-ECONOMY-05	5 Gal	Clear
DSPRO-ECONOMY-54	54 Gal	Clear
DSPRO-ECONOMY-R-05	5 Gal	Red
DSPRO-ECONOMY-R-54	54 Gal	Red



Pro Premium Flammable Spray Grade

- High performance - excellent initial tack and bond strength
- Excellent room temp contactability, green strength and heat resistance
- Postformable
- Provides good uniform coverage in hand and automatic spray applications
- Excellent sprayability

Item #	Size	Color
DSPRO-PREMIUM-05	5 Gal	Clear
DSPRO-PREMIUM-54	54 Gal	Clear
DSPRO-PREMIUM-R-05	5 Gal	Red
DSPRO-PREMIUM-R-54	54 Gal	Red



Pro Platinum Flammable Spray Grade

- High solids, high performance
- Postformable in manual and heated spray systems
- Lower applied cost

Item #	Size	Color
DSPRO-PLATINUM-05	5 Gal	Clear
DSPRO-PLATINUM-54	54 Gal	Clear
DSPRO-PLATINUMR-05	5 Gal	Red
DSPRO-PLATINUMR-54	54 Gal	Red



Pro Cal Flammable Spray Grade

- VOC free
- Fast-drying
- High initial tack
- High green strength
- Long open time
- CAL & OTC Compliant

Item #	Size	Color
DSPRO-CAL-05	5 Gal	Clear
DSPRO-CAL-54	54 Gal	Clear
DSPRO-CALR-05	5 Gal	Red
DSPRO-CALR-54	54 Gal	Red



Pro OTC Flammable Spray Grade

- High bond strength
- High solids means extended mileage
- Fast drying and high heat resistance
- Low VOC
- OTC Compliant

Item #	Size	Color
DSPRO-OTC-05	5 Gal	Clear
DSPRO-OTC-54	54 Gal	Clear
DSPRO-OTCR-05	5 Gal	Red
DSPRO-OTCR-54	54 Gal	Red



Pro OTCB Flammable Brush Grade

- High tack
- Long open time
- OTC Compliant
- Low VOC
- Excellent green strength

Item #	Size	Color
DSPRO-OTCB-05	5 Gal	Clear
DSPRO-OTCB-54	54 Gal	Clear



Pro Brush Flammable Brush Grade

- Excellent room temperature contactability, green strength and heat resistance
- Spreads easily and provides good uniform coverage
- Postformable
- Spreads easily and provides uniform coverage
- Fast drying formula

Item #	Size	Color
DSPRO-BRUSH-01	1 Gal	Clear
DSPRO-BRUSH-05	5 Gal	Clear
DSPRO-BRUSH-54	54 Gal	Clear



Pro 120NF Non-Flammable Spray Grade

- Excellent room temperature contactability
- Excellent green strength and high heat resistance
- Excellent sprayability
- Non-ozone depleting
- OTC Compliant
- Postformable

Item #	Size	Color
DSPRO-120NF-05	5 Gal	Clear
DSPRO-120NF-54	54 Gal	Clear



Pro OTCNF Non-Flammable Spray Grade

- OTC and Green Diamond Compliant
- VOC free
- Excellent green strength and high heat resistance
- Non-ozone depleting

Item #	Size	Color
DSPRO-OTCNF-05	5 Gal	Clear
DSPRO-OTCNF-54	54 Gal	Clear
DSPRO-OTCNFG-05	5 Gal	Green
DSPRO-OTCNFG-54	54 Gal	Green



Pro S100 Non-Flammable Brush Grade

- High pressure laminate adhesive for porous and nonporous surfaces
- Excellent green strength and high heat resistance
- Postformable
- Contains no ozone depleters
- Spread easily and provides uniform coverage
- OTC Compliant

Item #	Size	Color
DSPRO-S100-01	1 Gal	Clear
DSPRO-S100-05	5 Gal	Clear



Pro Waterbased Roll/Brush/Spray Grade

- OTC & CAL Compliant
- Low VOC content
- Excellent for bonding laminate, wood, metal and plastics
- Postformable
- Excellent room temperature contactability
- Provides good uniform coverage in hand and automatic spray applications
- Film changes color- indicates when dry

Item #	Size	Color
DSPRO-WB-01	1 Gal	Clear
DSPRO-WB-05	5 Gal	Clear
DSPRO-WB-55	55 Gal	Clear
DSPRO-WBG-01	1 Gal	Green
DSPRO-WBG-05	5 Gal	Green
DSPRO-WBG-55	55 Gal	Green



Pro Hi-Temp Premium Non-Flam/Flam Canister

- High bond strength
- Fast drying with high heat resistance
- Excellent room temperature contactability
- Permanent bond of materials where immediate bond strength and good heat resistance are required
- Non-flammable adhesive

Item #	Size	Color
DSPRO-HITEMP-011	11 Lb	Clear
DSPRO-HITEMP-038	38 Lb	Clear
DSPRO-HITEMP-177	177 Lb	Clear
DSPRO-HITEMP-355	355 Lb	Clear
DSPRO-HITEMP-G-038	38 Lb	Green
DSPRO-HITEMP-G-177	177 Lb	Green
DSPRO-HITEMP-G-355	355 Lb	Green
DSPRO-HITEMP-R-038	38 Lb	Red
DSPRO-HITEMP-R-177	177 Lb	Red
DSPRO-HITEMP-R-355	355 Lb	Red



Pro OTC Non-Flam/Flam Canister

- OTC Compliant
- Low VOC
- High bond strength
- Fast drying and high heat resistance
- Excellent room temperature contactability
- Non-flammable adhesive

Item #	Size	Color
DSPRO-OTC-34	34 Lb	Clear
DSPRO-OTC-144	144 Lb	Clear
DSPRO-OTC-288	288 Lb	Clear



Pro 202 Flam/Flam Canister

- HAPs free
- Non-Methylene Chloride
- Excellent room temperature contactability
- Excellent green strength and high heat resistance

Item #	Size	Color
DSPRO-202-030	30 Lb	Clear
DSPRO-202-140	140 Lb	Clear
DSPRO-202-300	300 Lb	Clear



Pro CAL Flam/Flam Canister

- OTC & CAL Compliant
- Low VOC
- Soft spray allows for greater control of pattern and reduces telegraphing
- High solids means extended mileage
- Excellent heat resistance and bond strength

Item #	Size	Color
DSPRO-CAL-27	27 Lb	Clear
DSPRO-CAL-128	128 Lb	Clear
DSPRO-CAL-252	252 Lb	Clear
DSPRO-CALR-27	27 Lb	Red
DSPRO-CALR-128	128 Lb	Red
DSPRO-CALR-252	252 Lb	Red



Pro OTCNF Non-Flam/Non-Flam Canister

- Green Guard certified
- VOC free
- Excellent high heat resistance
- Pebble spray pattern
- Non-flammable adhesive/Non-flammable propellant

Item #	Size	Color
DSPRO-OTCNF-35	35 Lb	Clear
DSPRO-OTCNF-162	162 Lb	Clear
DSPRO-OTCNF-326	326 Lb	Clear
DSPRO-OTCNFG-35	35 Lb	Green
DSPRO-OTCNFG-162	162 Lb	Green
DSPRO-OTCNFG-326	326 Lb	Green

Pro Canister Accessories



Pro Canister Guns, Hoses & Accessories

- For use with canister adhesives
- Items sold separately

Item #	Description
DSPRO-HOSE-12FT	12' Canister Hose
DSPRO-HOSE-18FT	18' Canister Hose
DSPRO-HOSE-25FT	25' Canister Hose
DSPRO-CANISTER-GUN	Adjustable Spray Gun with 6501 Tip
DSPRO-TIP-6501	6501 Spray Tip for PRO HITEMP & OTCNF Canisters
DSPRO-TIP-9501	9501 Spray Tip for PRO OTC Canisters
DSPRO-HOSESPLITTER	T-Fitting for 2 Lines on Jumbo Canister



Pro Bond Type I Professional Grade Yellow Wood Glue

- Fast setting
- Superior sandability
- Ideal for interior wood bonding
- Can be used to bond hard & soft woods and veneers
- Freeze thaw stable (3 cycles)
- Low chalking temperature
- Non-toxic
- Easy clean up
- Paintable and not affected by most stains and finishes
- OTC & CAL Compliant

Item #	Size	Color
DSPROBOND-01	1 Gal	Yellow
DSPROBOND-05	5 Gal	Yellow
DSPROBOND-55	55 Gal	Yellow



Pro Bond Type II Water Resistant Professional Grade Yellow Wood Glue

- Ideal for applications such as exterior furniture, RF gluing, hot/cold press or where a high level of moisture resistance is required
- Passes all ANSI Type II water resistance tests
- Hot or cold press
- Fast set
- RF gluing
- Superior sandability
- OTC & CAL Compliant
- Not intended for applications below the waterline or for continuous submersion

Item #	Size	Color
DSPROBOND-II-01	1 Gal	Yellow
DSPROBOND-II-05	5 Gal	Yellow
DSPROBOND-II-55	55 Gal	Yellow



Pro Bond Professional Grade White Wood Glue

- Fast setting
- Superior sandability
- Ideal for interior wood bonding
- Can be used to bond hard & soft woods and veneers
- Freeze thaw stable (3 cycles)
- Low chalking temperature
- Non-toxic
- Easy clean up
- Paintable and not affected by most stains and finishes
- OTC & CAL Compliant

Item #	Size	Color
DSPROBOND-W-01	1 Gal	White
DSPROBOND-W-05	5 Gal	White
DSPROBOND-W-55	55 Gal	White



Pro Bond Fast Setting White Wood Glue

- Allows for use in cabinet assembly, face and edge gluing with minimal clamp time
- Fast setting
- Water clean up
- High solids
- For use with a glue bottle or spreader
- OTC & CAL Compliant

Item #	Size	Color
DSPROBOND-FS-01	1 Gal	White
DSPROBOND-FS-05	5 Gal	White
DSPROBOND-FS-55	55 Gal	White



Pro Hot/Cold Press Laminating Adhesive

- General purpose laminating and assembly wood glue
- Green Guard Certified, LEED 3.2, 4.1, 4.4 Compliant
- OTC & CAL Compliant
- Medium setting
- Aggressive wet tack

Item #	Size	Color
DSPRO-COLDPRESS-05	1 Gal	White
DSPRO-COLDPRESS-55	5 Gal	White



Pro White Crosslinking Water Resistant Hot Press Adhesive

- Crosslinkable polyvinyl acetate emulsion that is pre-catalyzed and formulated to be ready for use
- Can be used in a cold or hot press and can be used in RF gluing applications
- Used in automated glue spreader or manually applied
- Excellent machinability and stability
- High solids
- Water resistant
- OTC & CAL Compliant

Item #	Size	Color
DSPRO-HOTPRESS-05	1 Gal	White
DSPRO-HOTPRESS-55	5 Gal	White



Pro Nip & Stack, Hot/Cold Press, Premium Laminating Adhesive

- Suitable for cold press, hot press, postforming, or nip and stacking
- Fast setting
- High solids
- Postformable
- Green Guard Certified
- OTC & CAL Compliant

Item #	Size	Color
DSPRO-NIPSTACK-05	1 Gal	Green
DSPRO-NIPSTACK-55	5 Gal	Green



Pro HiTemp Flammable Contact Adhesive

- Designed for professional use
- Combines ease of use with very high strength, quick tack and dry time
- High solids and high temperature

Item #	Size	Color
DSPROHITEMPCA	15.75 Oz	Clear

Pro Dry Lubricant

- Formulated to reduce friction and eliminate hang ups on work surfaces
- Perfect for saw tables, drill presses, planers, lathes and all hand tools
- Protects from rust
- Easier and faster to apply than paste wax
- Silicone-free

Item #	Size	Color
DSPRODRYLUBE	10.5 Oz	Clear

Pro Laminate Lubricant

- Specially formulated for use with plastic laminates
- Leaves a protective coating that will shield plastic laminates from burns and scratches caused by self-piloting router bits
- Trim laminate easily and effectively, reduces burning and will not scratch

Item #	Size	Color
DSPROLAMLUBE	10.5 Oz	Clear

Pro Cleaners & Solvents



Pro Flammable Solvent/Cleaner/Reducer

- Fast drying and non-ozone depleting
- Recommended for thinning and cleaning most spray adhesives
- Can also be used for cleaning brushes and rollers, and for flushing through spray lines and spray guns
- Flammable thinner/solvent should only be used with flammable adhesives

Item #	Size	Color
DSPRO-SOLVENT-01	1 Gal	Clear
DSPRO-SOLVENT-05	5 Gal	Clear
DSPRO-SOLVENT-55	55 Gal	Clear



Pro Non-Flammable Solvent/Cleaner/Reducer

- A clear non-flammable solvent recommended for thinning and cleaning most non-flammable adhesives.
- Can also be used for cleaning brushes, rollers, equipment parts and for flushing through spray lines and spray guns
- Fast drying
- Non-ozone depleting
- Contaminant free
- OTC Compliant

Item #	Size	Color
DSPRO-SOLVENTNF-05	5 Gal	Clear
DSPRO-SOLVENTNF-55	55 Gal	Clear

Canisters

	Color	Flammable	Shelf Life (Mo.)	Open Time (Min)	VOC (g/L) Less Water & Exempts	Sizes Available			
Pro HiTemp/ HiTemp-R/HiTemp-G	Clear/Red/ Green	Yes ◆	12	30	426	11#	38#	177#	355#
Pro OTC	Clear	Yes ◆	12	30	222	34#	144#	288#	
Pro 202	Clear	Yes ◆	12	30	516	30#	140#	300#	
Pro OTCNF/ OTCNF-G	Clear/ Green	No ◆	12	60	23	35#	162#	326#	
Pro CAL/CAL-R	Clear/Red	Yes ◆	12	30	38.26	27#	128#	252#	

Bulk Contact Adhesives

	Color	% Solids	Wt/ Gal	Viscosity	Flammable	Shelf Life (Mo.)	Coverage Rate (Bond Sq. Ft./Gal)	Open Time (Min.)	VOC (g/L) Less Water & Exempts	Sizes Available		
Pro S100	Clear	14	10.6	900	No ◆	12	110	30	245	1 Gal	5 Gal	
Pro 12ONF	Clear	12	10.7	350	No ◆	12	95	30	245	5 Gal	54 Gal	
Pro BRUSH	Clear	19	6.9	1000	Yes ◆	12	152	60	605	1 Gal	5 Gal	54 Gal
Pro Economy/ Economy-R	Clear/ Red	17.5	7.0	210	Yes ◆	12	133	60	575	5 Gal	54 Gal	
Pro Premium/ Premium-R	Clear/ Red	19	6.6	175	Yes ◆	12	145	60	600	5 Gal	54 Gal	
Pro Platinum/ Premium-R	Clear/ Red	26	6.9	250	Yes ◆	12	192	60	546	5 Gal	54 Gal	
Pro OTC/OTC-R	Clear/ Red	36	7.5	140	Yes ◆	12	275	60	239	5 Gal	54 Gal	
Pro OTCNF/OTCNF-G	Clear/ Green	26	10.1	350	No ◆	12	225	30	0	5 Gal	54 Gal	
Pro OTCB	Clear	41.5	7.6	600	Yes ◆	12	155	30	221	5 Gal	54 Gal	
Pro CAL/CAL-R	Clear/ Red	37	8.0	200	Yes ◆	12	275	30	0	5 Gal	54 Gal	
Pro WB/WB-G	Clear/ Green	50	9.1	600	No ◆	12	375	60	53	1 Gal	5 Gal	54 Gal

Wood Glues

	Color	% Solids	Weight/ Gallon	Viscosity (CPS)	Flammable	Shelf Life (Mo.)	Coverage Rate (Bond Sq. Ft./Gal)	Open Time (Min)	Press Time	Sizes Available		
Pro Bond Type I	Yellow	43.5	9.1	5000	No ◆	12	240	5	40	1 Gal	5 Gal	55 Gal
Pro Bond Type II	Yellow	49	9.0	5000	No ◆	12	240	5	40	1 Gal	5 Gal	55 Gal
Pro Bond White Glue	White	45	9.1	5000	No ◆	12	240	10	40	1 Gal	5 Gal	55 Gal
Pro Bond Fast Set White Glue	White	60	9.2	4500	No ◆	6	NA	10	60	1 Gal	5 Gal	55 Gal
Pro Coldpress	White	42	9.1	5500	No ◆	12	240	10	40	5 Gal	55 Gal	
Pro Hotpress	White	48	9.1	5000	No ◆	12	225	8	60	5 Gal	55 Gal	
Pro Nipstack	Green	55	9.1	2500	No ◆	12	240	5	20	5 Gal	55 Gal	

	Description	CAL/SCAQMD Compliant (Rule 1168)	OTC Compliant	Leed Compliant EQ 3.2 IAQ	Leed Compliant EQ 4.4 - No Urea Formaldehyde Added	Leed Compliant EQ 4.1 Meets SCAQMD	Green Guard
Canisters							
Pro HiTemp/HiTemp-R/HiTemp-G	High temperature canister adhesive				X		
Pro OTC	High heat resistance canister adhesive		X		X		
Pro 202	High temperature canister adhesive				X		
Pro OTCNF/OTCNF-G	Non-flammable canister adhesive		X	X	X		X
Pro Cal/Cal-R	OTC & Cal Compliant canister adhesive	X	X	X	X	X	X
Bulk Contact Adhesives							
Pro S100	Brush grade contact adhesive		X		X		
Pro 120NF	Non-flammable spray grade contact adhesive		X		X		
Pro Brush	Premium brush grade & roll contact adhesive				X		
Pro Economy/Economy-R	General purpose contact adhesive				X		
Pro Premium/Premium-R	Premium spray grade contact adhesive				X		
Pro Platinum/Premium-R	High solids spray grade contact adhesive				X		
Pro OTC/OTC-R	Low VOC spray grade contact adhesive		X	X	X		X
Pro OTCNF/OTCNF-G	Non-flammable spray grade contact adhesive		X		X		X
Pro OTCB	Low VOC brush grade contact adhesive		X		X		
Pro Cal/Cal-R	Cal Compliant spray grade contact adhesive	X	X	X	X	X	X
Pro WB/WB-G	Water based contact adhesive	X	X	X	X	X	X
Wood Glues							
Pro Bond Type I	Type I professional grade yellow wood glue	X	X	X	X		X
Pro Bond Type II	Type II professional grade yellow wood glue	X	X	X	X		X
Pro Bond White Glue	White wood glue	X			X		X
Pro Bond Fast Setting White Glue	Fast setting white wood glue	X	X	X	X	X	X
Pro Coldpress	Cold press adhesive	X			X		X
Pro Hotpress	Hot press adhesive	X	X		X		X
Pro Nipstack	Nip & stack hot/cold press adhesive	X	X	X	X	X	X

Würth Baer Supply

PROADHESIVES

Würth Baer Supply
 909 Forest Edge Drive
 Vernon Hills, IL 60061
 T: 800-289-2237
 F: 888-558-2237
www.wuerthbaersupply.com

Other locations:
 West Haven, CT
 Elk Grove Village, IL
 Vernon Hills, IL
 Indianapolis, IN

Versailles, KY
 Livonia, MI
 Eagan, MN
 Fenton, MO
 Kansas City, MO

Londonderry, NH
 Edison, NJ
 Pennsauken, NJ
 Guilderland Center, NY
 Syracuse, NY
 Brooklyn Heights, OH

Columbus, OH
 Middletown, OH
 Bethlehem, PA
 Harrisburg, PA
 Rumford, RI
 Pewaukee, WI

