

TRESCO INFINEX

INFINITE POSSIBILITIES



Please reference promo code
BP2218 when placing your order.
For online orders, enter BP2218 in
the promo code field of the cart.
Pricing effective 8/25/2017.
Pricing subject to change without
notice.

HOW TO ORDER INFINEX



WHAT'S INSIDE

How to order Infinex.....	2
Choose Your Style & Finish.....	3
Choose Your Diffusers.....	3
Choose Your LED Tape.....	4
Choose Your End Caps.....	5
Cut To Size & Assemble.....	5
Infinex Accessories.....	6 - 8


1 CHOOSE YOUR ALUMINUM CHANNEL STYLE & FINISH

2 CHOOSE YOUR DIFFUSERS

3 CHOOSE YOUR LED TAPE

4 CHOOSE YOUR END CAPS & STARTER CORD

1 CHOOSE YOUR ALUMINUM CHANNEL STYLE & FINISH



72" (1.8m) Extruded Aluminum Channels					
Shape	Satin Nickel Finish Item #	Price Each	White Finish Item #	Black Finish Item#	Price Each
Square	RSLXSQR72-SC-1	\$13.06	RSLXSQR72-WH-1	RSLXSQR72-BL-1	\$32.69
Curved	RSLXCRV72-SC-1	\$25.07	RSLXCRV72-WH-1	RSLXCRV72-BL-1	\$41.49
Round	RSLXRND72-SC-1	\$19.33	-	RSLXRND72-BL-1	\$33.28
Angle	RSLXANG72-SC-1	\$15.22	RSLXANG72-WH-1	-	\$35.52
Recessed	RSLXREC72-SC-1	\$12.54	-	RSLXREC72-BL-1	\$15.75
Flush Recessed (Includes Milk Diffuser)	RSLXFL72-SC-1	\$20.30			

2 CHOOSE YOUR DIFFUSERS

Clear Diffuser



1.5W FlexTape



3W FlexTape



4.4W FlexTape

Clear Diffuser with Optional Diode Blending & Glare Reducing Film



1.5W FlexTape



3W FlexTape



4.4W FlexTape

Frosted Diffuser



1.5W FlexTape



3W FlexTape



4.4W FlexTape

Milk Diffuser



1.5W FlexTape




3W FlexTape



4.4W FlexTape

Diffusers/Film



Diode Blending Film to be used with clear diffuser only.

Required Items		
Item #	Description	Price Each
RSL-X72-DIFF-CL-1	72" (1.8 m) Diffuser Clear	\$6.79
RSL-X72-DIFF-FR-1	72" (1.8 m) Diffuser Frosted	\$6.79
RSL-X72-DIFF-MLK-1	72" (1.8m) Diffuser Milk	\$7.76
RSL-X72-DBF-1	72" (1.8 m) Diode Blending Film	\$3.88

Note: Pricing subject to change without notice. Please reference promo code BP2218 when placing your order.

3 FLEXTAPE

Specifications:

Mounting: Surface

Warranty: 3 years

Beam Angle: 110°



Sold by roll



Required Items				
Item #	Description	Lumens	Lamp Life	Price Each
Flextape 1.5W				
RSLLDFLXTPEWRL-1	1.5W Per Foot, 20' FlexTape Roll, 2700K	91 per ft. (298 per m)	50,000	\$124.29
RSLLDFLXTPENRL-1	1.5W Per Foot, 20' FlexTape Roll, 3500K	91 per ft. (298 per m)	50,000	\$124.29
RSLLDFLXTPECRL-1	1.5W Per Foot, 20' FlexTape Roll, 4800K	91 per ft. (298 per m)	50,000	\$124.29
RSLLDFLXTPEDRL-1	1.5W Per Foot, 20' FlexTape Roll, 6500K	91 per ft. (298 per m)	50,000	\$124.29
Flextape 3W				
RSLLDFLXTPEWRHO1	3W Per Foot, 16.4' FlexTape Roll, 2700K	149 per ft. (489 per m)	50,000	\$140.00
RSLLDFLXTPENRHO1	3W Per Foot, 16.4' FlexTape Roll, 3500K	149 per ft. (489 per m)	50,000	\$140.00
RSLLDFLXTPECRHO1	3W Per Foot, 16.4' FlexTape Roll, 4800K	149 per ft. (489 per m)	50,000	\$140.00
RSLLDFLXTPEDRHO1	3W Per Foot, 16.4' FlexTape Roll, 6500K	149 per ft. (489 per m)	50,000	\$140.00
Flextape 4.4W				
RSFLXTPE-WRV-1	4.4W Per Foot, 13' FlexTape Roll, 2700K	338 per ft. (1109 per m)	50,000	\$161.54
RSFLXTPE-NRV-1	4.4W Per Foot, 13' FlexTape Roll, 3500K	338 per ft. (1109 per m)	50,000	\$161.54
RSFLXTPE-CRV-1	4.4W Per Foot, 13' FlexTape Roll, 4800K	338 per ft. (1109 per m)	50,000	\$161.54
RSFLXTPE-DRV-1	4.4W Per Foot, 13' FlexTape Roll, 6500K	338 per ft. (1109 per m)	50,000	\$161.54

EQUILINE TAPE LED

Specifications:

Input Voltage: 12VDC


Lamp Life: 25,000

Mounting: Surface

Warranty: 1 year




Sold by roll



Required Items		
Item #	Description	Price Each
Equiline Tape LED 1.5W		
RSLTPELED-27SER-1	1.5W Per Foot, 20' Equiline FlexTape Roll, 2700K	\$86.14
RSLTPELED-35SER-1	1.5W Per Foot, 20' Equiline FlexTape Roll, 3500K	\$86.14
RSLTPELED-48SER-1	1.5W Per Foot, 20' Equiline FlexTape Roll, 4800K	\$86.14
RSLTPELED-65SER-1	1.5W Per Foot, 20' Equiline FlexTape Roll, 6500K	\$86.14
Equiline Tape LED 3W		
RSLTPELED-27HER-1	3W Per Foot, 16.4' Equiline FlexTape Roll, 2700K	\$90.64
RSLTPELED-35HER-1	3W Per Foot, 16.4' Equiline FlexTape Roll, 3500K	\$90.64
RSLTPELED-48HER-1	3W Per Foot, 16.4' Equiline FlexTape Roll, 4800K	\$90.64



4 CHOOSE END CAPS, STARTER CORD & LINKING CORDS



End Caps for Extruded Aluminum Channels					
Shape	Gray Finish Item #	Price Each	White Finish Item #	Black Finish Item#	Price Each
Angled	RSL-XANGECP-GY-1	\$1.79	RSL-XANGECP-WH-1	-	\$2.39
Curved	RSL-XCRVECP-GY-1	\$1.79	RSL-XCRVECP-WH-1	RSL-XCRVECP-BL-1	\$2.39
Recessed	RSL-XRECECP-GY-1	\$1.79	-	RSL-XRECECP-BL-1	\$2.09
Round	RSL-XRNDECP-GY-1	\$1.79	-	RSL-XRNDECP-BL-1	\$2.39
Square	RSL-XSQRECP-GY-1	\$1.79	RSL-XSQRECP-WH-1	RSL-XSQRECP-BL-1	\$2.39

79" (2 m) Starter Cord


Black Finish Item #	White Finish Item #	Price Each
RSL-XPKT-2M-BL-1	RSL-XPKT-2M-WH-1	\$4.48



Linking Cords

White Finish Item #	Black Finish Item #	Description	Price Each
RSL-XLNK-15-WH-1	RSL-XLNK-15-BL-1	15 cm (6") Length	\$5.75
RSL-XLNK-25-WH-1	RSL-XLNK-25-BL-1	25 cm (10") Length	\$5.97
RSL-XLNK-60-WH-1	RSL-XLNK-60-BL-1	60 cm (24") Length	\$6.79
RSL-XLNK-120-WH-1	RSL-XLNK-120-BL-1	120 cm (48") Length	\$7.46
RSL-XLNK-180-WH-1	RSL-XLNK-180-BL-1	180 cm (72") Length	\$8.43

5 CUT TO SIZE & ASSEMBLE






Aluminum extrusions can be cut on a variety of equipment. For the best performance and longest life, use a saw blade designed for non-ferrous, thin stock, on your miter saw. It is also highly recommended to cut extrusion with diffuser securely attached via clamps, tape, stretch wrap etc. to prevent unwanted cracking of diffuser.

6 INFINEX ACCESSORIES

U-Clips/Magnets

One U-Clip/magnet is recommended for every 1' (.3 m) of extrusion. #4 Phillips flat head screws are include with each U-Clip set.




Item #	Description	Price Each
RSLXSQR-UCLP-1	Square/Curved U-Clips Set (2 Clips)	\$1.19
RSLXRND-UCLP-1	Round U-Clips Set (2 Clips)	\$1.19

Item #	Description	Price Each
RSLXRM42-155-1	Set of 2 Magnets	\$2.46
RSLEXTBTB10-1	Inifonex Back-To-Back Connector (10 Pk)	\$12.31

Tresco's New Single Zone & 2-Zone Deco Wall Dimmers

- In Black, White, or Light Almond
- 65 ft. range of control from Dimmer to Receiver
- Easy to replace, long life lithium battery
- Single Zone or 2-Zone Wireless Dimmer
- Can be mounted to standard wall electrical boxes or directly to drywall
- A single dimmer can be programmed to up to 10 different Receivers; a single Receiver can be programmed to up to 8 different Dimmers



Required Component: Universal Receiver, must purchase to operate Deco Wall Dimmers

Item #	Description	Price Each	
Single Zone Deco Wall Dimmers			
A	RSL-WLD-1WAL-WH-1	0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR1620), White Finish	\$64.62
B	RSL-WLD-1WAL-BL-1	0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR1620), Black Finish	\$64.62
C	RSL-WLD-1WAL-LA-1	0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR1620), Light Almond Finish	\$64.62
2-Zone Deco Wall Dimmers			
D	RSL-WLD-2WAL-WH-1	Deco Wall Dimmer, 2-Zone, 0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR1620), White Finish	\$70.77
E	RSL-WLD-2WAL-BL-1	Deco Wall Dimmer, 2-Zone, 0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR1620), Black Finish	\$70.77
F	RSL-WLD-2WAL-LA-1	Deco Wall Dimmer, 2-Zone, 0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR1620), Light Almond Finish	\$70.77

Required Component: Must purchase the Universal Receiver in order to operate the 2-Zone Deco Wall Dimmers




Item #	Description	Price Each
RSL-WLD-1REC-1	60 Watts, 12VDC, Universal Receiver (Must purchase to operate Deco Wall Dimmer)	\$40.00

INFINEX ACCESSORIES

Micro Dimmer

- Single zone wireless dimmer
- Sleek Black or Nickel finish
- Easy to replace, long life lithium battery
- 65 ft. range of control from dimmer to receiver
- Mounting case can be mounted with screws or to a metallic surface
- A single dimmer can be programmed to up to 10 different receivers; a single receiver can be programmed to up to 8 different dimmers
- Required Component: Universal Receiver, must purchase to operate Micro Dimmers



Item #	Description	Price Each
A	RSL-WLD-1RND-BL-1 0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR2025), Black Finish	\$15.38
B	RSL-WLD-1RND-NI-1 0-100% Dim and On/Off Switch, Includes Lithium Battery (Type CR2025), Nickel Finish	\$15.38
Required Component: Must purchase the Universal Receiver in order to operate the Micro Dimmer		
C	RSL-WLD-1REC-1 60 Watts, 12VDC, Universal Receiver (Must purchase to operate Micro Dimmer)	\$40.00



(A) 3-Zone Remote

(B) 6-Zone Remote

Multi-Zone Remotes

- Independent control of three or six lighting zones (respectively) from single remote
- Program additional Receivers to separate the lighting in a room into multiple Zones that you can control independently
- Set brightness levels of all of the Zones to a desired level then save as a "Scene"
- Integrated magnet allows for mounting to refrigerator or other metallic surfaces
- Includes: magnetic mounting tray that can be screw mounted
- 65 ft. range of control from remote to Receiver
- Required Component: Universal Receiver, must purchase to operate Multi-Zone Remotes

Item #	Description	Price Each
A	RSL-WLD-3RMT-BL-1 3-Zone Remote Dimmer, 0-100% Dim and On/Off Switch, Includes Magnetic Mounting Tray and Lithium Battery (Type CR2032)	\$29.23
B	RSL-WLD-6RMT-BL-1 6-Zone Remote Dimmer, 0-100% Dim and On/Off Switch, Includes Magnetic Mounting Tray, batteries not included (Uses 3 AAA Batteries)	\$58.46
Required Component: Must purchase the Universal Receiver in order to operate the Multi-Zone Remotes		
C	RSL-WLD-1REC-1 60 Watts, 12VDC, Universal Receiver (Must purchase to operate Multi-Zone Remotes)	\$40.00



Note: Pricing subject to change without notice. Please reference promo code BP2218 when placing your order.

TRESCO INFINEX

Würth Baer Supply
909 Forest Edge Drive
Vernon Hills, IL 60061
T: 800-289-2237
F: 888-558-2237
www.wurthbaersupply.com

Other locations:

West Haven, CT
Elk Grove Village, IL
Indianapolis, IN
Versailles, KY
Livonia, MI
Eagan, MN


Fenton, MO
Kansas City, MO
Londonderry, NH
Edison, NJ
Pennsauken, NJ
Syracuse, NY
Guilderland Center, NY

Brooklyn Heights, OH
Columbus, OH
Middletown, OH
Bethlehem, PA
Harrisburg, PA
Rumford, RI
Pewaukee, WI

INFINEX ACCESSORIES

Commercial Grade Power Supplies


12V DC power supplies equipped with mounting block that allows for easy snap-in connections and includes a standard 110/120V cord and plug.



FC CCC UL US CB CE RoHS V LPS



Item #	Description	Price Each
RSLDC-ELT18-CON-1	18W Power Supply with 6 AMP Ports Mounting Block	\$26.21
RSLDC-ELT60-CON-1	60W Power Supply with 6 AMP Ports Mounting Block	\$33.86
RSLTRANS-MNT-BL-1	Extra 6-Snap Mounting Block	\$5.00



Dimmer Controller

Touch on/off and 1-100% dimming control

- Max wattage: 60W
- Cable input: 79" (2 m)
- Cable output: 6" (152 mm)
- Finish: Nickel/Black
- * Hold finger down for dimming

Door Sensor Controller

Door open: Light on; Door closed: Light off

- Max wattage: 60W
- Sensor range: 2" (50 mm)
- Cable input: 79" (2 m)
- Cable output: 6" (152 mm)
- Finish: Nickel/Black

12VDC Oval Controllers, 60W Recess/Surface Mount

Item #	Description	Price Each
RSLLED-OVLDS-NI1	Door Sensor	\$16.71
RSLLED-OVLTD-NI1	Touch Dimmer Sensor	\$17.29