

WÜRTH PRO BOND ADHESIVES

Würth Baer Supply





Economy Flammable Spray Grade

- Excellent room temp contactability, green strength and high heat resistance
- Excellent sprayability
- For flat work only

Item #	Size	Color
WWCONTACT-05	5 Gal	Clear
WWCONTACT-54	54 Gal	Clear
WWCONTACT-R-05	5 Gal	Red
WWCONTACT-R-54	54 Gal	Red



Premium Flammable Spray Grade

- High performance - excellent initial tack and bond strength
- Excellent room temp contactability, green strength and heat resistance
- Postformable
- Provides good uniform coverage in hand and automatic spray applications
- Excellent sprayability

Item #	Size	Color
WWPREMIUM-05	5 Gal	Clear
WWPREMIUM-54	54 Gal	Clear
WWPREMIUM-R-05	5 Gal	Red
WWPREMIUM-R-54	54 Gal	Red



High Solids Flammable Spray Grade

- High solids, high performance
- Postformable in manual and heated spray systems
- Lower applied cost

Item #	Size	Color
WWHIGHSOLIDS-05	5 Gal	Clear
WWHIGHSOLIDS-54	54 Gal	Clear
WWHIGHSOLIDS-R-05	5 Gal	Red
WWHIGHSOLIDS-R-54	54 Gal	Red



CAL Compliant Flammable Spray Grade

- VOC free
- Fast-drying
- High initial tack
- High green strength
- Long open time
- CAL & OTC Compliant

Item #	Size	Color
WWCAL-05	5 Gal	Clear
WWCAL-54	54 Gal	Clear
WWCAL-R-05	5 Gal	Red
WWCAL-R-54	54 Gal	Red



Low VOC Flammable Spray Grade

- High bond strength
- High solids means extended mileage
- Fast drying and high heat resistance
- Low VOC
- OTC Compliant

Item #	Size	Color
WWLOWVOC-05	5 Gal	Clear
WWLOWVOC-54	54 Gal	Clear
WWLOWVOC-R-05	5 Gal	Red
WWLOWVOC-R-54	54 Gal	Red



Low VOC Flammable Brush Grade

- High tack
- Long open time
- OTC Compliant
- Low VOC
- Excellent green strength

Item #	Size	Color
WWLOWVOCBRUSH-05	5 Gal	Clear
WWLOWVOCBRUSH-54	54 Gal	Clear



Flammable Brush & Roll Grade

- Excellent room temperature contactability, green strength and heat resistance
- Spreads easily and provides good uniform coverage
- Postformable
- Fast drying formula

Item #	Size	Color
WWBRUSH-01	1 Gal	Clear
WWBRUSH-05	5 Gal	Clear
WWBRUSH-54	54 Gal	Clear

Würth Pro Bond Non-Flammable Bulk Contact Adhesive



Non-Flammable Low VOC Neoprene Spray Grade

- Excellent room temperature contactability
- Excellent green strength and high heat resistance
- VOC Free
- Non-ozone depleting
- OTC Compliant
- Postformable

Item #	Size	Color
WWNEOPRENE-NF-05	5 Gal	Clear
WWNEOPRENE-NF-54	54 Gal	Clear



Low VOC Non-Flammable Spray Grade

- OTC and Green Diamond Compliant
- VOC free
- Excellent green strength and high heat resistance
- High solids means extended mileage

Item #	Size	Color
WWLOWVOC-NF-05	5 Gal	Clear
WWLOWVOC-NF-54	54 Gal	Clear
WWLOWVOC-NF-G-05	5 Gal	Green
WWLOWVOC-NF-G-54	54 Gal	Green



Non-Flammable Brush & Roll Grade

- High pressure laminate adhesive for porous and nonporous surfaces
- Excellent green strength and high heat resistance
- Postformable
- Contains no ozone depleters
- Spreads easily and provides uniform coverage
- OTC Compliant

Item #	Size	Color
WWBRUSH-NF-01	1 Gal	Clear
WWBRUSH-NF-05	5 Gal	Clear



Waterbased Roll/Brush/Spray Grade

- OTC & CAL Compliant
- Low VOC content
- Excellent for bonding laminate, wood, metal and plastics
- Postformable
- Excellent room temperature contactability
- Provides good uniform coverage in manual and automatic spray applications
- Film changes color- indicates when dry

Item #	Size	Color
WWWATER-01	1 Gal	Clear
WWWATER-05	5 Gal	Clear
WWWATER-55	55 Gal	Clear
WWWATER-G-01	1 Gal	Green
WWWATER-G-05	5 Gal	Green
WWWATER-G-55	55 Gal	Green

Würth Pro Bond Flammable & Non-Flammable Canister Adhesives



Premium Hi-Temp Non-Flam/Flam Canister

- High bond strength
- Fast drying with high heat resistance
- Excellent room temperature contactability
- Permanent bond of materials where immediate bond strength and good heat resistance are required
- Non-flammable adhesive/Flammable propellant

Item #	Size	Color
WWPREMIUM-11	11 Lb	Clear
WWPREMIUM-38	38 Lb	Clear
WWPREMIUM-177	177 Lb	Clear
WWPREMIUM-355	355 Lb	Clear
WWPREMIUM-G-38	38 Lb	Green
WWPREMIUM-G-177	177 Lb	Green
WWPREMIUM-G-355	355 Lb	Green
WWPREMIUM-R-38	38 Lb	Red
WWPREMIUM-R-177	177 Lb	Red
WWPREMIUM-R-355	355 Lb	Red



Low VOC Non-Flam/Flam Canister

- OTC Compliant
- Low VOC
- High bond strength
- Fast drying and high heat resistance
- Excellent room temperature contactability
- Non-flammable adhesive/Flammable propellant

Item #	Size	Color
WWLOWVOC-34	34 Lb	Clear
WWLOWVOC-144	144 Lb	Clear
WWLOWVOC-288	288 Lb	Clear



Flam/Flam Canister

- HAPs free
- Non-Methylene Chloride
- Excellent room temperature contactability
- Excellent green strength and high heat resistance

Item #	Size	Color
WWCANISTER-30	30 Lb	Clear
WWCANISTER-140	140 Lb	Clear
WWCANISTER-300	300 Lb	Clear

Würth Pro Bond Flammable & Non-Flammable Canister Adhesives



CAL Compliant Flam/Flam Canister

- OTC & CAL Compliant
- Low VOC
- Soft spray allows for greater control of pattern and reduces telegraphing
- High solids means extended mileage
- Excellent heat resistance and bond strength

Item #	Size	Color
WWCALCNSTR-27	27 Lb	Clear
WWCALCNSTR-128	128 Lb	Clear
WWCALCNSTR-252	252 Lb	Clear

Item #	Size	Color
WWCALCNSTR-R-27	27 Lb	Red
WWCALCNSTR-R-128	128 Lb	Red
WWCALCNSTR-R-252	252 Lb	Red



CAL Compliant Flammable Air Assisted Canister

- Designed to be used with a traditional spray gun for complete adjustability in the spray pattern
- OTC & CAL Compliant
- Low VOC
- High solids means extended mileage
- Excellent heat resistance and bond strength

Item #	Size	Color
WWCAL-AC-27	27 lb	Clear
WWCAL-AC-135	135 lb	Clear
WWCAL-AC-263	263 lb	Clear

Item #	Size	Color
WWCAL-AC-R-27	27 lb	Red
WWCAL-AC-R-135	135 lb	Red
WWCAL-AC-R-263	263 lb	Red



Low VOC Non-Flam/Non-Flam Canister

- OTC Compliant and Green Guard certified
- VOC free
- Excellent high heat resistance
- Pebble spray pattern

Item #	Size	Color
WWLOWVOC-NF-35	35 Lb	Clear
WWLOWVOC-NF-162	162 Lb	Clear
WWLOWVOC-NF-326	326 Lb	Clear

Item #	Size	Color
WWLOWVOC-NF-G-162	162 Lb	Green
WWLOWVOC-NF-G-326	326 Lb	Green



Low VOC Non-Flammable Air Assisted Canister

- Designed to be used with a traditional spray gun for complete adjustability in the spray pattern
- OTC Compliant and Green Guard certified
- VOC free
- High solids means extended mileage
- Excellent heat resistance and bond strength

Item #	Size	Color
WWLOWVOCNF-AC-28	28 lb	Clear
WWLOWVOCNF-AC-117	117 lb	Clear



Canister Guns, Hoses & Accessories

- For use with canister adhesives
- Items sold separately

Item #	Description
WWHOSE-12FT	12' Canister Hose
WWHOSE-18FT	18' Canister Hose
WWHOSE-25FT	25' Canister Hose
WWCANISTER-GUN	Adjustable Spray Gun with 6501 Tip
WWSPRAYTIP-6501	6501 Spray Tip - 65° Fan
WWSPRAYTIP-9501	9501 Spray Tip - 95° Fan
WWHOSESPLITTER	T-Fitting for 2 Lines on Jumbo Canister

Würth Pro Bond Wood Glues



Professional Grade Yellow Wood Glue

- Fast setting
- Superior sandability
- Ideal for interior wood bonding
- Can be used to bond hard & soft woods and veneers
- Freeze thaw stable (3 cycles)
- Low chalking temperature
- Non-toxic
- Easy clean up
- Paintable and not affected by most stains and finishes
- OTC & CAL Compliant

Item #	Size	Color
WWASSEMBLY-Y-01	1 Gal	Yellow
WWASSEMBLY-Y-05	5 Gal	Yellow
WWASSEMBLY-Y-55	55 Gal	Yellow



Water Resistant Professional Grade Yellow Wood Glue

- Ideal for applications such as exterior furniture, RF gluing, hot/cold press or where a high level of moisture resistance is required
- Passes all ANSI Type II water resistance tests
- Hot or cold press
- Fast set
- RF gluing
- Superior sandability
- OTC & CAL Compliant
- Not intended for applications below the waterline or for continuous submersion

Item #	Size	Color
WWEXTERIOR-01	1 Gal	Yellow
WWEXTERIOR-05	5 Gal	Yellow
WWEXTERIOR-55	55 Gal	Yellow



Professional Grade White Wood Glue

- Fast setting
- Superior sandability
- Ideal for interior wood bonding
- Can be used to bond hard & soft woods and veneers
- Freeze thaw stable (3 cycles)
- Low chalking temperature
- Non-toxic
- Easy clean up
- Paintable and not affected by most stains and finishes
- OTC & CAL Compliant

Item #	Size	Color
WWASSEMBLY-W-01	1 Gal	White
WWASSEMBLY-W-05	5 Gal	White
WWASSEMBLY-W-55	55 Gal	White



Fast Setting White Wood Glue

- Allows for use in cabinet assembly, face and edge gluing with minimal clamp time
- Fast setting
- Water clean up
- High solids
- For use with a glue bottle or spreader
- OTC & CAL Compliant

Item #	Size	Color
WWFASTSET-01	1 Gal	White
WWFASTSET-05	5 Gal	White
WWFASTSET-55	55 Gal	White



Professional Grade Yellow Wood Glue with UV Marker

- Contains fluorescent inhibitors to be used with a blacklight
- CAL & OTC Compliant
- Fast setting
- Easily sanded
- No harmful vapors
- Freeze thaw stable (3 cycles)
- Low chalking temperature

Item #	Size	Color
WWASSEMBLY-UV-01	1 Gal	Yellow
WWASSEMBLY-UV-05	5 Gal	Yellow
WWASSEMBLY-UV-55	55 Gal	Yellow

Würth Pro Bond Hot/Cold Press and Nip & Stack Adhesives



Cold Press Laminating Adhesive

- General purpose white laminating and assembly adhesive
- Green Guard Certified, LEED 3.2, 4.1, 4.4 Compliant
- OTC & CAL Compliant
- Medium setting
- Aggressive wet tack

Item #	Size	Color
WWCOLDPRESS-05	5 Gal	White
WWCOLDPRESS-55	55 Gal	White



Premium Cold Press Laminating Adhesive

- CAL & OTC Compliant
- Medium setting
- Aggressive wet tack
- High solids
- General purpose laminating and assembly adhesive
- Excellent flow-ability

Item #	Size	Color
WWPREMCOLDPRESS-05	5 Gal	White
WWPREMCOLDPRESS-55	55 Gal	White



Crosslinking Water Resistant Hot Press Adhesive

- White crosslinkable polyvinyl acetate that is pre-catalyzed and formulated to be ready for use
- Can be used in a cold or hot press and can be used in RF gluing applications
- Used in automated glue spreader or manually applied
- Excellent machinability and stability
- High solids
- Water resistant
- OTC & CAL Compliant

Item #	Size	Color
WWHOTPRESS-05	5 Gal	White
WWHOTPRESS-55	55 Gal	White



Nip & Stack, Hot/Cold Press, Premium Laminating Adhesive

- Green color
- Suitable for cold press, hot press, postforming, or nip and stacking
- Fast setting
- High solids
- Postformable
- Green Guard Certified
- OTC & CAL Compliant

Item #	Size	Color
WWNIPSTACK-05	5 Gal	Green
WWNIPSTACK-55	55 Gal	Green



Premium HiTemp Aerosol Adhesive

- Designed for professional use
- Combines ease of use with very high strength, quick tack and dry time
- High solids and high temperature

Item #	Size	Color
WWPREMIUM-AA	15.75 Oz	Clear
WWPREMIUM-R-AA	15.75 Oz	Red

CAL Compliant Aerosol Adhesive

- CAL & OTC Compliant
- Excellent adhesion to a variety of substrates including, but not limited to laminates, particle board, plywood, hardwood, leather, rubber and metal
- High solids means extended mileage
- Soft spray allows for greater control of pattern and application rates
- Portable System

Item #	Size	Color
WWCALADHESIVE-AA	13 Oz	Clear

Foam & EPS Aerosol Adhesive

- Fine spray pattern provides for high coverage rate
- High tack properties with long open time for permanent bonds
- Fast dry
- Allows for some repositionability
- Soft seam, no-dimpling glue line
- Portable System

Item #	Size	Color
WWFOAM-AA	13 Oz	Clear

Citrus Cleaner

- Spray application
- Citrus scent
- Fast drying
- Minimal residue
- Non-corrosive

Item #	Size	Color
WWCITRUSCLNR-AA	13 Oz	Clear



Dry Lubricant

- Formulated to reduce friction and eliminate hang ups on work surfaces
- Perfect for saw tables, drill presses, planers, lathes and all hand tools
- Easier and faster to apply than paste wax

Item #	Size	Color
WWDRYLUBE-AA	10.5 Oz	Clear

Laminate Lubricant

- Specially formulated for use with plastic laminates
 - Leaves a protective coating that will shield plastic laminates from burns and scratches caused by self-piloting router bits
 - Trim laminate easily and effectively, reduces burning and will not scratch
- Protects from rust
 - Silicone-free

Item #	Size	Color
WWLAMLUBE-AA	10.5 Oz	Clear

Würth Pro Bond Cleaners & Solvents



Flammable Solvent/Cleaner/Reducer

- Fast drying and non-ozone depleting
- Recommended for thinning and cleaning most spray adhesives
- Can also be used for cleaning brushes and rollers, and for flushing through spray lines and spray guns
- Flammable thinner/solvent should only be used with flammable adhesives

Item #	Size	Color
WWSOLVENT-01	1 Gal	Clear
WWSOLVENT-05	5 Gal	Clear
WWSOLVENT-55	55 Gal	Clear



Non-Flammable Solvent/Cleaner/Reducer

- A clear non-flammable solvent recommended for thinning and cleaning most non-flammable adhesives.
- Can also be used for cleaning brushes, rollers, equipment parts and for flushing through spray lines and spray guns
- Fast drying
- Non-ozone depleting
- Contaminant free
- OTC Compliant

Item #	Size	Color
WWSOLVENT-NF-05	5 Gal	Clear
WWSOLVENT-NF-55	55 Gal	Clear



Flammable Foam & Fabric Contact Adhesive

- HAPs free
- High heat resistance (200° F)
- High solids, excellent mileage
- Low VOCs
- Good open time (2-4 minutes)

Item #	Size	Color
WWFOAM-05	5 Gal	Natural
WWFOAM-54	54 Gal	Natural



Non-Flammable Foam & Fabric Contact Adhesive

- OTC Compliant
- Excellent bond adhesion
- Non-ozone depleting
- Fast drying
- High solids content
- Good heat resistance
- Good open time (2-4 minutes)

Item #	Size	Color
WWFOAM-NF-05	5 Gal	Natural
WWFOAM-NF-54	54 Gal	Natural



Flammable EPS Foam & Fabric Canister

- Can bond expanded polystyrene (styrofoam) without cavitating
- Fine spray pattern provides for high coverage rate
- High tack properties with long open time for permanent bonds
- Fast dry
- Allows for some repositionability
- Soft seam, no-dimpling glue line
- Portable System

Item #	Size	Color
WWFOAM-30	30 lb	Natural



Flammable EPDM Roofing Adhesive

- Good brush-ability
- Excellent for bonding EPDM rubber (do not seam)
- High heat resistance

Item #	Size	Color
WWEPDM-01	1 Gal	Natural
WWEPDM-05	5 Gal	Natural



Waterbased EPDM Roofing Adhesive

- CAL & OTC Compliant
- Bonding adhesive for EPDM substrates
- Non-flammable, non-toxic
- Good lay-up on porous surfaces
- Installs easier and faster than solvent bonding adhesives

Item #	Size	Color
WWWATER-EPDM-01	1 Gal	White
WWWATER-EPDM-05	5 Gal	White

Würth Pro Bond Canisters

	Color	Flammable	Shelf Life (Mo.)	Open Time (Min)	VOC (g/L) Less Water & Exempts	Sizes Available			
Premium Hi-Temp	Clear/Red/Green	Yes ◆	12	30	426	11#	38#	177#	355#
Low VOC	Clear	Yes ◆	12	30	222	34#	144#	288#	
Canister	Clear	Yes ◆	12	30	516	30#	140#	300#	
Low VOC Non-Flam	Clear/Green	No ◆	12	60	23	35#	162#	326#	
CAL Compliant	Clear/Red	Yes ◆	12	30	38.26	27#	128#	252#	
Low VOC Non-Flam AC	Clear	No ◆	12	60	0	28#	117#		
CAL Compliant AC	Clear/Red	No ◆	12	30-45	0	27#	135#	263#	
Foam Canister	Clear	Yes ◆	12	1-10	355	30#			
Premium Hi-Temp Aerosol	Clear/Red	Yes ◆	12	30	34.90%	15.75 oz			
CAL Compliant Aerosol	Clear	Yes ◆	12	30-45	25%	13 oz			
Citrus Cleaner Aerosol	Clear	Yes ◆	12	N/A	100%	13 oz			
Laminate Lubricant Aerosol	Clear	Yes ◆	12	N/A	48%	10.5 oz			
Dry Lubricant Aerosol	Clear	Yes ◆	12	N/A	60.20%	10.5 oz			

Würth Pro Bond Bulk Contact Adhesives

	Color	% Solids	Wt/ Gal	Viscosity	Flammable	Shelf Life (Mo.)	Coverage Rate (Bond Sq. Ft./Gal)	Open Time (Min.)	VOC (g/L) Less Water & Exempts	Sizes Available		
Brush & Roll Non-Flam	Clear	14	10.6	900	No ◆	12	110	30	245	1 Gal	5 Gal	
Low VOC Neoprene Non-Flam	Clear	12	10.7	350	No ◆	12	95	30	245	5 Gal	54 Gal	
Brush & Roll Flam	Clear	19	6.9	1000	Yes ◆	12	152	60	605	1 Gal	5 Gal	54 Gal
Economy	Clear/Red	17.5	7	210	Yes ◆	12	133	60	575	5 Gal	54 Gal	
Premium	Clear/Red	19	6.6	175	Yes ◆	12	145	60	600	5 Gal	54 Gal	
High Solids	Clear/Red	26	6.9	250	Yes ◆	12	192	60	546	5 Gal	54 Gal	
Low VOC Flam	Clear/Red	36	7.5	140	Yes ◆	12	275	60	239	5 Gal	54 Gal	
Low VOC Non-Flam	Clear/Green	26	10.1	350	No ◆	12	225	30	0	5 Gal	54 Gal	
Low VOC Brush	Clear	41.5	7.6	600	Yes ◆	12	155	30	221	5 Gal	54 Gal	
CAL Compliant	Clear/Red	37	8	200	Yes ◆	12	275	30	0	5 Gal	54 Gal	
Waterbased	Clear/Green	50	9.1	600	No ◆	12	375	60	53	1 Gal	5 Gal	54 Gal

Würth Pro Bond Wood Glues

	Color	% Solids	Weight/Gallon	Viscosity (CPS)	Flammable	Shelf Life (Mo.)	Coverage Rate (Bond Sq. Ft./Gal)	Open Time (Min)*	Press Time (Min)*	Sizes Available		
Yellow Glue	Yellow	43.5	9.1	5000	No	12	240	8-10	35-60	1 Gal	5 Gal	55 Gal
Exterior	Yellow	49	9	5000	No	12	240	8-10	35-60	1 Gal	5 Gal	55 Gal
White Glue	White	45	9.1	5000	No	12	240	8-10	35-60	1 Gal	5 Gal	55 Gal
Fast Set White Glue	White	60	9.2	4500	No	6	NA	5-8	35-60	1 Gal	5 Gal	55 Gal
Yellow UV	Yellow	43.5	9.1	5000	No	12	240	8-10	35-60	1 Gal	5 Gal	55 Gal
Cold Press	White	42	9.1	5500	No	12	240	8-10	35-60	5 Gal	55 Gal	
Premium Cold Press	White	49	9.1	5000	No	12	240	8-10	35-60	1 Gal	5 Gal	55 Gal
Hotpress	White	48	9.1	5000	No	12	225	8-10	1-3	5 Gal	55 Gal	
Nipstack	Green	55	9.1	2500	No	12	240	4-6	35-60	5 Gal	55 Gal	

* Estimated

Würth Pro Bond Specialty Items

	Color	% (+/-1%) Solids	Wt/Gal	Viscosity (CPS)	Flam	Shelf Life (Mo.)	Coverage Rate (Bond Sq. Ft./Gal)	Open Time (Min.)	VOC (g/L) Less Water & Exempts	Sizes Available		
Solvent	Natural	N/A	6.36	N/A	Yes	12	N/A	N/A	761	1 Gal	5 Gal	55 Gal
Solvent Non-Flam	Natural	N/A	10.95	N/A	No	12	N/A	N/A	0		5 Gal	55 Gal
Foam	Natural	38	6.74	140	Yes	12	N/A	2-4	394		5 Gal	54 Gal
Foam Non-Flam	Natural	27	10.13	275	No	12	N/A	2-4	0		5 Gal	54 Gal
EPDM	Natural	28	7.42	2500	Yes	12	N/A	10	633	1 Gal	5 Gal	
EPDM Waterbased	White	60	9.1	10,000	No	12	N/A	10-20	<25	1 Gal	5 Gal	
Foam EPS Canister & Aerosol	Natural	N/A	N/A	N/A	Yes	12	N/A	1-10	77.30% 355	13 oz	30#	

	Description	CAL / SCAQMD Compliant (Rule 1168)	LEED Compliant EQ 3.2 – IAQ	LEED Compliant EQ 4.4 – No Urea Formaldehyde Add	LEED Compliant EQ 4.1 - SCAQMD
Canisters / Aerosols					
Premium Hi-Temp	Pro Bond Premium Canister Adhesive			X	
Premium Aerosol	Pro Bond Premium Adhesive Aerosol			X	
Low VOC	Pro Bond Low VOC Canister Adhesive			X	
Canister	Pro Bond Canister Adhesive			X	
Low VOC Non-Flam	Pro Bond NF Low VOC Canister Adhesive		X	X	
Low VOC Non-Flam AC	Pro Bond NF Low VOC Air Assisted Canister		X	X	
CAL Compliant	Pro Bond Cal Compliant Canister Adhesive	X	X	X	X
CAL Compliant AC	Pro Bond Cal Compliant Air Assisted Canister	X	X	X	X
CAL Compliant Aerosol	Pro Bond Cal Compliant Adhesive Aerosol	X	X	X	X
Citrus Cleaner Aerosol	Pro Bond Citrus Cleaner Aerosol			X	
Laminate Lubricant Aerosol	Pro Bond Laminate Lubricant Aerosol			X	
Dry Lubricant Aerosol	Pro Bond Dry Lubricant Aerosol			X	
Bulk Contact Adhesives					
Brush & Roll Non-Flam	Pro Bond NF Brush & Roll Contact Adhesive			X	
Low VOC Neoprene Non-Flam	Pro Bond NF Low VOC Neoprene			X	
Brush & Roll Flam	Pro Bond Brush & Roll Contact Adhesive			X	
Economy	Pro Bond Spray Grade Contact Adhesive			X	
Premium	Pro Bond Premium contact Adhesive			X	
High Solids	Pro Bond High Solids Contact Adhesive			X	
Low VOC Flam	Pro Bond Low VOC Contact Adhesive		X	X	
Low VOC Non-Flam	Pro Bond NF Low VOV Contact Adhesive			X	
Low VOC Brush	Pro Bond Low VOC Brush Contact Adhesive			X	
CAL Compliant	Pro Bond Cal Compliant Contact Adhesive	X	X	X	X
Water Based	Pro Bond Water Based Contact Adhesive	X	X	X	X
Wood Glues					
Yellow Glue	Pro Bond Yellow Wood Glue	X	X	X	X
Exterior	Pro Bond Exterior Wood Glue	X	X	X	X
White Glue	Pro Bond White Wood Glue	X	X	X	X
Fast Set Glue	Pro Bond Fast Set Wood Glue	X	X	X	X
Cold Press	Pro Bond Cold Press Adhesive	X	X	X	X
Hot Press	Pro Bond Hot Press Adhesive	X	X	X	X
Nip & Stack	Pro Bond Nip & Stack Adhesive	X	X	X	X
Premium Cold Press	Pro Bond Premium Cold Press Adhesive	X	X	X	X
Yellow UV	Pro Bond Wood Glue with UV Marker	X	X	X	X
Specialty Items					
Solvent	Pro Bond Solvent / Cleaner / Reducer			X	
Solvent Non-Flam	Pro Bond NF Solvent / Cleaner / Reducer			X	
Foam	Pro Bond Foam & Fabric Adhesive			X	
Foam Non-Flam	Pro Bond NF Foam & Fabric Adhesive			X	
EPDM	Pro Bond EPDM Contact Adhesive			X	
EPDM Water Based	Pro Bond Water Based EPDM Adhesive	X	X	X	X
Foam EPS Canister & Aerosol	Pro Bond Foam & EPS Adhesive				
Aerosol / Canister			X		

Wurth Adhesive Item #	PRO Adhesive Item #	Formica Adhesive Item #	Description	Sta-Put (TACC)	Wilson Art	Helmitin	Premier Bond (Northstar)	StarStuck (Northstar)
Flam Economy Spray Grade								
WWCONTACT-05	DSPRO-ECONOMY-05	AFF159M-5GP-CL	5 Gal, Clear	S159	951	4540		
WWCONTACT-54	DSPRO-ECONOMY-54	AFF159M-54GD-CL	54 Gal, Clear	S159	951	4540		
WWCONTACT-R-05	DSPRO-ECONOMY-R-05	AFF158M-5GPRD	5 Gal, Red	S158	950	4540		
WWCONTACT-R-54	DSPRO-ECONOMY-R-54	AFF158M-54GD-RD	54 Gal, Red	S158	950	4540		
Premium Flam Spray Grade								
WWPREMIUM-05	DSPRO-PREMIUM-05	AFF151-5GP-CL/AFF156-5GP-CL	5 Gal, Clear	S150	800/801 860/861	4545	PB938	NS38
WWPREMIUM-54	DSPRO-PREMIUM-54	AFF151-54GD-CL/AFF156-54GD-CL	54 Gal, Clear	S150	800/801 860/861	4545	PB938	NS38
WWPREMIUM-R-05	DSPRO-PREMIUM-R-05	AFF150-5GPRD/AFF155-5GPRD	5 Gal, Red	S150	800/801 860/861	4545	PB938	NS38
WWPREMIUM-R-54	DSPRO-PREMIUM-R-54	AFF150-54GD-RD/AFF155-54GD-RD	54 Gal, Red	S150	800/801 860/861	4545	PB938	NS38
Hi Solids Spray Contact Cement								
WWHIGHSOLIDS-05	DSPRO-PLATINUM-05	AFFHSPLUS-05/AFFHS-5GP-CL	5 Gal, Clear		822	4565, 4570		
WWHIGHSOLIDS-54	DSPRO-PLATINUM-54	AFFHSPLUS-54/AFFHS-54GD-CL	54 Gal, Clear		822	4565, 4570		
WWHIGHSOLIDS-R-05	DSPRO-PLATINUMR-05	AFFHSRPLUS-05/AFFHS-5GPRD	5 Gal, Red		822	4565, 4570		
WWHIGHSOLIDS-R-54	DSPRO-PLATINUMR-54	AFFHSRPLUS-54/AFFHS-54GD-RD	54 Gal, Red		822	4565, 4570		
OTC/CAL Comp Spray Adhesive								
WWCAL-05	DSPRO-CAL-05	AFF270-5GP-CL	5 Gal, Clear	SP80	1700/1701 1730/1731	1570	PB910, PB912	HL+
WWCAL-54	DSPRO-CAL-54	AFF270-54GD-CL	54 Gal, Clear	SP80	1700/1701 1730/1731	1570	PB910, PB912	HL+
WWCAL-R-05	DSPRO-CALR-05	AFF270-5GPRD	5 Gal, Red	SP80	730, 731	1675	PB910, PB912	HL, HL+
WWCAL-R-54	DSPRO-CALR-54	AFF270-54GD-RD	54 Gal, Red	SP80	730, 731	1675	PB910, PB912	HL, HL+
OTC Comp Low Voc Flam Spray Adhesive								
WWLOWVOC-05	DSPRO-OTC-05	AFF268-5GP-CL	5 Gal, Clear	SP80	1700/1701 1730/1731	1570	PB910, PB912	HL+
WWLOWVOC-54	DSPRO-OTC-54	AFF268-54GD-CL	54 Gal, Clear	SP80	1700/1701 1730/1731	1570	PB910, PB912	HL+
WWLOWVOC-R-05	DSPRO-OTCR-05	AFF268-5GPRD	5 Gal, Red	SP80	1700/1701 1730/1731	1570	PB910, PB912	HL+
WWLOWVOC-R-54	DSPRO-OTCR-54	AFF268-54GD-RD	54 Gal, Red	SP80	1700/1701 1730/1731	1570	PB910, PB912	HL+
OTC Com Low Voc Flam Brush Adhesive								
WWLOWVOCBRUSH-05	DSPRO-OTCB-05	AFF269-5GP-CL	5 Gal, Clear		1730/1731			
WWLOWVOCBRUSH-54	DSPRO-OTCB-54	AFF269-54GD-CL	54 Gal, Clear		1730/1731			
Flammable Brush Or Roll Grade								
WWBRUSH-01	DSPRO-BRUSH-01	AFF140-1GP-CL	1 Gal, Clear	S140, 2153	500	4530, 4535	PB941, PB950	NS35
WWBRUSH-05	DSPRO-BRUSH-05	AFF140-5GP-CL	5 Gal, Clear	S140, 2153	500	4530, 4535	PB941, PB950	NS35
WWBRUSH-54	DSPRO-BRUSH-54	AFF140-54GD-CL	54 Gal, Clear	S140, 2153	500	4530, 4535	PB941, PB950	NS35
Non Flammable Low VOC Neoprene								
WWNEOPRENE-NF-05	DSPRO-120NF-05	AFF120M-5GP-CL	5 Gal Clear	S120M		4510	PB970	NS70
WWNEOPRENE-NF-54	DSPRO-120NF-54	F120M-54	54 Gal, Clear	S120M		4510	PB970	NS70
Non Flammable OTC Compliant								
WWLOWVOC-NF-05	DSPRO-OTCNF-05	AFF171-5GP-CL/AFF268NF-5GP-CL	5 Gal, Clear	S170		1585	PB975	NS75, HM
WWLOWVOC-NF-54	DSPRO-OTCNF-54	AFF171-54GD-CL/AFF68NF-54GD-CL	54 Gal, Clear	S170		1585	PB975	NS75, HM
WWLOWVOC-NF-G-05	DSPRO-OTCNFG-05	AFF170-5GP-GR/AFF268NF-5GP-GR	5 Gal, Green	S170		1585	PB975	NS75, HM
WWLOWVOC-NF-G-54	DSPRO-OTCNFG-54	AFF170-54GD-GR/AFF268NF-54GD-GR	54 Gal, Green	S170		1585	PB975	NS75, HM
Super Non Flammable Brush Grade								
WWBRUSH-NF-01	DSPRO-S100-01	AFF100S-1GP-CL	1 Gal, Clear			4505	PB955	NS55
WWBRUSH-NF-05	DSPRO-S100-05	AFF100S-5GP-CL	5 Gal, Clear			4505	PB955	NS55

Würth Adhesive Item #	PRO Adhesive Item #	Formica Adhesive Item #	Description	Sta-Put (TACC)	Wilson Art	Helmitin	Premier Bond (Northstar)	StarStuck (Northstar)
Water Based Contact Cement								
WWWATER-01	DSPRO-WB-01	AFF180-1GP-CL	1 Gal, Clear	S160, S162	H2O	776, 8320-6	PB9330 PB2007, 2008	NS330
WWWATER-05	DSPRO-WB-05	AFF180-5GP-CL	5 Gal, Clear	S160, S162	H2O	776, 8320-6	PB9330 PB2007, 2008	NS330
WWWATER-55	DSPRO-WB-55	AFF180-55GD-CL	55 Gal, Clear	S160, S162	H2O	776, 8320-6	PB9330 PB2007, 2008	NS330
WWWATER-G-01	DSPRO-WBG-01	F180G-01	1 Gal, Green	S160, S162	H2O	776, 8320-6	PB9330 PB2007, 2008	NS330
WWWATER-G-05	DSPRO-WBG-05	F180G-05	5 Gal, Green	S160, S162	H2O	776, 8320-6	PB9330 PB2007, 2008	NS330
WWWATER-G-55	DSPRO-WBG-55	F180G-55	55 Gal, Green	S160, S162	H2O	776, 8320-6	PB9330 PB2007, 2008	NS330
Canister Premium Flammable Spray Adhesive								
WWPREMIUM-11	DSPRO-HITEMP-011	AFF200-11LBC-CL	11Lb, Clear	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-38	DSPRO-HITEMP-038	AFF200-38LBC-CL	38Lb, Clear	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-177	DSPRO-HITEMP-177	AFF200-177LBC-CL	177Lb, Clear	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-355	DSPRO-HITEMP-355	AFF200-355LBC-CL	355Lb, Clear	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-G-38	DSPRO-HITEMP-G-038	AFF200-38LBC-GR	38Lb, Green	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-G-177	DSPRO-HITEMP-G-177	AFF200-177LBC-GR	177Lb, Green	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-G-355	DSPRO-HITEMP-G-355	AFF200-355LBC-GR	355Lb, Green	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-R-38	DSPRO-HITEMP-R-038	AFF200-38LBC-RD	38Lb, Red	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-R-177	DSPRO-HITEMP-R-177	AFF200-177LBC-RD	177Lb, Red	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-R-355	DSPRO-HITEMP-R-355	F200R-355	355Lb, Red	S200	PB974	1685	PB925, PB920	HM
Low VOC OTC Comp Contact Adhesive								
WWLOWVOC-34	DSPRO-OTC-34	AFF201-34LBC-CL	34Lb, Clear	--	--	--	--	--
WWLOWVOC-144	DSPRO-OTC-144	AFF201-144LBC-CL	144Lb, Clear	--	--	--	--	--
WWLOWVOC-288	DSPRO-OTC-288	AFF201-288LBC-CL	288Lb, Clear	--	--	--	--	--
High Heat Economy Grade Adhesive								
WWCANISTER-30	DSPRO-202-030	F202-30	30Lb, Clear	SP30, SP123	700, 701, 740, 741	1680	PB900, PB914 PB923	HF, HT
WWCANISTER-140	DSPRO-202-140	F202-140	140Lb, Clear	SP30, SP123	700, 701, 740, 741	1680	PB900, PB914 PB923	HF, HT
WWCANISTER-300	DSPRO-202-300	F202-300	300Lb, Clear	SP30, SP123	700, 701, 740, 741	1680	PB900, PB914 PB923	HF, HT
OTC/CAL Comp Spray Adhesive								
WWCALCNSTR-27	DSPRO-CAL27	AFF270-27LBC-CL	27Lb, Clear	SP80	730, 731	1675	PB910, PB912	HL, HL+
WWCALCNSTR-128	DSPRO-CAL128	AFF270-130LBC-CL	128Lb, Clear	SP80	730, 731	1675	PB910, PB912	HL, HL+
WWCALCNSTR-252	DSPRO-CAL252	AFF270-250LBC-CL	252Lb, Clear	SP80	730, 731	1675	PB910, PB912	HL, HL+
WWCALCNSTR-R-27	DSPRO-CALR-27	AFF270-27LBC-RD	27Lb, Red	SP80	730, 731	1675	PB910, PB912	HL, HL+
WWCALCNSTR-R-128	DSPRO-CALR-128	AFF270-130LBC-RD	128Lb, Red	SP80	730, 731	1675	PB910, PB912	HL, HL+
WWCALCNSTR-R-252	DSPRO-CALR-252	AFF270-250LBC-RD	252Lb, Red	SP80	730, 731	1675	PB910, PB912	HL, HL+
Air Assist CAL Comp Canister								
WWCAL-AC-27	--	F270AC-27	27Lb, Clear					
WWCAL-AC-135	--	F270AC-135	135Lb, Clear					
WWCAL-AC-263	--	F270AC-263	263Lb, Clear					
WWCAL-AC-R-27	--	F270RAC-27	27Lb, Red					
WWCAL-AC-R-135	--	F270RAC-135	135Lb, Red					
WWCAL-AC-R-263	--	F270RAC-263	263Lb, Red					
Green Diamond Non Flammable Canister								
WWLOWVOC-NF-35	DSPRO-OTCNF-35	AFF268NF-35LBC-CL/AFF200NF-35LBC-CL	35Lb, Clear	SPHS		1695	PB925N, PB980N	HMS, HNF80
WWLOWVOC-NF-162	DSPRO-OTCNF-162	AFF268NF-162LBC-CL/AFF200NF-162LBC-CL	162Lb, Clear	SPHS		1695	PB925N, PB980N	HMS, HNF80
WWLOWVOC-NF-326	DSPRO-OTCNF-326	AFF268NF-326LBC-CL/AFF200NF-326LBC-CL	326Lb, Clear	SPHS		1695	PB925N, PB980N	HMS, HNF80
WWLOWVOC-NF-G-162	DSPRO-OTCNFG-162	AFF268NF-162LBC-GR/AFF200NF-162LBC-GR	162Lb, Green	SPHS		1695	PB925N, PB980N	HMS, HNF80
WWLOWVOC-NF-G-326	DSPRO-OTCNFG-326	AFF268NF-326LBC-GR/AFF200NF-326LBC-GR	326Lb, Green	SPHS		1695	PB925N, PB980N	HMS, HNF80

Wurth Adhesive Item #	PRO Adhesive Item #	Formica Adhesive Item #	Description	Sta-Put (TACC)	Wilson Art	Helmitin	Premier Bond (Northstar)	StarStuck (Northstar)
Air Assist Green Diamond Canister								
WWLOWVOCNF-AC-28	DSPRO-OTCNFAC-28	AFF268NFAC-28LBC	28Lb, Clear					
WWLOWVOCNF-AC-117	DSPRO-OTCNFAC-117	AFF268NFAC-117LBC	117Lb, Clear					
Hose For Solvent Borne Canisters								
WWHOSE-12FT	DSPRO-HOSE-12FT	AFFUC6102	12Ft Hose	--	--	--	--	--
WWHOSE-18FT	DSPRO-HOSE-18FT	AFFUC6103	18Ft Hose	--	--	--	--	--
WWHOSE-25FT	DSPRO-HOSE-25FT	AFFUC6104	25Ft Hose	--	--	--	--	--
Adjustable Spray Gun With 6501 Tip								
WWCANISTER-GUN	DSPRO-CANISTER-GUN	AFFUC6106	Adjustable Spray Gun With 6501 Spray Tip	--	--	--	--	--
Spray Tips								
WWSPRAYTIP-6501	DSPRO-TIP-6501	AFFUC6105	6501, 1.0 Gpm	--	--	--	--	--
WWSPRAYTIP-9501	DSPRO-TIP-9501	AFFUC6108	9501, 1.0 Gpm	--	--	--	--	--
Hose Splitter Valve								
WWHOSESPLITTER	DSPRO-HOSESPLITTER	AFFUC6111	Hose Split Valve	--	--	--	--	--
Assembly Glue, Yellow								
WWASSEMBLY-Y-01	DSPROBOND-01	AFF714Y-1G	1 Gal, Yellow		20			
WWASSEMBLY-Y-05	DSPROBOND-05	AFF714Y-5G	5 Gal, Yellow		20			
WWASSEMBLY-Y-55	DSPROBOND-55	AFF714Y-55G	55 Gal, Yellow		20			
Exterior Glue								
WWEXTERIOR-01	DSPROBOND-II-01	AFF716Y-1G	1 Gal, Yellow		Type II PVA			
WWEXTERIOR-05	DSPROBOND-II-05	AFF716Y-5G	5 Gal, Yellow		Type II PVA			
WWEXTERIOR-55	DSPROBOND-II-55	AFF716Y-55G	55 Gal, Yellow		Type II PVA			
Assembly Glue, White								
WWASSEMBLY-W-01	DSPROBOND-W-01	AFF715-1G	1 Gal, White		10			
WWASSEMBLY-W-05	DSPROBOND-W-05	AFF715-5G	5 Gal, White		10			
WWASSEMBLY-W-55	DSPROBOND-W-55	AFF715-55G	55 Gal, White		10			
Fast Set Glue								
WWFASTSET-01	DSPROBOND-FS-01	AFF522-1G	1 Gal, White					
WWFASTSET-05	DSPROBOND-FS-05	AFF522-5G	5 Gal, White					
WWFASTSET-55	DSPROBOND-FS-55	AFF522-55G	55 Gal, White					
Assembly Glue with UV Indicator								
WWASSEMBLY-UV-01	--	F714Y-UV-01	1 Gal, Yellow	--	30	--	--	--
WWASSEMBLY-UV-05	--	F714Y-UV-05	5 Gal, Yellow	--	30	--	--	--
WWASSEMBLY-UV-55	--	F714Y-UV-55	55 Gal, Yellow	--	30	--	--	--
Cold Press Glue								
WWCOLDPRESS-05	DSPRO-COLDPRESS-05	AFFXA2700-5G	5 Gal, White		3100			
WWCOLDPRESS-55	DSPRO-COLDPRESS-55	AFFXA2700-55G	55 Gal, White		3100			
Premium Cold Press Adhesive								
WWPREMCOLDPRESS-05	--	AFFXA2600-5G	5 Gal, White		10			
WWPREMCOLDPRESS-55	--	AFFXA2600-55G /XA2400	55 Gal, White		10			
Hot Press Glue								
WWHOTPRESS-05	DSPRO-HOTPRESS-05	F502-05	5 Gal, White		3125			
WWHOTPRESS-55	DSPRO-HOTPRESS-55	F502-55	55 Gal, White		3125			
Nip & Stack Glue								
WWNIPSTACK-05	DSPRO-NIPSTACK-05	AFF7709-5G	5 Gal, Green		3000			
WWNIPSTACK-55	DSPRO-NIPSTACK-55	AFF7709-55G	55 Gal, Green		3000			

Würth Adhesive Item #	PRO Adhesive Item #	Formica Adhesive Item #	Description	Sta-Put (TACC)	Wilson Art	Helmitin	Premier Bond (Northstar)	StarStuck (Northstar)
Hi-Temp Contact Adhesive, Aerosol								
WWPREMIUM-AA	DSPROHITEMPCA	AFF200-15-CL	15.75 oz.	S200	PB974	1685	PB925, PB920	HM
WWPREMIUM-R-AA	–	AFF200-15-RD	Aerosol Adhesv	S200	PB974	1685	PB925, PB920	HM
Foam & Fabric Adhesive								
WWFOAM-AA	–	CBA123-AA	EPS Aerosol					
CAL Compliant Adhesive, Aerosol								
WWCALADHESIVE-AA	–	F270-AC	Aerosol					
Citrus Cleaner Aerosol								
WWCITRUSCLNR-AA	–	AFFCITRUSCLNR-AA	13Oz					
Dry Lubricant, Aerosol								
WWDRYLUBE-AA	DSPRODRYLUBE	–	10.5 Oz.					
Laminate Lubricant, Aerosol								
WWLAMLUBE-AA	DSPROLAMLUBE	–	10.5 Oz.					
Flammable Solvent Cleaner/Thinner								
WWSOLVENT-01	DSPRO-SOLVENT-01	689-01	1 Gal, Clear					
WWSOLVENT-05	DSPRO-SOLVENT-05	AFF689-5GP-ST	5 Gal, Clear					
WWSOLVENT-55	DSPRO-SOLVENT-55	AFF689-54GD-ST	55 Gal, Clear					
Non-Flammable Solvent/Cleaner								
WWSOLVENT-NF-05	DSPRO-SOLVENTNF-05	AFF1000-5G	5 Gal, Clear					
WWSOLVENT-NF-55	DSPRO-SOLVENTNF-55	689-55	55 Gal, Clear					
Flammable Foam Adhesive								
WWFOAM-05	–	AFFCBA201-5GP-NAT	5 Gal, Natural					
Foam & Fabric Adhesive								
WWFOAM-54	–	CBA201-54	54 Gallon					
Non-Flammable Foam & Fabric Adhesive								
WWFOAM-NF-05	–	CBA1093-05	5 Gal					
WWFOAM-NF-54	–	CBA1093-54	54 Gal					
Foam & Fabric EPS Canister								
WWFOAM-30	–	CBA3913-30	30lb					
EPDM Roofing Adhesive								
WWEPDM-01	–	CBA320-01	1 Gal	–	–	–	–	–
WWEPDM-05	–	CBA320-05	5 Gal	–	–	–	–	–
Waterbased EPDM Roofing Adhesive								
WWWATER-EPDM-01	–	CBA904A-01	1 Gal					
WWWATER-EPDM-05	–	CBA904A-05	5 Gal					

Can't find the adhesive brand you are looking for?

Scan the code to find a comprehensive cross reference for the Würth Adhesives.



WÜRTH PRO BOND ADHESIVES

Würth Baer Supply
 909 Forest Edge Drive
 Vernon Hills, IL 60061
 T: 800-289-2237
 F: 888-558-2237
www.wurthbaersupply.com

Other locations:
 West Haven, CT
 Elk Grove Village, IL
 Vernon Hills, IL
 Indianapolis, IN

Versailles, KY
 Oak Park, MI
 Eagan, MN
 Fenton, MO
 Kansas City, MO

Londenderry, NH
 Edison, NJ
 Pennsauken, NJ
 Guilderland Center, NY
 Syracuse, NY
 Brooklyn Heights, OH

Columbus, OH
 Middletown, OH
 Bethlehem, PA
 Harrisburg, PA
 Rumford, RI
 Pewaukee, WI

