








Accessories and Parts

Design Tips:  Identifies Organization Solutions chart on page 245	SKU	cubes	Arctic Dove Fossil Lunar Maple Paint	Ivory	Maple Stain	Maple Glaze
EXTERIOR SHELVES						
 <ul style="list-style-type: none"> • Wall System shelves • Sold in pairs • 3/4" x 36" x 13" • 3/4" x 60" x 13" 	WSS36	0.9	285	•	252	285
	WSS60	1.2	478	•	414	478
BOOKSHELF KIT						
 <ul style="list-style-type: none"> • Recommended for use with Bookcase unites where loads on shelves will exceed over 60 lbs. • One Shelf Kit required per shelf 	BKSHELFKIT	0.2	69	•	59	69
STEM GLASS HOLDERS (UNDER WALL CABINET ACCESSORY)						
 <ul style="list-style-type: none"> • Designed to be mounted underneath a standard Wall cabinet • SGH30 holds 7 rows, space between rails is 1 11/32" wide • SGH36 holds 9 rows, space between rails is 1 7/8" wide <p>3/4" =  SIDE VIEW</p>	SGH30	0.5	185	•	185	185
	SGH36	0.6	226	•	226	226


ACCESSORIES & PARTS

	SKU	cupes	Arctic Dove Fossil Lunar Maple Paint	Ivory	Maple Stain	Maple Glaze
ORGANIZER SHELVES (UNDER WALL CABINET ACCESSORY)						
 <p>22 7/16 5 6 2 1/4 10 24 12</p> <ul style="list-style-type: none"> • Designed to mount underneath Wall cabinet • Top, bottom, and sides are finished • Available width: 24" 	ORG24	1.7	495	•	430	495
 <p>28 7/16 5 6 2 1/4 10 5 3/4 5 3/4 12 30</p> <ul style="list-style-type: none"> • Designed to mount underneath Wall cabinet • Top, bottom, and sides are finished • Available width: 30" 	ORG30	2.1	534	•	463	534
 <p>34 7/16 5 6 2 1/4 10 6 3/4 6 3/4 12 36</p> <ul style="list-style-type: none"> • Designed to mount underneath Wall cabinet • Top, bottom, and sides are finished • Available width: 36" 	ORG36	2.5	567	•	490	567
STEM GLASS HOLDERS (WALL OPEN CABINET ACCESSORY)						
 <p>10 3/4 2 3/8</p> <ul style="list-style-type: none"> • One 3/4" thick Maple shelf mounted to each Stem Glass Holder • Installed by placing shelf in position with included shelf clips • SGH18 fits 18" wide Wall cabinets • SGH21 fits 21" wide Wall cabinets 	SGH18	0.2	183	•	155	183
	SGH21	0.3	183	•	155	183

Accessories and Parts


Design Tips:  Identifies Organization Solutions chart on page 245	SKU	cubes	Price	Quantities
--	-----	-------	-------	------------

WALL SPICE RACKS (WALL CABINET ACCESSORY)



 <ul style="list-style-type: none"> Natural wood finish with chrome bars Mounts to door frame with provided screws Designed for Wall cabinets (30", 36", and 42" high), Base cabinets, Utility cabinets, and Linen Closet cabinets Make sure to avoid interference with Roll Trays, full-depth shelves, or other interior cabinet accessories 	SRD15	1.2	181	Each
	SRD18	1.3	181	Each
	SRD21	1.4	181	Each

Model	Recommended	A Dimension	B Dimension
SRD15	15" or 30" wide	10 1/2"	9 1/2" wide
SRD18	18" or 36" wide	13 1/2"	12 1/2" wide
SRD21	21" or 42" wide	16 1/2"	15 1/2" wide

PEGGED DISH ORGANIZER (DRAWER ACCESSORY)

 <ul style="list-style-type: none"> Pegged board is 3/4" thick Recommended for use in DB36, DB36-4, and DBFP34-4 Pegged board can be trimmed for use in smaller applications 	PDO	0.5	379	Includes 8 posts and board
	PDOPOSTS	0.1	112	Includes 4 posts




PLASTIC CUTLERY TRAYS

 <ul style="list-style-type: none"> Plastic Place a cabinet with a PCDT next to the dishwasher for convenience PCDT15 - 9^{27/32}" W x 18^{15/16}" D 	PCDT15	0.4	70	Each
 <ul style="list-style-type: none"> Plastic Place a cabinet with a PCDT next to the dishwasher for convenience PCDT18 - 12^{27/32}" W x 18^{15/16}" D 	PCDT18	0.5	70	Each

ACCESSORIES & PARTS

Design Tips:		SKU	cubes	Price	Quantities
OS Identifies Organization Solutions chart on page 245					
PLASTIC CUTLERY TRAYS OS					
	<ul style="list-style-type: none"> Plastic Place a cabinet with a PCDT next to the dishwasher for convenience PCDT21 - 15^{27/32}" W x 18^{15/16}" D 	PCDT21	0.7	70	Each
	<ul style="list-style-type: none"> Plastic Place a cabinet with a PCDT next to the dishwasher for convenience PCDT24 - 18^{27/32}" W x 18^{15/16}" D 	PCDT24	0.8	70	Each
WOOD CUTLERY TRAY OS					
	<ul style="list-style-type: none"> Wood Place a cabinet with a WCDT next to the dishwasher for convenience Designed to fit in all-wood drawer boxes 15" or greater (does not fit in B12) Can be trimmed to fit WCDT - 18^{15/16}" W x 19^{1/2}" D 	WCDT	0.8	119	Each
CABMAT™					
	<ul style="list-style-type: none"> Designed to capture spills and is removable for cleaning Will contain a spill of up to 3 quarts (2.8 liters) Not trimmable Available width: 36" 	CABMAT36	0.8	210	Each
GLASS SHELF KITS - 12" DEEP					
	<ul style="list-style-type: none"> Meets KCMA standards of 15 lbs. per square foot Thick tempered glass shelves and shelf clips Not trimmable Available widths: 15"-36" 	GSK1512	0.5	181	Kit includes two
		GSK1812	0.5	187	
		GSK2112	1.0	213	
		GSK2412	1.0	221	
		GSK3012	1.0	235	
		GSK3612	1.0	258	
GLASS SHELF KITS - DIAGONAL					
	<ul style="list-style-type: none"> Meets KCMA standards of 15 lbs. per square foot Thick tempered glass shelves and shelf clips Not trimmable Available widths: 24" and 27" 	GSKDC24	1.5	357	Kit includes two
		GSKDC27	1.5	357	

Accessories and Parts


	SKU	cubes	Price	Quantities
HEAT SHIELD - ANGLED				
 <ul style="list-style-type: none"> • White finish • For use on cabinets next to an oven/range when an additional 1/8" cannot be added to the oven manufacturer's recommended space requirement between the oven and each adjacent cabinet • Used to deflect heat from self-cleaning ovens, away from cabinet doors and fronts • Installs on the front of the face frame of each cabinet adjacent to the oven • Includes installation screws • Cabinet door cannot be hinged on the same side as the angled heat shield • Not compatible with double door cabinets 	HEATSHIELDAN	1.0	143	Sold in pairs
HEAT SHIELD - STRAIGHT				
 <ul style="list-style-type: none"> • White finish • For use on cabinets next to an oven/range when an additional 1/8" can be added to the oven manufacturer's recommended space requirement • Used to deflect heat from self-cleaning ovens, away from cabinet doors and fronts • Installs on the side of the face frame of each cabinet adjacent to the oven • Includes installation screws 	HEATSHIELDST	1.0	115	Sold in pairs
OVEN INSTALLATION KIT				
 <ul style="list-style-type: none"> • Two metal brackets to support ovens and microwaves • Designed to be used with OCSD, OD, and OMS cabinets • Cabinet not included 	OCINSTALLKIT	0.5	47	Kit includes two

ACCESSORIES & PARTS


Design Tips:

- Shelf or Roll Tray Kits can be used to convert a standard Utility cabinet into a Pantry
- OS** Identifies Organization Solutions chart on page 245

UTILITY SHELF KITS




- Contains two shelves and eight clips
- Shelves are 3/4" thick natural maple laminate
- Maximum weight per square foot is 15 lbs.



SKU	cubes	Price	Dimensions	Natural Maple Laminate	Plywood	Fits 12" Deep	Fits 24" Deep
UKS15PL	0.6	85	13 1/2" x 22 1/2"	✓	✓		✓
UKS18PL	0.8	97	16 1/2" x 22 1/2"	✓	✓		✓
UKS21PL	1.0	114	19 1/2" x 22 1/2"	✓	✓		✓
UKS24PL	1.2	123	22 1/2" x 22 1/2"	✓	✓		✓
UKS30PL	1.2	141	28 1/2" x 22 1/2"	✓	✓		✓
UKS36PL	1.5	185	34 1/2" x 22 1/2"	✓	✓		✓
UKS1512PL	0.3	70	13 1/2" x 10 11/32"	✓	✓	✓	
UKS1812PL	0.2	81	16 1/2" x 10 11/32"	✓	✓	✓	
UKS2112PL	0.5	96	19 1/2" x 10 11/32"	✓	✓	✓	
UKS2412PL	0.6	103	22 1/2" x 10 11/32"	✓	✓	✓	
UKS3012PL	0.6	116	28 1/2" x 10 11/32"	✓	✓	✓	
UKS3612PL	0.7	132	34 1/2" x 10 11/32"	✓	✓	✓	

SKU	cubes	Price	Dimensions	Natural Maple Laminate	Thickness
-----	-------	-------	------------	------------------------	-----------


PANTRY ROLL TRAY KIT **OS**






- Features 1/2" thick solid-wood front furniture board sides and back
- Includes four trays, eight suspension tracks, and eight bumper pads with installation screws
- Maximum weight per square foot is 15 lbs.
- Cannot be used in any 12" deep Utility cabinet
- Smart Stop™ Pantry Roll Tray kits are not available


UPK15	2.1	465	10 11/16" x 21 13/16"	✓	3 1/8"
UPK18	3.7	465	13 11/16" x 21 13/16"	✓	3 1/8"
UPK21	4.6	465	16 11/16" x 21 13/16"	✓	3 1/8"
UPK24	5.1	465	19 11/16" x 21 13/16"	✓	3 1/8"
UPK30	5.2	599	25 11/16" x 21 13/16"	✓	3 1/8"
UPK36	6.4	599	31 11/16" x 21 13/16"	✓	3 1/8"

Accessories and Parts





Design Tips:		SKU	cubes	Price	Recommended Width of Face Frame Opening	Trays	Track Slides	Mounting Blocks	2 1/2" Wood Screws	1/8" Wood Screws	1/8" Spacers
<ul style="list-style-type: none"> Shelf or Roll Tray Kits can be used to convert a standard Utility cabinet into a Pantry 											
<ul style="list-style-type: none"> Identifies Organization Solutions chart on page 245 											
ROLL TRAY KITS											
 <ul style="list-style-type: none"> Features 1/2" thick solid-wood front furniture board sides and back Maximum weight per square foot is 15 lbs. All guides are white Bumper pads for field installation included An additional Roll Tray can be installed in place of the Base cabinet half-depth shelf Smart Stop™ Roll Tray kits are not available 	TKIT15	0.5	83	12"	1	2	2	2	4	2	
	TKIT18	0.8	86	15"	1	2	2	2	4	2	
	TKIT21	0.9	88	18"	1	2	2	2	4	2	
	TKIT24	1.0	92	21"	1	2	2	2	4	2	
	TKIT27	1.0	98	24"	1	2	2	2	4	2	
	TKIT30	1.2	104	27"	1	2	2	2	4	2	
	TKIT33	1.4	110	30"	1	2	2	2	4	2	
	TKIT36	1.5	113	33"	1	2	2	2	4	2	
	TKIT39	1.6	153	16 1/2"	2	4	4	2	8	2	
	TKIT45	1.6	192	19 1/2"	2	4	4	2	8	2	

SKU	cubes	Price	Quantities	
CHROME TRAY DIVIDER KIT				
 <ul style="list-style-type: none"> Includes 1 divider, 3 clips Tray divider is chrome wire Not recommended in B...FH, BMD...FHB, BPG...FH, BPG...FHB 	CTDK	0.4	5	Each

ROLL TRAY BUMPER PAD				
 <ul style="list-style-type: none"> Includes two bumpers and two screws for installation Used to protect door from roll tray corners Included with roll tray cabinets and with roll tray kits Can be retrofit to all roll trays  <p>Place Bumper Pad on edge of Roll Tray front on top of Roll Tray Slide.</p>	RTBP	0.1	5	Kit includes two bumpers

DOUBLE WASTEBASKET ROLL-OUT KIT 				
 <ul style="list-style-type: none"> White epoxy coated wire with Full extension guides (non Smart Stop™) Includes two 27 quart Wastebaskets with wire storage compartment Mounted on white melamine board and installs to floor of cabinet Installation of this accessory requires removing half depth shelf 	DWBR	3.2	438	Kit includes two wastebaskets

ACCESSORIES & PARTS

	SKU	cubes	Price	Quantities	
SINK TILT-OUT TRAYS					
 <ul style="list-style-type: none"> Used for cabinets with one false front STOT30WHB - two 11½" white trays, 2 hinges STOT36WHB - two 14½" white trays, 2 hinges If STOS's are used on a full overlay style, it is recommended that a pull be used Pulls to add to the fall front must be ordered separately 	STOT30WHB	0.1	87	Kit includes two trays	
	STOT36WHB	0.2	87		
SMART STOP™ DOOR MECHANISM					
 <ul style="list-style-type: none"> Creates a smooth and silent closing motion Recommended usage per cabinet: 1 per door on any door with 2 hinges (cabinets under 36" high) 2 per door on any door with 3 hinges (cabinets 36" and higher) Additional units may be required when an accessory item is attached to the cabinet door Not recommended for use on bifold doors or Base SuperCabinets™ 	SSDM	0.1	25	Each	
HINGES					
	• Order under door style number	HINGE6WAYSC	0.1	10	Each
FRAME SPACERS					
 <ul style="list-style-type: none"> For use to provide additional door adjustment in field Designed to be placed between the face frame and hinge mounting plate Used to decrease gap between BUTT door - insert behind screw on face frame 	HNGSPCRF	0.0	8	Sold in pairs	
	HNGSPCRF50	0.1	59	Sold in packs of 50	
HINGE SPACERS					
 <ul style="list-style-type: none"> For use to provide additional door adjustment in field Designed to be placed around the hinge cup and against the back of the door Used to reduce appearance of a slight warp in a door - insert behind cup of hinge on door, opposite of warp 	HNGSPCRD	0.1	8	Sold in pairs	
	HNGSPCRD50	0.1	59	Sold in packs of 50	
HINGE ANGLE RESTRICTOR CLIPS					
 <ul style="list-style-type: none"> For use in applications with cabinets installed at varying depths to prevent the door damage caused by opening into adjacent cabinets Restricts hinges to 86 degree opening capability Not recommended for cabinets with roll trays specified in partial overlay styles 	HNGRESCLP	0.1	8	Sold in pairs	

Accessories and Parts

	SKU	0.1	Arctic Dove Fossil Lunar Maple Paint	Ivory	Maple Stain	Maple Glaze
STAIN - TONER - AND TOUCH-UP						
 <p>STAIN</p> <ul style="list-style-type: none"> • STAINPT and STAINQT are not available in Arctic, Dove, Fossil, or Lunar • Order 1 pint of Toner for 1 quart of Stain 	STAINPT	0.1	•	•	45	51
	STAINQT	0.1	•	•	52	61
 <p>TONER</p> <ul style="list-style-type: none"> • Not available in Arctic, Dove, Fossil, or Lunar • Order 1 pint of Toner for 1 quart of Stain 	TONERPT	0.1	•	•	45	45
<ul style="list-style-type: none"> • Touch-up Kit contains one felt marker and one putty stick • For white and antique styles, Touch-up is only recommended for face frames and End Panels 	TUKIT	0.1	41	•	41	41
 <p>TOUCH-UP STICK</p> <ul style="list-style-type: none"> • When ordering TUPSTICK, a single putty stick in the selected color is sent • For white and antique styles, Touch-up is only recommended for face frames and End Panels 	TUPSTICK	0.1	22	•	22	22
 <p>TOUCH-UP SPRAY</p> <ul style="list-style-type: none"> • TUPSPRAY is a 13 oz. can (400ml) • For white and antique styles, Touch-up is only recommended for face frames and End Panels 	TUPSPRAY	0.1	49	•	49	49

Wood Specie	Color	TONERPT Required	STAINPT or STAINQT Required
Maple/Birch	Barley	✓	✓
	Caraway Glaze	✓	✓
	Cinnamon Glaze	✓	✓
	Garnet	✓	✓
	Ginger	✓	✓
	Molasses	✓	✓
	Shadow	✓	✓
	Suede	✓	✓
	Toffee	✓	✓
	Truffle	✓	✓